



**hyper**Content & Digital Asset Management Server  
**CMS**



Version 8.1  
Users Guide



# Index

1	Introduction .....	1
2	Architecture and functionality .....	1
3	Introducing the user interface .....	3
4	Login form .....	4
5	Navigation .....	5
6	Home .....	8
7	Chat.....	10
8	The Desktop – Your personal area.....	11
8.1	Personal settings.....	11
8.2	Project management .....	12
8.3	Task management.....	14
8.4	Favorites.....	17
8.5	Checked out objects .....	17
8.6	Messages .....	18
8.7	Publishing queue.....	18
8.8	Recycle bin.....	18
8.9	Travel through time.....	19
9	Automatic notifications .....	20
10	Managing content .....	21
10.1	The basics of content management .....	21
10.1.1	The architecture of content .....	21
10.1.2	The architecture of a page .....	22
10.2	Setting up the folder structure .....	23
10.3	Workspace tools.....	24
10.4	Creating new pages and components.....	26
10.5	Uploading files .....	26
10.6	Import of content or metadata.....	27
10.7	Workplace Integration .....	28
10.7.1	Setup as a network drive.....	28
10.7.2	Synchronization of files .....	31
10.8	Sending files via e-mail.....	32
10.8.1	Send mail function.....	32
10.8.2	Integrate download links into an e-mail client .....	33
10.9	Editing objects.....	34
10.9.1	Editing pages and components .....	34
10.9.2	Editing multimedia files .....	36
10.9.3	Meta information .....	48
10.9.4	Text.....	50
10.9.5	Media.....	52
10.9.6	Link .....	53
10.9.7	Article .....	53
10.9.8	Components .....	54
10.9.9	Geo location.....	55
10.10	Publishing pages and components .....	56
10.11	Removing pages an components .....	56
10.12	Copying, cutting and pasting pages and components .....	56
10.13	Search.....	57
10.14	Search and replace.....	60
10.15	Changing a template .....	61
10.16	Versioning of contents .....	62
10.17	Page and asset information .....	64
11	Legal reference / flag .....	67
11.1	Questions and suggestions .....	67
11.2	Imprint .....	67
11.3	Legal information .....	67

# 1 Introduction

The hyper Content & Digital Asset Management Server is an out-of-the-box Content and Digital Asset Management solution for internet-, intranet- and extranet-projects. It offers simple handling as well as high-end performance and enables your company to manage the entire content lifecycle with ease.

## 2 Architecture and functionality


The main purpose of the system is the management of all kinds of information. The system serves therefore a Content Management and Digital Asset Management solution.

The core elements are structure, content, and design, which are stored separately from each other. This architecture provides high flexibility and efficiency in managing contents.

The structure is based on folders and can be generated, extended and changed using a simple web browser. The objects are stored inside these folders.


The design of a webpage is defined by templates, where as the content (text, images,...) is stored separately. All links between the single pages are constantly checked (link management), that's why dead links can never occur.

Changes in content of pages and templates are tracked and monitored by a version management system, which allows you to undo all changes in content at any time.



The asset or component management allows you to assemble pages from components. Components are managed separately from the pages, but have the same properties and can be reused in any other page. For example, you could create a piece of text once and reuse it in as many pages as you like.

The component concept provides high flexibility and allows setting up workflows based on your authorization concept.



The personalization of contents allows the representation of components based on a user's profile. This can be done actively based on a user's input of preferences (active personalization) or passively by tracking the user's behavior on a website (passive personalization). The session management monitors the preferences or the behavior of the user and automatically shows components matching their user profile.

### 3 Introducing the user interface

The user interface of the system is called Dashboard. It is the workspace for all users, administrators, designers, site managers, and editors. The appearance of the user interface can be changes by using design themes.


Different users might have different permissions assigned by the Administrator. Designers have access to templates. A site manager administers the structure. Editors create and manage content.

This system enables organizations to assign certain tasks to dedicated users and to split competences according to their organizational structure or individual needs.


The user interface is completely browser-based and does not require the installation of additional software.

#### A brief overview of the essential parts of the user interface:

- [1] As **Browser** Internet Explorer, Firefox, Chrome, Safari, Opera or others can be used. The system supports mobile devices, is 100% browser based, so no additional software is required.
- [2] The **Navigator** provides access to all functions and is always visible. Depending on the permissions assigned to a user by his group membership, one can access certain functions.
- [3] The **Workspace Control** offers a tool bar to apply actions to objects.
- [4] The **Workspace** provides additional information and actions regarding the chosen element(s). It acts as an object navigator and shows object in list or thumbnail view, similar to a file manager.



**[5]** After choosing an object in the workspace it can be opened and edited in **EasyEdit** which is a WYSIWYG-Interface (What You See Is What You Get). By one click the same content can also be edited in a form.



## 4 Login form

Using the system requires a standard web browser. The recommended minimum screen resolution is 1024 x 768 pixels for desktops or notebooks. The mobile edition of the system will be presented on all mobile devices automatically.

To access the system, open your browser and enter the address (URL) of the location, where it is installed (e.g. <http://www.yourdomain.com/hypercms>). Then the login form is displayed where you have to enter your username and password.

After logging in successfully you can access one or more publications or sites. Depending on your role (=rights assigned to your user) you can use the miscellaneous functions of the system. All available functions are displayed in the Navigator.

## 5 Navigation

After logging in successfully the top navigation bar, the navigator, and the home screen will be displayed.



The top navigation bar provides access to:


- Home screen
- Navigator
- Search
- Chat
- Logout
- User information (user name and date and time in the users time zone)

The navigator in the left sidebar provides access to your workspace, where you can create, edit, and remove objects.

The main tree nodes can be expanded. By clicking the name or symbol you can open the menu tree and access the functions inside.

The range of available functions depends on the rights assigned to your user. This assures that persons assigned to a certain function can only call actions, which refer to this role. The designer e.g. can only access templates and template media. The designer can create new templates for the editors but does not have the permission to create pages or manage users. The editors again only have the permission to change the contents of the websites assigned to their role, but are not allowed to create templates and change the design of the website.

If you own full administration permissions (which means that you have unrestricted access to all functions) the navigator displays the following elements:



#### Home (only Mobile Edition):

Homepage with general information.

#### Desktop:

Manage your personal information, e.g. change your password.

Access to the project management.

Your tasks are listed chronologically in the task list and you can manage the task you assigned to other users.

Access to the management of favorites.

You have access to all your checked out objects/items, your sent messages, and you can inspect the publishing queue.

The travel through time feature makes time journeys in your websites possible.

#### Optional Plugin (Translation Service Plugin)

#### Main Administration (see Administrators Guide for details):

Here you can create, edit and remove publications and users and view the event log (server installation only).

Configuration of Plugins.

#### A publication includes:

**Administration** (see Administrators Guide for details): Create, edit and remove user and user groups and view the event log (server installation only).

**Personalization** (see Personalization Guide for details): Create and define user tracking and customer profiles for personalized representation of contents.

**Workflow** (see Workflow Guide for details):

Create and define workflows and workflow scripts for creating automated workflows and publishing processes.

**Templates** (see Template Designers Guide for details): Manage templates for pages, components, meta data and template related media files.

**Optional plugin of a publication** (Test Plugin)

#### Taxonomy:

Display of the taxonomy structure and the assigned objects, in case the taxonomy is enabled for the publication.

#### Assets:

Create, edit and remove folders, components and multimedia files. Components are self-contained elements, which again can be included into pages.

#### Pages:

Navigate through the structure of your website. The objects inside the folders are pages or files.

The detailed search in the left sidebar gives you numerous possibilities to search for content in the system:

- General search
- Advanced search for values in fields
- Keyword
- Search for media based on their properties
- Geographical search
- Modified Date
- Search for the ID of objects
- Search for recipients of objects
- Saved search parameters

**General search** [+/-]

Search expression  🔍

Publication  ▼  
 only object names

**Advanced search** [+/-]

**Keywords** [+/-]

**Media** [+/-]

**Geolocation** [+/-]



Google Kartendaten © 2019 Nutzungsbedingungen

S/W coordinates

N/E coordinates

**Last modified** [+/-]

**Object-ID / Link-ID** [+/-]

**Recipient** [+/-]

**Save search** [+/-]

**Search** [+/-]

The following chapter describes all functions of the desktop in detail. You will learn about all functions (e.g. defining new structures, creating new pages, managing content) and the connection between the Navigator and the desktop.

## 6 Home

The Home page will be shown after the logon. It provides according to the system configuration different kind of information. The information boxes will display news, the recent edited objects of the user, the latest tasks of the user, and statistics about up/download of files.

**Report** Top10UsersByUpload

**Chart** **Table** **Export CSV**

**Top 10 Users by Upload**

User	Percentage
demouser	50%
msertkan	28,6%
demoadmin	10%
sys	5%
rstaribacher	5%

**My recent tasks**

2017-05-22 >	There is a new task due to a broken link
2017-05-18 >	There is a new task due to a broken link
2017-05-18 >	There is a new task due to a broken link
2017-05-18 >	There is a new task due to a broken link
2016-09-01 >	Social Media campaigns
2016-09-15 >	Create new product on website
2016-09-01 >	Presentation and discussion
2016-08-15 >	Presentation and discussion

**My recent objects**

- 7.0.0.txt
- DSC\_1.png
- newyear.jpg
- EBanking\_penguin.mp4
- 6363-calib-linen-ro.jpg
- index.php
- 05. Bahamadia - Philadelphia.m...
- 110\_Animals.zip
- hyperCMS-Folder\_de.pdf
- hyperCMS-Porsche 2016-11-24.pd...
- Charts.jpg
- RV\_Kartenhaus\_KungFu.AVI
- test.pdf
- imprint.xhtml
- download.xhtml
- hypercms-free-edition-stable.z...
- hypercms-free.zip
- calculator.xhtml
- Mobile-on-demand.xhtml

**My recent downloads**


- DSC\_1.png
- newyear.jpg
- hyperCMS-Folder\_en.pdf
- dashboard\_collage.png
- 6363-calib-linen-ro.jpg
- test.pdf
- logo.swf
- board\_1.jpg
- weimaraner\_2015.jpg
- saas-intro.png
- Charts.jpg
- 3182550770958-3.jpg
- MarketingWikipedia.doc
- aromatherapy.jpg
- programersguide\_de.pdf
- adminguide\_de.pdf
- arabic.png
- templateguide\_en.pdf
- 6363-calib-linen-ro.jpg
- installationguide\_de.pdf
- saas-intro.png
- 808 State - Techno Bell.mp3
- watch\_4.jpg
- hyperCMS-Porsche 2016-11-24.pd...

**My recent uploads**

- hypercms-free-edition-stable.z...
- newyear.jpg
- hypercms-sales-mail.docx
- programersguide\_de.pdf
- adminguide\_de.pdf
- hyperCMS-Folder\_en.pdf
- facedetection.png
- usersguide\_de.pdf
- arabic.png
- templateguide\_en.pdf
- 6363-calib-linen-ro.jpg
- installationguide\_de.pdf
- saas-intro.png
- 808 State - Techno Bell.mp3
- watch\_4.jpg
- hyperCMS-Folder\_en.pdf

In addition to the standard information boxes of the system, individual information boxes can also be created, if this is made possible in the main configuration of the system, see setting \$mgmt\_config['homeboxes\_directory'] = "HomeBoxes".


The directory or folder defined in the setting must exist for the storage of the individual information boxes under "Assets". After that, any number of new boxes can be created in this folder using the "System-HomeBox" template. The information of the box includes a title, a description, and a link to an image that simultaneously provides the link to the position of the image and all the objects in it. A newly created box is available to all other users of the publication after its publication. The users can select the new box on their home page.



## 7 Chat

The chat enables the user to communicate with other online users. Besides the text based communication, also objects can be added/sent to the chat by using the context menu. The other participants can open the object by clicking on the provided link.

Other online users can be invited to the chat. The chat window will then be opened automatically for those users.



# 8 The Desktop – Your personal area

The personal Area, represented through your username in the navigator, includes your personal settings, such as name, password and e-Mail-address and your task list.

## 8.1 Personal settings

By clicking the „personal settings“ icon in the navigator you can access your personal settings:

The screenshot shows the 'Personal settings' section of the desktop interface. On the left, there's a sidebar with various links like 'Project management', 'Task management', 'Favorites', etc. The main area is titled 'Settings for user: admin' and contains the following fields:


Setting	Value
Old password	(empty)
Change password	(empty)
Confirm password	(empty)
Hash for OpenAPI	20e711813eb278c383c0542b76
Name	admin user
E-mail	support@hypercms.net
Phone	(empty)
Signature	(empty)
Language	English
Time zone	America/Belize
Theme	Standard
Administration	<input checked="" type="checkbox"/> Super administrator
Save settings	

Here you can change your password (Don't forget to confirm it!), your name and your e-Mail address.

In addition you can find a list of available languages in this area. After changing the language of the interface and refreshing the page the entire dashboard is changed to the selected language.


## 8.2 Project management

With the help of project management, project managers can plan and monitor projects. The first step is to create a new project, which is done by clicking the button named "Create new project". In addition to the project name and an optional short description, a previously copied object (folder, page or asset) can be inserted. For instance, this can be a folder with the project documentation.



A project can have multiple subprojects, the process is similar to creating a new project. Again you can assign any object to the subproject.


The creation of new tasks requires more, however, optional entries. In order to monitor the project in the context of project management, a user should be assigned, a start and end date, and the planned workload should be defined. The priority is the importance of the task and will also color-coded as background of a task.



In the tabular display, you can change the grey framed values at any time. Do not forget to save the changes of the project using the save button.

The work progress and the time invested in the project and subprojects will be presented as well in the tabular representation of the project.

The Gantt chart displays the tasks and their work progress also graphically.



The task management performed by the project participants is an essential part of the project management. It allows the project members to manage the tasks assigned to them and to report the status of work.

## 8.3 Task management

In task management you can view all tasks assigned to you, create new tasks, and manage the tasks which you have assigned to other users. Tasks are also created automatically by the system in case of certain system or workflow events. When a user removes the page or component that you referred to in one of your objects, the hyperlink in your pages will be deactivated and you will be notified automatically.

Tasks can also be assigned by users. For example, a manager can assign tasks to his employees and also link them to certain objects.

If the e-mail notification is activated in the system, each user automatically receives a message regarding new tasks and the completion of tasks.

Each task can be assigned one of three priorities: high, low and medium. The different priorities are color-coded in the task list. If the date of completion of a task is exceeded, it is displayed in a signal color.

All tasks are sorted chronologically by the earliest start date. The status of a task can be set in percent. The background color of the line indicates the priority level of a task (low, medium, high). If the end date of a task has been reached a warning color will indicate that. The finished tasks (100%) will not be displayed in the task list by default. Activating the checkbox of top of the page will show all tasks.

You can also set the time you spent working on the task in hours and minutes.

### Tasks of a user in the first tab:



The screenshot shows the 'Task management' interface. On the left, there's a sidebar with links like Desktop, Personal settings, Project management, Task management (which is selected), Favorites, Checked out items, Recycle bin, Publishing queue, Travel through time, Administration, Boarderline, ContentMaster, and DemoCMS. The main area has tabs for 'My tasks' (selected) and 'Management'. A 'Show finished tasks' checkbox is checked. Below is a table with columns: #, Name, From, Start, End, Object, Description, Category, Priority, Status, Actual effort (h), and Planned effort (h). There are four tasks listed:

#	Name	From	Start	End	Object	Description	Category	Priority	Status	Actual effort (h)	Planned effort (h)
76	Final Design	admin user	2017-08-14	2017-08-18	aromatherapy.jpg	Finalizing design after review	user	medium	0%	<input type="button" value="32.00"/>	
75	Presentation	admin user	2017-08-10	2017-08-11	aromatherapy.jpg	Presentation and discussion	user	high	0%	<input type="button" value="24.00"/>	
74	Design Draft	admin user	2017-08-01	2017-08-09	aromatherapy.jpg	Create 3 to 5 drafts for customer	user	low	0%	<input type="button" value="38.00"/>	
115	Link management	System	2017-05-18		register.xhtml	There is a new task due to a broken link	link	medium	0%	<input type="button" value="0.00"/>	

## Manage tasks assigned to other users in the second tab:

Task management												
<input type="checkbox"/> Show finished tasks <span style="float: right;">           Details              Thumbnail gallery  </span>												
My tasks		Management										
<input checked="" type="checkbox"/> All users	<input checked="" type="checkbox"/> Clark Kent	<input type="checkbox"/> Demo Admin User	<input type="checkbox"/> Demo CMS and DAM User	<input type="checkbox"/> Lex Luthor	<input type="checkbox"/> Peter Parker	<input type="checkbox"/> admin user						
#	Name	User	Start	End	Object	Description	Priority	Status	Planned effort (h)	Actual effort (h)	Delete	
77	Social Media	▼	2020-10-08	2020-11-13		Social Media campaigns	Low	50%	40.0	20.00	<input type="checkbox"/>	
78	Website	▼	2020-10-08	2020-11-13		Create new product on	Low	0%	28.0		<input type="checkbox"/>	
73	Shooting	Peter Parker (p▼)	2020-09-28	2020-10-07		hyperCMS-Folder		Indoor photo shooting	High	0%	5.00	<input type="checkbox"/>
72	Preparations	Clark Kent (info▼)	2020-09-21	2020-09-25		aromatherapy.jpg		Prepare site	Low	75%	41.0	<input type="checkbox"/>
76	Final Design	Demo Admin Us▼	2020-09-10	2020-09-18		aromatherapy.jpg		Finalizing design after	Medium	0%	32.0	<input type="checkbox"/>
75	Presenation	Demo Admin Us▼	2020-09-07	2020-09-09		aromatherapy.jpg		Presentation and	High	0%	24.0	<input type="checkbox"/>
74	Design Draft	Demo Admin Us▼	2020-09-01	2020-09-04		aromatherapy.jpg		Create 3 to 5 drafts for	Low	0%	38.0	<input type="checkbox"/>
151	Link management	admin user (su▼)	2019-03-16			calculator.xhtml		There is a new task due	Medium	100%	0.00	<input type="checkbox"/>
149	Link management	admin user (su▼)	2019-03-16			index.xhtml		There is a new task due	Medium	100%	0.00	<input type="checkbox"/>
25	Sales event video	Demo CMS and▼	2015-12-09	2015-12-11		Videos		Can you please upload	High	75%	2.00	<input type="checkbox"/>

0 - 10 Objects


In addition to the detailed list view, a thumbnail gallery view in Kanban style is also available via the right button in the toolbar for both tabs. This view shows the tasks according to the phases "New tasks", "In progress" and "Done".

Task management																					
<input type="checkbox"/> Show finished tasks <span style="float: right;">           Details              Thumbnail gallery  </span>																					
My tasks		Management																			
<input checked="" type="checkbox"/> All users	<input checked="" type="checkbox"/> Clark Kent	<input type="checkbox"/> Demo Admin User	<input type="checkbox"/> Demo CMS and DAM User	<input type="checkbox"/> Lex Luthor	<input type="checkbox"/> Peter Parker	<input type="checkbox"/> admin user															
<b>To do</b>																					
<input checked="" type="checkbox"/> Website <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            hyperCMS                       index.xhtml         </div>		<input checked="" type="checkbox"/> Shooting <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            hyperCMS-Folder_en.p...         </div>		<input checked="" type="checkbox"/> Social Media <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            hyperCMS                       index.xhtml         </div>		<input checked="" type="checkbox"/> Preparations <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            aromatherapy.jpg         </div>		<input checked="" type="checkbox"/> Link management <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            calculator.xhtml         </div>		<input checked="" type="checkbox"/> Link management <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            index.xhtml         </div>											
<input checked="" type="checkbox"/> Final Design <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            aromatherapy.jpg         </div>		<input checked="" type="checkbox"/> Presenation <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            aromatherapy.jpg         </div>		<input checked="" type="checkbox"/> Sales event video <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            Videos         </div>																	
<input checked="" type="checkbox"/> Design Draft <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">            aromatherapy.jpg         </div>																					
<b>In progress</b>																					
<b>Finished</b>																					

0 - 10 Objects

## Creating a new task manually:

To create a new task, use the “Send mail-link” function available from the tool bar in Assets or Pages.



Add one or more person's names to the receiver field to assign the task to users. Next check the “for the recipients with priority” - checkbox and select one on the three available priority levels. You can also define a start and end date for the new task.

Message: 3 objects selected

Recipients User group Settings

Send e-mail to

Recipients  
Clark Kent X

CC (e-mail)

BCC (e-mail)

Subject  
Wrong font

Message  
Please correct the font in the logo.

Send files as +/-

Download link ➔ Download formats

Access link ➔ Download formats

Attachment ➔ Download formats

Download formats +/-

Period of validity +/-

Create new task +/-

for the recipients with priority Medium

Start 2019-02-26 [calendar icon]

End 2019-02-28 [calendar icon]

Send e-mail

on date [calendar icon] →


## 8.4 Favorites

If objects have been added to the favorites, they will be displayed in the list of favorites of the logged in user. So the user always has central access to all his favorite objects.

The objects can also be removed from the favorites. To do so, select and right-click the respective objects to open the context menu and choose „Delete favorite“.

Objects, which are opened for editing, can be added or removed from the favorites via toolbar actions.

By left-clicking an object with your mouse you can mark an object and handle it via the functions of the toolbar. Alternatively you can handle objects via the context menu, which can be opened by right-clicking an object.




## 8.5 Checked out objects

If objects are checked out for exclusive editing, they will appear on the list as "checked out items". That way users always have an overview of the documents locked (checked out) and can check them in again to allow other users to edit them.

By checking objects in, others users will be able to edit them again. To do so, right-click the respective object to open the context menu and choose „check in“.

Objects, which are opened for editing, can be checked in or out via toolbar actions.



## 8.6 Messages

All sent messages of the user will be saved and displayed. The messages can be opened and reused again, and can also be removed. The search can be used to find messages. The search will look in the subject, the message body and the recipient user names.

The screenshot shows the 'Messages' section of the system. On the left is a navigation sidebar with icons for Desktop, Personal settings, Project management, Task management, Favorites, Checked out objects, Recycle bin, Messages (which is selected), Publishing queue, Travel through time, Translation Service, Administration, Instance management, and Publication management. The main area is titled 'Messages' with 'Object 2 Items selected'. It features a search bar with a magnifying glass icon and a help icon. Below the search is a table with columns: Name, Subject, Recipient, Date, Action, and Sender. The table contains four rows of messages:

Name	Subject	Recipient	Date	Action	Sender
Message	You left your cape	ckent	2018-05-18 07:39	sent	admin
Message	Please take your bat suit home	bwayne			admin
Message	Remarks reg Spot V3.1	pparker, lluthor			admin
Message	New images	pparker			admin

At the bottom right of the table is a context menu with options: Edit, Delete, Refresh, and a separator line.

## 8.7 Publishing queue

All objects that are processed at a specific time are listed in the publishing queue. Should the processing not be desired anymore, e.g. the publishing of an object at a scheduled time, the object can be removed from the queue.

The screenshot shows the 'Publishing queue management' section. The left sidebar is identical to the one in the previous screenshot. The main area is titled 'Publishing queue management' with 'Component 2 Items selected'. It has a search bar with a dropdown menu set to 'Boarderline' and a help icon. Below the search is a table with columns: Name, Publication, Location, Date, Action, and User. The table contains seven rows of publications:

Name	Publication	Location	Date	Action	User
Skateboard_OK_1.php	Boarderline	/Boarderline/Produkte/	2018-05-30 00:00	publish	admin
Skateboard_MK_1.php	Boarderline	/Boarderline/Produkte/			admin
Skateboard_MK_2.php	Boarderline	/Boarderline/Produkte/			admin
Skateboard_OK_2.php	Boarderline	/Boarderline/Produkte/			admin
Skateboard_UK_1.php	Boarderline	/Boarderline/Produkte/			admin
Skateboard_UK_2.php	Boarderline	/Boarderline/Produkte/			admin
logo-web.png	ContentMaster	/ContentMaster/Scrub/Logo/	2018-09-28 00:00	publish	admin

At the bottom right of the table is a context menu with options: Edit, Delete, Refresh, and a separator line.

## 8.8 Recycle bin

If the recycle bin is activated in the system, all deleted objects are first placed in the recycle bin. Deleting objects in the recycle bin will finally delete them from the system. Objects can also be restored from the recycle bin. Use the context menu to restore objects or to empty the recycle bin (all objects will be deleted).

The system automatically empties the recycle bin after a defined number of days.

The screenshot shows the 'Recycle bin' section. The left sidebar includes 'Recycle bin' under the 'Favorites' category. The main area is titled 'Location Boarderline Asset logo.swf' and shows a toolbar with various icons. A context menu is open over an item named 'logo' in the list, with options: Preview, Empty recycle bin, Restore, Delete, Print, and Refresh. The list table has columns: Name, Location, Date modified, Size in KB, Type, and Owner. It contains three items:

Name	Location	Date modified	Size in KB	Type	Owner
video.mts	/Boarderline/	2016-09-07 10:44	25,320	File (Video)	admin
test	/Boarderline/Multimedia/	2013-06-07 16:07		Folder	admin
logo	/Boarderline/	2016-07-06 10:55	7	File (Macromedia Fl sys)	admin

## 8.9 Travel through time

This function of the hyper Content Management Server makes time journeys possible. Content and design can be controlled separately from each other. Just select a destination date for the time journey and travel through your publications as if you were in the past. The online publications will remain unaffected by this time journey.

The screenshot shows the hyperCMS desktop interface. On the left is a navigation sidebar with the following items:

- Desktop
  - Personal settings
  - Project management
  - Task management
  - Favorites
  - Checked out objects
  - Messages
  - Publishing queue
  - Travel through time
- Administration
- Boarderline
  - Administration
  - Personalization
  - Workflow
  - Templates
  - Taxonomy
  - Assets
- ContentMaster
- DemoCMS
- DemoDAM
- DemoShowCases
- Development
- hyperCLOUD
- hyperCMS

The main content area is titled "Travel through time". It contains the following text:

Here you can start your journey into the past! hyperCMS automatically stores all versions of content and design (templates). Therefore you can set a desired destination date for your journey for the content and the design. After you set the date, switch back to the pages of your publications and you will see the online presentation in the past. Now start your journey...

Below the text are two sets of date pickers:

Year	Month	Day
2003	01	01
2015	01	01


Below the date pickers are two buttons:

- Set date for the journey (green background)
- Clean date / exit (orange background)


## 9 Automatic notifications

If you want to be notified as soon as a certain object has been changed, created, moved or deleted you can define an alarm using the notification feature of the system.

To do so right-click on the object to be monitored and select "Notify me".



A new popup will be displayed where you can define which actions should be monitored. This popup also shows you a list of all objects currently monitored by your user.



# 10 Managing content

A website is an optical and/or acoustical presentation of content in a structured form.

**We have to keep these 3 elements in mind:**

- Structure
- Design
- Content

The structure defines the information layout, the design defines the appearance and the content consists of the actual information displayed (text, images, videos, links, etc.).

## 10.1 The basics of content management

### 10.1.1 The architecture of content

In order to organize content, folders are the first step to provide some basic categorization.

To organize large amounts of data and information in a structured way it is recommended to use folders, just like in any other file management system (e.g. Windows Explorer). Using folders you can arrange the content systematically, for example by subsidiaries (different languages), by business units (marketing, product management,...) or by products. Of course you can change an existing structure as well, for example by creating, moving, renaming and editing pages or folders.


The link management system monitors all changes in structure and updates references automatically. Therefore you don't have to edit the links between the pages manually after changing their location on the site. The system provides highest flexibility and enable you to quickly respond to changes inside your company.

Another important point regarding architecture is the distinction between the management environment and the live-environment. When an editor changes the content of a webpage, the changes do not affect the content of the live-system (the website as it is shown to the visitors) until the page is published. A page can be unpublished as well, which means that it remains in the management environment, but is no longer visible on the live-system and other editors cannot set links to this page.

### 10.1.2 The architecture of a page

The following information targets the editors of web pages. The same principle is also used to manage multimedia content (files) but it is not of relevance for users regarding Digital Asset Management.


When an editor creates a new webpage they can choose a name for the page and a template. The template defines the design and the editable elements of the page as well as the structure of the content, which is assigned to the page as an XML object. A page or a component is defined by its content (XML-Format) and its layout (template).



A page can consist of multiple elements, which can be manipulated by an editor. Elements can be plain text, images, hyperlinks and components. But also articles can be defined within this page, which again consist of the same elements.

Elements underlie additional management. According to this, articles can be set active, inactive or managed by schedule.

A page can include one or more components. Components behave just like a page and consist of the same elements but are managed independently from the content structure. Components are displayed on the website when embedded into a page.



Components offer high flexibility in managing a website. They are created separately from the actual page and managed independently and integrated into a page dynamically. Therefore components can be integrated in as many pages as you like without causing redundancies.

Example: An editor wants to include contents of other editors into his page. He cannot edit contents managed by other editors but he can include their contents into his own. Thereby he doesn't have to edit these contents since the actual author updates them. If an author deletes a component it will be removed automatically from all pages where it was included. In this case an editor receives a message with a notification that the component has been removed, which allows him to set appropriate action.

Components cannot only be embedded into pages, but also into other components.

## 10.2 Setting up the folder structure

Speaking about Content Management, we have the management of a website in mind which consists of pages and folders. With the Digital Asset Management, the multimedia files and component folders are most important.

Pages and components are treated independently from each other but can go together in website projects.

Before building up your project, you should plan its structure in detail. Especially in large projects requiring multilingual contents and a persistent corporate design, structuring the contents is very important. So you should take your time to plan the project before setting any further action.

Think about chapters in a book. To manage contents and information effectively, it is important to set up a well-engineered structure. You divide all contents into categories to find it easily at a later time. The single pages of the website represent the content. They are stored in folders, which again are comparable with the chapters of a book.

The structure build by the use folders is not only important for the categorization, but also for access control. The user access permissions are also based on folders.

Setting up a component structure is identical to building a page structure. Component structures are commonly used by Digital Asset Management, while page structures are used for website projects.

Therefore all following explanations also apply to components and the content as well.

To access the content of your website choose the respective menu item in the navigator. All folders that comply with your access permissions are displayed in the menu tree. Like in a file manager you can now browse through the website and access the single pages. The „back“-item ↺ takes you back to the parent folder. When you click the folder symbol 📁 all contained subfolders and pages are displayed.

While browsing the site the current path (=your position) is displayed in the workspace bar as well as description of the currently chosen object (folder, page or any other file). Below you can see the toolbar, which gives you access to all available actions associated with the selected object. The number of available actions depends on your permissions.



## 10.3 Workspace tools

Browsing the component- or site structure of your publication the workspace control always displays your current position and the selected object (folder, page or component). Below the path display you can find the toolbar with offers multiple functionalities.

Depending on your permissions and the properties of the selected element (folder, page,...) the icons in the toolbar are set active or inactive.

With the help of the context menu of the column headers in the detailed view you can define the information or columns for the list of objects:

The screenshot shows a workspace interface with a toolbar at the top containing various icons for navigation and management. Below the toolbar is a list of files in a table format. A context menu is open over the 'Type' column header, listing several properties like Date created, Date modified, File size, Type, Owner, Title, Description, Keywords, Copyright, Creator, Quality, and License valid till. Some items in the menu have checked checkboxes next to them.

Name	Date modified	Size in KB	Type
aromatherapy.jpg	2016-07-16 18:11	81	File (Image)
aromatherapy_candles.jpg	2017-07-31 11:53	74	File (Image)
aromatherapy_massage.jpg	2016-07-16 18:12	89	File (Image)
Banners.psd	2017-03-18 11:29	2.130	File (Image)
blackdice1.jpg	2016-07-06 10:48	224	File (Image)
bubbles_blue_skyP1013022.jpg	2017-07-28 16:22	413	File (Image)
Charts.psd	2016-09-09 10:15	7.560	File (Image)
contemplation.jpg	2017-07-31 11:10	638	File (Image)
dead_tree_reservoirP1011597.jpg	2016-11-10 01:40	858	File (Image)
horse_races_rosehillP9025333.jpg	2017-02-02 18:32	946	File (Image)

You can also change the column width with the mouse or you can sort a column by clicking on the column header.

Symbol	Explanation
	Go to parent folder.
	Filter for file-types
	Preview the selected page or component
	Live-view of the selected page or component based on the current publication
	Create a ZIP-file including the selected multimedia files
	Extracting the contents of a ZIP-file (a folder with the name of the ZIP-file will be created)
	Send an e-mail including a link to a folder or an object to an existing or new user of the system. This function is primarily used for Digital Asset Management, to allow external users to access multimedia files.
	Send link to a folder or object to the chat.
	Create a new folder. An input field is displayed in the workspace control, which requires setting a name for the new folder. After confirming by clicking „OK“ the folder will be created as a subfolder on your current position (path).
	Create a new page or component. Choose a template and enter a name for the new object. After clicking „OK“ the new element is created and ready for further editing.
	Edit the selected page, asset, or component
	Rename an existing object or folder. Enter the new name in the input field and click „OK“ to save the new name.
	Removing the selected object (folder, page, component or any other file). After clicking „OK“ the file will be removed from the folder.
	Cutting the selected object (page, component or any other file). After clicking this button the selected object is available in the clipboard and can be pasted into any other location.
	Copying the selected Object (page, component or any other file). After clicking this button the selected object is available in the clipboard and can be pasted into any other location.
	Copying the selected object (page, component or any other file) with a reference to the content of the object (bound copy). If the content of the original file changes, the content of all bound copies changes automatically. After clicking this button the selected object is available in the clipboard and can be pasted into any other location.
	Pasting an object (file, component or any other file). Copied or cut files are pasted from the clipboard to the current location.
	Upload a file from your hard drive. Select a file and click „OK“. The file will be stored in your current position (folder).
	Download of Multimedia files
	Checking out and locking a page or component for exclusive editing.
	Checking in and unlocking a previously checked out page or component.
	Accepting contents after review and forward it to the next instance in the workflow.
	Rejecting contents and sending them back to a defined instance in the workflow.
	Publish the selected page or component. After publication the object is available online and other users can link or integrate it.
	Unpublish the selected page or component. After clicking this button the object is no more available online. All links to this object are removed automatically.
	Search in current location.
	Upload a CSV file for the import of metadata/content for objects in the same location (Provide the 'Name' or 'ContainerID' as column title and identifier for the object)
	Export all data of the selected objects.
	Refresh view
	Access help.
	Change from detailed list view to different sizes of the thumbnails view.
	Activates the sidebar which displays a preview of the selected object on the right border of the explorer.

## 10.4 Creating new pages and components

Use the navigator to get to the location in the folder structure or component structure where you want to create a new object. Now you can create a new page or component using the toolbar as explained in the table above. Select a template and a name for the object and click „OK“ to create it. The object is now displayed in the workspace but is not yet online, which is indicated by its greyed out icon. Until the object is published it is not available in the live-environment. Therefore other users cannot link this object or integrate it into a page.

## 10.5 Uploading files

Files of all kinds, like images, videos, office documents, can be uploaded using the file upload manager. The files will be stored in the system at the chosen location. The multimedia asset not only represents the file and a preview, but also meta information.

Depending on configuration of the system, a user can upload local files, files stored in a Dropbox account or from FTP servers.

For mass uploads, also compressed files (ZIP-files) can be used. If the checkbox (uncompress file) is activated, the uncompressed content of the file will be extracted. Folder structures, files of and the meta information of files will be saved.

The system will look for file duplicates if the option "Check for duplicates" is enabled. If duplicates of the same file will be found, the system will warn the user. Then it is up to the user if this option will be disabled and the same file will be uploaded again to the system.

Uploaded files can be automatically removed again on a certain date and time. These objects will be shown in the publishing queue of the system.

Video files will be converted to small streaming videos for preview purpose. Thumbnails of all kind of image formats will be created. The content of PDF and MS Word documents will be indexed for the search in text based content.

The multimedia files can be linked to or directly integrated into a page or component as image, flash movie or video file.

Upload files to location: /DemoDAM/Marketing/Graphics/

IMG_20170106_105741786.jpg	1 MB	<input type="text"/>
IMG_20170106_105511957.jpg	1 MB	<input type="text"/>
IMG_20170106_105446660.jpg	1 MB	<input type="text"/>

0 file(s) uploaded

Uncompress files (Existing objects will be replaced!)

Resize images (GIF, JPEG, PNG) by percentage of original size (100%)  %

Check for duplicates

Remove uploaded files on

 You can drag & drop files into the window

## 10.6 Import of content or metadata

If you want to import content or metadata, you can provide a CSV (Comma Separated Values) file. It is important that the CSV file provides the name of the object or the Container ID as the first column title and the content IDs used in the templates for the content identifier as column titles. Most likely you will have the file name and not the unique container ID that the system will create whenever a new object is created.

This is an example of the metadata definition in a metadata template. This has been defined by a user with permissions to create and edit templates in the system.

Keep in mind that each content or field is defined by an ID, e.g. id='Title'. You can provide the "Title" by typing it in the corresponding field or by the import of the content stored in a CSV file.

### Metadata template definitions:

```
[hyperCMS:textu id='Title' label='Title' infotype='meta']
[hyperCMS:textu id='Description' label='Description' infotype='meta']
[hyperCMS:textk id='Keywords' label='Keywords' infotype='meta']
```


### The CSV file need to have the following structure:

Name;	Title;	Description;	Keywords
"flowers.jpg";	"Red roses";	"A field full of red roses";	"Roses, Red, Flowers, Field, Nature"

Locate the objects in your system and click on the import icon in the task bar.



Now you need to provide the CSV file.



After the import you should see the imported content in the fields of the objects.

## 10.7 Workplace Integration

To use the Workplace Integration, the corresponding module must be installed on the server. Note that the Free Edition does not include this module.

### 10.7.1 Setup as a network drive

The Workplace Integration enables you to manage multimedia files directly from your local file manager.

The WebDAV-standard allows users to edit files, e.g. Adobe files or MS Office documents directly. So files can be opened, edited and saved like they are in the local file system. The download of the file for editing and the upload is not necessary, since the file can be saved directly in the application. Copy, cut and paste is also supported.

In addition, virtual download (name-dl.htm) and access link files (name-dl.htm) can also be provided, which can be included as attachments in e-mail messages, e.g. in MS Outlook. This way the file will not be attached in the e-mail, instead a link for downloading or accessing the file will be included. This setting must be enabled in the respective publication, see Administrators Guide.

**Attention:** Please note, that the file manager may create a new file and remove the original file when copy and paste is used. This means that the history/versions of the pasted file will be lost!


#### Integration in a file manager:

If the system was configured for the WebDAV access, the system can be integrated in a standard file manager, e.g. MS Windows Explorer, as a network drive to gain access to all files.

Please keep in mind that not all functionalities of the browser interface of the system are available.

#### WINDOWS 10 Explorer – How does it work?


1. Simultaneously press the [Windows] and [E] keys so that the Explorer opens. Click on "This PC" on the left. Click on the "Computer" tab at the top and select "Connect network drive".



2. Select the desired drive letter and enter the path of the storage:

<https://cloud.hypercms.net/cms/webdav/>

Make sure that the network drive is automatically reconnected and that you log in with your hyper Content & Digital Asset Management Server user credentials.




3. Click the "Finish" button to get to the authorization. Enter the correct user name and password for the hyper Content & Digital Asset Management Server here. If you confirm this step, the network drive is integrated and is visible in the Explorer next to the hard drives.



## WINDOWS 7 - How it works?

1. Before you can use this feature, you need to set your password once again. You need access to the option "Map network drive..." in the "Tools" menu of Windows Explorer, which can be opened using the Alt-key in Windows 7.
2. After that you proceed like shown in the screen below and fill in your user name and password in the new window.




3. Now you should be able to access the network drive.

## 10.7.2 Synchronization of files

In addition to the direct access to the files in the system, the files can also be synchronized between the hyper Content & Digital Management Server and the local drive. The advantage is that you can work with the files even without a network connection and synchronize them again when you have a connection to the server again. The same also works on mobile devices with the help of a WebDAV client app. There are several free apps in the app stores that you can use.

There are a variety of WebDAV clients, e.g. the free software CyberDuck (<https://cyberduck.io/>), which can be downloaded and installed free of charge for all common operating systems. The software can synchronize the files without the integration as a network drive.



Another free software would be FreeFileSync (<https://freefilesync.org/>) to enable synchronization of files from two drives. To do this, however, the system must first have been integrated as a network drive. Afterwards, FreeFileSync can be used to set up the synchronization of the files.

## 10.8 Sending files via e-mail

### 10.8.1 Send mail function

To send links to files or folders you can use the mail functionality of the system. You can select existing users or all users of a certain group as recipients. Simply enter the first characters of the users name into the "send e-mail to" field and the system will show you a list of all users with a similar name.

It is also possible to send an e-mail to a new user by the given e-mail address. In this case a new user with the name "User" + timestamp will be added to the system. Therefore, this option should only be used for external users that don't use the system regularly.

Of course the fields copy, carbon copy, subject and the message itself can be filled in.

Exists a user group with the name "default" in the system, then this group will be used for all new users or existing users without access permissions to the location given by the link in the e-mail. The user group "default" must also include the access permissions to a certain location in the system in order to grant a user access.

If there is no group named "default" then all new users must be assigned to a given group. Existing users without access permissions will not get access if the group "default" does not exist.

Message: 3 objects selected

Recipients User group Settings

Send e-mail to

Recipients

Peter Parker X  
Clark Kent X

CC (e-mail)

BCC (e-mail)

Subject

Campaign

Message

Please take a look at the new pictures for our campaign.

Send files as + -

Download link ➔ Download formats  
 Access link ➔ Download formats  
 Attachment ➔ Download formats


Download formats + -

Period of validity + -

Create new task + -

Send e-mail

on date [grid icon] [arrow icon]



### **Sending options:**

You can make files accessible via 3 different options.

The first option sends a download link via e-Mail. After the receiver(s) clicked the link, the default Browser will offer the sent file(s) as a download.

The second option sends a temporary access links via e-mail. After clicking this link, the default Browser will show the file explorer containing the sent file(s). It is taken into account if only a single file or entire folders have been sent.

The last option sends the selected file directly as an e-mail attachment to the receiver(s). This option is not available for entire folders and should only be used for sending small files.

### **Download formats:**


The Formats-tab allows to define download formats for the selected files. For "download" and "attachment" you can define only one specific file format. For "access" links you can define one or more formats.

### **Period of validity:**

If you want to restrict access to the file, a period of time in days and hours can be set. This restriction applies only to download- and access-links.

## 10.8.2 Integrate download links into an e-mail client

You can integrate files into a message of a standard e-mail client without the Workplace Integration, by using the Alt-key in the object explorer. The background will change its color to green and you will be able to right click any object and copy the download link. You can also mark objects and copy & paste them into your e-mail in any view.



## 10.9 Editing objects

To edit an existing page or component choose it from the list of contents in the folder on the workspace. You can open the object for editing using the icon in the toolbar as explained in the table above or by right-clicking the file and selecting the edit function from the context menu.

After choosing an object all available functions are displayed on the toolbar. Pages, as well as components or any other file are opened in EasyEdit Mode in a new browser window. The icon beside the filename shows the format of the file.


If the management system includes the Workplace Integration, the files can be edited directly in the associated Application (e.g. MS Word).

### 10.9.1 Editing pages and components

If you take a look at the workspace after choosing a page you can see the generated page based on the selected template.

**Please note:** You can change the content of a page or component as often as you like, without affecting the live-system. Pages or components are not displayed on the Internet until they are published.

An existing page is displayed as shown below:



Besides the design and the content of the page additional buttons are displayed on the page in EasyEdit mode.

These buttons show, which elements of the page can be edited. The following buttons are displayed depending on the definition of the page template:

<b>Button</b>	<b>Description</b>
	Edit meta-information in form view
	Switch to form view
	Enable or disable the InLine-Editing mode.
	Switch language
	Publish article. An article can be set active, inactive or scheduled.
	Create or edit non-formattable text
	Create or edit formattable text.
	Choose a text option from a list
	Insert or change multimedia file
	Link a page within your website, any other website or a file (download link) or edit an existing link.
	Insert single component
	Insert multiple component
	Edit component
	Remove selected component
	Shift up selected component
	Shift down selected component

These buttons are always displayed at the beginning of the editable content (text, image, link, etc.). Click on the buttons to edit the underlying content.

## 10.9.2 Editing multimedia files

If the object is a multimedia file or folder, meta information for an object can be captured and edited.

The data can be edited by means of an input mask. The data is saved in the system using the save button at the top left of the form.


### 10.9.2.1 Annotations

The system allows annotations to be added directly to images or documents. If this feature is activated in the system, a toolbar with the various marking tools (rectangle, circle, text, arrow, freehand drawing, undo, and redo) appears above the image or document. This allows changing requests to be recorded directly on the media, thus making it easier to communicate change requests to other members.



### 10.9.2.2 Face detection and markers

The system offers face detection for pictures and videos. When this feature is activated, the faces on an image are framed in white. Use the button below the video player for face detection on videos. The video will stop automatically and the detected faces will be displayed by white borders. Other faces or objects can be selected manually on images and videos as well via click in the center of the face or object, if the marker tool has been activated in the toolbar above the video. By clicking on the frame, an input field for the name appears. Don't forget to save the data in order to store the names as well. This feature helps users to search for and find people or objects in pictures and videos.



### 10.9.2.3 Image Editing

Certain image files can be edited by clicking the edit button below the preview image or by selecting more images in the Object Explorer and edit all of them at once (in this case crop is not available).

The following parameters of an image can be changed:

- Crop
- Resize
- Rotate and flip
- Brightness and contrast
- Apply effects
- Change colorspace and file type



#### 10.9.2.4 Video Editing

Videos or audio files can be selected and edited in single or batch mode. Based on the original video file other videos can be created without changing the original source video. The versions of a video file will be shown in the table below the video.

If the video format of the original video is supported, you can also overwrite the original video. To do this, choose the file type "Original" from "Save as".

If the version management is enabled in the system, the original file remains as old version and is replaced by the newly created file.

The screenshot shows the hyper CMS interface for managing video assets. At the top, the location is set to DemoDAM > Marketing > Videos, and the asset name is hypercms-explainer.mp4. The toolbar includes standard file operations like Open, Save, Delete, and Share (with options for Twitter and Google+).

The main area displays a preview of the video, which features the hyper CMS logo and the text "Enterprise Content & Digital Asset Management MADE EASY". Below the preview, there's a play button and a link to the website www.hypercms.com.

Below the preview, there's a table comparing the "Original" file format (mp4) with the "ogv" format. The table includes the following data:


	Original	ogv
File size	9 MB	9 MB
width x height	1280x720 px	640x360 px
Duration (hh:mm:ss)	00:01:21	00:01:21
Video codec	H264	H264
Audio codec	AAC	AAC
Video bitrate	885 kb/s	885 kb/s
Audio bitrate	128 kb/s	128 kb/s
Audio frequency	44100 Hz	44100 Hz
Audio channels	stereo	stereo

Below the table are download links for both formats and YouTube sharing options.

The "Title" field contains "hyper Content & Digital Asset Management Server Explainer". The "Description" field contains "hyper Content & Digital Asset Management Server explainer video". The "Keywords" field contains "explainer" and "hypercms". The "Copyright" field contains "hypercms.com".

The following parameters of a video can be set:

- Format
- Video and audio quality
- Video size
- Brightness, contrast and other effects
- Cut video
- Define start image
- Change file type



### 10.9.2.5 Video Text Tracks Editing

WebVTT (Web Video Text Tracks) is a W3C standard for displaying timed text in connection with the HTML5 <track> element used in videos. The system allows to create and edit video text tracks in all languages.

Open the video text track editor by clicking the "Video text track" button. Select the language in the drop-down-menu. Language select options with green background indicates that a video text track exist already.

When playing the video you can simply press the clock-icon for start and stop to select the timestamp for the begin and end of the text. Pressing the save-icon of the editor will add the new text to the VTT records displayed below the editor.

You can always edit the text or remove entries from the list of text records.

You need to publish the video in order to integrate the video text tracks into your video.



## 10.9.2.6 How to create and embed streaming videos

### Step 1: Upload video file



### Step 2: Open video

Open the video file via double click, the tool bar or the context menu (right mouse click).

A screenshot of the Marketing &gt; Videos interface. The left sidebar shows a tree view of the site structure. The main area displays a list of video assets. One video, "hypercms-explainer.mp4", has a context menu open over it. The menu includes options like Preview, Edit, Notify me, Send to chat, Delete, Cut, Copy, Connected copy, Paste, Publish, Unpublish, Print, and Refresh. The list of objects shows the following details:

### Step 3: Edit video

Edit the video to get the desired size and quality. You can also define a start image from a frame of the video.





Use "Options" to edit the video. If your are satisfied with the result you can finish and close the video editing screen.




#### Step 4: Create code and embed it into your webpage

Now you can create the code for your videoplayer and video, copy and embed/paste it into your webpage (HTML-code).



### 10.9.2.7 Uploading of videos to YouTube

If activated in the publication settings, videos can be uploaded directly to YouTube. To upload a video to YouTube open a video in edit mode:




Press the "YouTube" button below the desired video format and a new popup will be opened where additional information like title, description or category can be defined.

In case the YouTube function is used for the very first time, it is necessary to pair your YouTube account with your publication.


Therefore a small popup presenting the YouTube login will be shown. Log-in with the YouTube account where you want the system to upload videos.

The procedure may vary slightly from the one shown here due to changes on the part of Youtube / Google.




The screenshot shows the Google login interface. At the top left is the Google logo. On the right, there is a red "REGISTRIEREN" button. Below the logo, the word "Konten" (Accounts) is displayed in red. A message in German states: "www.hypercms.net fordert Erlaubnis an, auf Ihr Google-Konto zuzugreifen." Another message says: "Sie müssen sich anmelden, um den Dienst eines Drittanbieters für den Zugriff auf Ihr Konto zu autorisieren." To the right, there is a "Anmelden" (Login) form with fields for "E-Mail-Adresse" (Email address) and "Passwort" (Password). Below the password field is a checkbox for "Angemeldet bleiben" (Stay signed in). A blue "Anmelden" button is at the bottom left of the form. A link "Sie können nicht auf Ihr Konto zugreifen?" is at the bottom right.

By pressing the button "allow access" you're allowing the system to upload videos permanently to your YouTube account.



This screenshot shows a permission dialog from YouTube. It starts with a message: "Eine anonyme Anwendung fordert für die unten aufgeführten Produkte Zugriff auf Ihr Google-Konto an." Below it, the YouTube logo is shown next to the word "YouTube". A note says: "Unter 'Mein Konto' können Sie die Zugriffsberechtigung jederzeit widerrufen. Die anonyme App erhält keinen Zugriff auf Ihr Passwort oder andere personenbezogene Daten aus Ihrem Google-Konto. [Weitere Informationen](#)". A yellow callout box contains the text: "Diese Website wurde nicht bei Google registriert, um eine sichere Verbindung für Autorisierungsanfragen herzustellen. Sie sollten den Vorgang nur fortsetzen, wenn Sie das folgende Ziel für vertrauenswürdig halten:" followed by a URL: "http://www.hypercms.net/cms\_dev/connector/youtube/index.php?&yopt=O5~2Fc8AE8AFCSFhN81To6B~2B6HyEJ4YN2MoqkltEOhZT0~3D&yopt=20L2LEbDZK4mzbjpPKu3vDhtvL1Gjyapt6dYrNnwWA~3D". At the bottom are two buttons: a blue "Zugriff erlauben" (Allow access) button and a white "Zugriff verweigern" (Deny access) button.

After filling in the additional video information you can start the upload by pressing the button "Upload". After the uploading process is finished the video is available in your YouTube account.



The screenshot shows the YouTube upload interface. The title is "BMW Z4 Commercial" and the description is "The official commercial of the all new BMW Z4". The category is set to "Autos & Vehicles" and the privacy setting is "Public". Under "Tags", there are three tags: "bmw", "z4", and "commercial". At the bottom is a green "Upload" button.

### 10.9.2.8 Social Media Sharing

If enabled in the publication settings, images and videos can be published on various social networks.

To share a picture or video on a social networks, you need open the file first with a double click:



Pressing one of the buttons will open a new window where you can log in to the selected social network in order to publish the content.


Depending on the selected network, in addition to the wrapper link as a reference to the file various other data might be used. The contents are taken from the following metadata fields:

- Title
- Description
- Creator

Follow the instructions in the social network for the publication of the asset. You can determine the number of hits after it is released by opening the access statistics in the information tab of the Asset.

### 10.9.2.9 Downloading/Converting files

Uploaded images, videos or documents can be converted into other common file types e.g. MS Word to PDF, if set in the configuration of the system.



### 10.9.3 Meta information

Page title, author, page description, keywords, character set and language are meta information, which among other things are important information for search engines. If you want to obtain a higher ranking in the result list of search engines you should enter a brief description of your contents and the most important keywords. This information cannot be viewed by the visitors of your website but are nevertheless of high importance. Enter all Meta information fields and click "OK" to save them.

The system offers functionality to generate keyword lists and descriptions based on given content. If this is the case, the user does not need to enter additional meta information. Besides predefined meta information, meta data schemas can be freely defined in templates and are important for multimedia content.

#### Keywords of a page:

A screenshot of a CMS interface showing the 'meta-information' section. It has a header 'keywords' and a sub-section 'meta-information'. Under 'meta-information', there is a list item 'hyperCMS, Demo' preceded by a green triangle icon. At the bottom, there is a button 'save information:' with a green arrow icon.

## Content-type (character set) definition:

content-type		
select content-type		
code page	description	language
ISO-8859-1	(Latin-1) Central Europe/Mitteleuropa	Danish/Dänisch, German/Deutsch, English/Englisch, Finnish/Finnisch, French/Französisch, Erse/Irisch, Icelandic/Isländisch, Italian/Italienisch, Dutch/Niederländisch, Norwegian/Norwegisch, Portuguese/Portugiesisch, Swedish/Schwedisch, Spanish/Spanisch
windows-1250	Central Europe/Mitteleuropa	Danish/Dänisch, German/Deutsch, English/Englisch, Finnish/Finnisch, French/Französisch, Erse/Irisch, Icelandic/Isländisch, Italian/Italienisch, Dutch/Niederländisch, Norwegian/Norwegisch, Portuguese/Portugiesisch, Swedish/Schwedisch, Spanish/Spanisch
windows-1252	(Latin-1) Central Europe/Mitteleuropa	Danish/Dänisch, German/Deutsch, English/Englisch, Finnish/Finnisch, French/Französisch, Erse/Irisch, Icelandic/Isländisch, Italian/Italienisch, Dutch/Niederländisch, Norwegian/Norwegisch, Portuguese/Portugiesisch, Swedish/Schwedisch, Spanish/Spanisch
ISO-8859-2	(Latin-2) East Europe/Osteuropa	Croatian/Kroatisch, Polish/Polnisch, Romanian/Rumänisch, Slovak/Slowakisch, Slovenian/Slowenisch, Czech/Tschechisch, Hungarian/Ungarisch
ISO-8859-3	(Latin-3) South Europe/Südeuropa	Esperanto, Turkish/Türkisch
ISO-8859-4	(Latin-4) North Europe/Nordeuropa	Baltic/baltische Sprachen e.g. Estonian/Estnisch, Latvian/Lettisch, Lithuanian/Litauisch
windows-1257	Baltic/baltische Sprachen	Estonian/Estnisch, Latvian/Lettisch, Lithuanian/Litauisch
ISO-8859-5	Cyrillic/Kyrillisch	Russian/Russisch, Serbian/Serbisch
windows-1251	Cyrillic/Kyrillisch	Russian/Russisch, Serbian/Serbisch
ISO-8859-6		Arabic/Arabisch

The list below the drop-down-menu lists all character sets and supported languages.

## Language:

language		
select language		
► available languages:		► save selected languages: 
Afar Abkhazian Afrikaans Amharic Arabic Assamese Aymara Azerbaijani Bashkir Byelorussian (Belarusian)	   	German

#### 10.9.4 Text

There are different kinds of possibilities to edit textual content; especially InLine-Editing enables a very convenient way to change text passages.

##### Different kinds of editing possibilities:


- WYSIWYG editor
- Text editor
- List of available text options and Checkbox (not editable)

##### WYSIWYG text-editor

With the WYSIWYG text-editor you can change the texts appearance, insert and change tables, insert images and videos. The functionality is comparable to MS Word.

Texts from MS Office documents can be inserted via copy & paste, where as the Word HTML-Code will be cleaned up.

An automatic translation service is available, but it must be enabled in the publication settings.



You can get more information about the single functions by moving the cursor over the buttons. A brief description about the chosen functionality is displayed by the cursor.

If you are already familiar with MS Word handling the WYSIWYG editor will require hardly any training. You just have to type in the text, mark it and change its appearance by choosing one of the format buttons. If you are not satisfied with the results you can undo every action step by step with the "undo"-button. Furthermore, you can copy, paste text, and set hyperlinks.

To format tables simply right-click on the table and choose the desired function from the context menu.


In the WYSIWYG editor you can also switch to code view and have a look at the automatically generated source code.

To save the text, click on "save" or "save and close".

## Text-editor

The text editor does not provide any formatting functionality. You can only create, paste and edit text, but you cannot format it or change its appearance.

An automatic translation service is available, but it must be enabled in the publication settings.



Also the use of HTML-tags is not possible in the text editor. "<" or ">" are transformed into the HTML-equivalent. Pressing, "enter" or "shift" + "enter" on the keyboard performs a line break. To save the text click "save" or "save and close".

Which editor, the WYSIWYG or the text editor are used, depends on the <text>-tag in the template. The text editor is used if a designer for example wants to prevent the editors from changing font style and color, which can affect the appearance of a page. The template designer decides which editor can be used to create and edit text.

## Inline-Editing

This editing mode allows one to inline edit text directly on the object. Editable areas are marked with a border on mouse over.


The translation services cannot be accessed when in the inline editing mode.

A screenshot of a page in a CMS system demonstrating inline editing. At the top, there's a toolbar with various icons for file operations, search, and navigation. Below the toolbar, there are tabs for 'Meta', 'Form', and 'EasyEdit'. The 'EasyEdit' tab is active, revealing a rich text editor toolbar with buttons for bold, italic, underline, superscript, and other styling options. The main content area contains two sections of text. The first section is a paragraph about enterprise content management. The second section is a heading 'Corporate Communications – for press releases' followed by a descriptive text. Both sections have a light blue background, indicating they are currently being edited. A status bar at the bottom provides additional information about the system's capabilities.

## Text options and checkboxes


Besides the text editors there are text options without possibility to type in the text. This method should be used only where limited numbers of predefined texts are available for the users. That way it is assured that text itself cannot be changed. The user only can choose the text from a list. Imagine a text field where the different users have to type in a currency. One would type in “€”, another would write “Euro”. With text options the template designer can avoid such differences.

Text options are defined in a template and are displayed on a page or component as a drop-down-list.



## 10.9.5 Media

To insert a media file (e.g. image) click on the “media”-button . The following view is displayed on the workspace:




If you included an image it will be displayed. Via the media navigator on the left you can now choose another image. If the template allows you to do so, you can also change the alternative text, the alignment and the size of the image. When clicking “OK” the new image will be included in the page.

All input options for images can be defined in the template.

## 10.9.6 Link

With „link“ you can create a new reference to another page or URL.



If you want to set a link to an internal page (within your own website) use the link navigator on the left. With the link navigator you can browse the entire site and choose the file you want to link by clicking on it.

If you want to link an external page you can enter the URL manually in the respective field on the right, e.g. <http://www.externalsite.com/news.html>. To preview the linked page in a new browser window click on the "preview"-button. By clicking "OK" the new link is saved.

In the underlying template all options regarding the link, such as target frame, link text, etc. can be defined. Depending on the options defined in the template additional fields are displayed on the page, where you can enter and select the appropriate values.

## 10.9.7 Article

If articles are included in the template, you can use the time management functionality.


Articles consist of texts, images, links and components. Articles are identical to elements of a page but can be scheduled.

Articles can be activated (online), deactivated (offline) or scheduled (online from-to). When the online period of an article expires it is set "offline" automatically and is no more displayed on the website.

Article text, images and links can be identified by the clock symbol, e.g. a text as part of an article.

When you move the cursor over the clock symbol the name of the article is displayed.

To change the settings of an article or its elements click the clock symbol. By default all articles are activated.



Here you can enter a title and enter article options. When you activate an article it is displayed on the live-website. If you deactivate an article it disappears from the website (not from the system). If you want an article being displayed on the website for a certain period of time choose "set article time". Here you can set a start and an end point (year, month, day, hour, minute). Timing only affects the live-site. No matter if an article is online or offline, it is displayed in the workspace at any time.

Which elements of a page or a component should be part of an article can be defined in the template.

### 10.9.8 Components

Components are modules, which can be embedded into pages and into other components. That way, it is possible to assemble a page from predefined "building blocks".

Components behave exactly like pages and can be created and edited the same way. Each component can be integrated in a page or a "mother component", which allows central management of all components. Therefore, a change of a component affects all elements which uses this component. If you use inheritance of contents between publications you can also integrate components of other publications into pages and components of your own publication.

If a template allows a page or a (mother) component to use components, they can be integrated into the content.


**There are two types of components:**

- Single Components
- Multiple Components

#### Single Components

If a template allows the integration of a single component you can include one by clicking the "component"-button .


If you want to include a component choose it from the component navigator on the left of the workspace:



With the "delete"-button you can remove the entry. To preview a component, click on the "preview"-button. If you want to edit a component you can do this if you have the appropriate permissions. The "delete"-button removes your selection. By clicking "OK" you save your input.

## Multiple Components

Multiple Components allows you to include one or more components into a page at the same time, and also arranges them in the order you want. To change the order of the components select one and shift it up or down by clicking the arrow keys.




## Personalization via customer profiles

In case customer profiles have defined contents, it can be personalized appropriately to certain target groups. Therefore, editors decide which target group is meant to watch certain contents.

To display personalized content choose a single component and assign a customer profile to it. Of course you could also use multiple components in this case.

### 10.9.9 Geo location

If the template permits the display and definition of the geo location of the object, a map with the set geo location appears. If you own the necessary permissions, you can define a new geo location by clicking on a position in the map. The map can also be moved and zoomed in and zoomed out.




## 10.10 Publishing pages and components

All changes to a page or component do not apply until they have been published. If you finish editing a page or component you have to publish these objects by clicking "publish". After this the object is online and the changes can be viewed on the Internet.

Optionally pages and components can be published on a certain date and time. In this case they are queued in the publishing queue till they will be published.

Another option allows the user to publish only object, which are already published. In this case all unpublished pages or components will not be touched.

If you want to take a page or component offline click the "unpublish"-button. After doing so all links to this page or component are deactivated and all editors who linked or used this objects are notified by the link management system.



## 10.11 Removing pages and components

If you want to delete an existing page or asset click the "delete"-button. The selected object and all of its versions will be removed from the system. For security reasons the current content container will be maintained (<contentstatus> is set to "deleted").

Please note that locked objects cannot be deleted.

## 10.12 Copying, cutting and pasting pages and components

A selected page or component can be copied, cut or pasted at other locations. A copied object is stored in the clipboard and can be pasted as often as you like. If you cut an object it will be removed from the clipboard after pasting it. It is therefore not possible to cut & paste the same object several times. The link management system monitors all changes of the objects location, updates all references and links automatically.

Linked copies behave differently. If you create a linked copy of an object, it is based on the same content (content container) as the original object. If you edit the content of the original object all changes automatically apply to the linked objects. If an object is checked out by a user, no other user will be able to access objects which are based on (linked to) the same content container.

In addition to the actions by clicking on the buttons on the toolbar or the context menu, the drag & drop function can also be used with the mouse pointer. Dragging and dropping objects across folders is the same as cutting and pasting. If the Ctrl key is held before releasing, this corresponds to copy & paste. If you hold the Alt key before dropping it, this corresponds to a linked copy & paste.

## 10.13 Search

The search allows you to quickly find files and documents in your repository. The system offers an extensive set of search criterias such as full-text search, file type, date of last modification, image colors, geo location, and allows you to reduce the search to object names only. Search terms can be linked using the terms "AND" and "OR", for example: man AND woman (AND and OR must be written in capital). The search term may also include "\*" as a wildcard for any additional characters.

Since Version 7.0.8 the following characters can be used as operators:

- + ... A leading plus sign indicates that this word must be present
- - ... A leading minus sign indicates that this word must not be present
- no operator ... By default (when neither + nor - is specified) the word is optional
- \* ... The asterisk serves as the truncation (or wildcard) operator. Unlike the other operators, it should be appended to the word to be affected.
- " ... A phrase that is enclosed within double quote characters must be present as the phrase literally, as it was typed.

The search is integrated in 2 different parts of the graphical user interface:

- The search with advanced options in the navigator frame
- The search in the workplace frame that offers more advanced options including the search and replace feature. This type of search will only search in the defined area in a publication and therefore requires the user to select assets or pages in the Navigator.

Let's take a look at the third and most advanced search option.

Select any Asset or Page folder in the Navigator tree and click on the search-icon in the toolbar to start a new search.

General	Advanced	Replace	Images
General search			
Search expression:	<input type="text"/>		
Search in folder:	<input type="text"/> /DemoCMS/		
Search restriction:	<input type="checkbox"/> only object names		
Search for file-type:	<input checked="" type="checkbox"/> Component <input checked="" type="checkbox"/> Image <input checked="" type="checkbox"/> Document <input checked="" type="checkbox"/> Video <input checked="" type="checkbox"/> Audio		
Last modified:	from:	<input type="text"/>	
	to:	<input type="text"/>	
Geo location: Hold shift-key and select area using mouse (click & drag)			
			
S/W coordinates:	<input type="text"/>		
N/E coordinates:	<input type="text"/>		
Start search:			

After searching for an object you can display or edit files from the result list by selecting a file via mouse click or by selecting an action from the context menu (right mouse click on the object). You can only edit a page or component if you have the permissions to do so.

Also an advanced search can be accessed by selecting the second tab. This allows you to quickly find content based on a search on single elements.

General	Advanced	Replace	Images
Advanced search			
Based on template:	default (Meta data)		
Search in folder:	/DemoCMS/		
Hide in Navigation:	<input type="checkbox"/> yes		
Navigation Sort Order:			
Title:			
Description:			
Keywords:			
Search for file-type:	<input checked="" type="checkbox"/> Component <input checked="" type="checkbox"/> Image <input checked="" type="checkbox"/> Document <input checked="" type="checkbox"/> Video <input checked="" type="checkbox"/> Audio		
Object-ID / Link-ID:			
Container ID:			
Last modified:	from:	<input type="button" value="Calendar"/>	
	to:	<input type="button" value="Calendar"/>	
Start search:	<input type="button" value="→"/>		

The advanced picture search, located in the 4<sup>th</sup> tab, facilitates searching for pictures. It allows one to do specific search for picture size, main color, or file type.

General	Advanced	Replace	Images
Image search			
Search expression:			
Search in folder:	/DemoCMS/		
Search restriction:	<input type="checkbox"/> only object names		
Image size:	<input type="button" value="All"/>		
Image color:	<input checked="" type="radio"/> All <input type="radio"/> Black <input type="radio"/> White <input type="radio"/> Grey <input type="radio"/> Red <input type="radio"/> Green <input type="radio"/> Blue <input type="radio"/> Cyan <input type="radio"/> Magenta <input type="radio"/> Yellow <input type="radio"/> Orange <input type="radio"/> Pink <input type="radio"/> Brown		
Image type:	<input type="button" value="All"/>		
Last modified:	from:	<input type="button" value="Calendar"/>	
	to:	<input type="button" value="Calendar"/>	
Start search:	<input type="button" value="→"/>		

## 10.14 Search and replace

The “search and replace” function allows editors to search a document for a term and replace it automatically with any text. All replaced text passages are displayed in a list where the changes can be checked once again before publishing.

This feature is only available in connection with a server license.


<b>General</b>	<b>Advanced</b>	<b>Replace</b>	<b>Images</b>
<b>Search and replace</b>			
Search expression:	<input type="text"/>		
Replace with:	<input type="text"/>		
Search in folder:	<input type="text"/> /DemoCMS/		
Search for file-type:	<input checked="" type="checkbox"/> Component <input checked="" type="checkbox"/> Image <input checked="" type="checkbox"/> Document <input checked="" type="checkbox"/> Video <input checked="" type="checkbox"/> Audio		
Last modified:	from:	<input type="text"/>	<input type="button" value="..."/>
	to:	<input type="text"/>	<input type="button" value="..."/>
Start search:	<input type="button" value="→"/>		
<b>i</b> The replacement is case-sensitive. The changes will affect the live objects after republishing.			

## 10.15 Changing a template

Page and component templates can be changed at any time. Select the second tab to choose a template. When selecting a template from the list, a preview is displayed which also shows the ID (Identification Number) of the editable Elements. By assigning another template you can hide elements or add additional elements (text, images, etc...) to your page or component.

All available templates are displayed in a list. By choosing a template from the list and clicking "ok", you assign it to the selected object.

Please note that changes to a component affect all pages where the component is embedded after publication.



## 10.16 Versioning of contents

All published contents or changes in assets are automatically tracked and logged by the version management system, which allows you to view the entire history of pages content. Each time an object is modified, a new version is created which allows editors to undo changes to this object at a later time. Of course versions can be removed from the system as well.

Please note that the versioning of contents is completely independent from the layout. If you change the appearance of your website, previously created contents can be included without affecting the design.

Besides the page preview there is also an XML view.

Click the third tab to view these versions:

Page	Template	Version	Info	Compare	Current	Delete
Version date	Name	Container				
2013-01-15 16:51:00	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:15:27	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:23:09	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:24:50	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:26:16	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:11:37	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:17:16	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:19:06	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-02-20 20:07:12	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
Current version	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
▶ Submit changes to versions :						
▶ Compare selected versions :						

You can also compare two version with each other to see and check the changes between them. To do so check the "compare" – checkbox of the two versions you want to compare and click the button next to "Compare selected versions".

Page	Template	Version	Info	Compare	Current	Delete
Version date	Name	Container				
2013-01-15 16:51:00	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:15:27	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:23:09	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:24:50	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-16 18:26:16	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:11:37	index.xhtml	XML		<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:17:16	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-01-17 11:19:06	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
2013-02-20 20:07:12	index.xhtml	XML		<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
Current version	index.xhtml	XML		<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
▶ Submit changes to versions :						
▶ Compare selected versions :						

The result will be displayed in a new window. Red colored text passages indicate that this content has been removed. On the other hand, the green colored text shows content that has been added.

**Location:** /DemoCMS/03\_Customers/  
**Object:** index.xhtml

Comparison of versions: 2013-05-06 18:57:26 / Current version

**ID: Inhalt\_DE**

hyperCMS besitzt über ~~eine Dekade an~~ ein Jahrzehnt Erfahrung im Bereich Content Management und betreut eine grosse Anzahl an Benutzern in mehr als 20 verschiedenen Ländern. hyperCMS besitzt eine Reihe an Kunden aus den Branchen Handel, Handwerke, Finanz, Telekommunikation sowie Spezialunternehmen. Dabei vertraut man nicht nur unserem Produkt, sondern dank des breit gefächerten Know Hows im Bereich Content Management auch auf unsere Dienstleistungen. Dazu zählen u.A. Wirtschaftlichkeitsbetrachtungen (TCO), Organisationsberatung und Prozessberatung im Bereich Content Management bei Großunternehmen. Wir unterstützen unsere Kunden bei technologisch komplexen Projekten und sorgen für die technische Umsetzung. Die Integration von Datenbanken und Webservices zählen genauso dazu, wie die Implementierung des hyper Content Management Servers als zentrale Plattform. Aufgrund der Möglichkeit den hyper Content Management Server auch auf virtuellen Servern betreiben zu können, sind wir besonders stolz darauf, auch Kleinunternehmen zu unserem Kundenkreis zählen zu dürfen. Für einen Einblick in bereits realisierte Projekte, bieten wir Ihnen ein paar Fallbeispiele, die den hyper Content Management Server einsetzen.

**ID: Inhalt\_EN**

hyperCMS brings more than ~~a-decade~~ ten years of expertise supporting a large amount of users in more than 20 different countries. hyperCMS has various customers in different industries, namely commerce, craftsmanship, financing, telecommunication, and specialized companies. It is not just our product our customers trust in, it is also our broad knowledge when it comes to content management services. Among these services, we offer total cost of ownership analyses, organisations consulting, and process consulting for major enterprises. We support our customers in technologically complex projects and take care of the technical implementation. The integration of data bases, web services, and the implementation of the hyper Content Management Server as a central platform also belong to our core capabilities. The hyper Content Management Server offers the possibility to be run on a virtual server. Therefore we are also proud to have also small and medium sized companies among our customers. To provide an insight into finished projects we offer some business cases that make use of the hyper Content Management Server.

## 10.17 Page and asset information

The fourth tab offers general information about a page or an asset:

Owner	demouser
Modified	2016-07-06 10:48
Published	
Container ID	0008298
Metadata template	default
File size	2 MB
Wrapper link	<a href="https://www.hypercms.com/cms_dev/?wl=00ydtjuu8havozf1">https://www.hypercms.com/cms_dev/?wl=00ydtjuu8havozf1</a>
Download link	<a href="https://www.hypercms.com/cms_dev/?dl=00ydtjuu8havozf1">https://www.hypercms.com/cms_dev/?dl=00ydtjuu8havozf1</a>
Access link	<a href="https://www.hypercms.com/cms_dev/?oal=00ydtjuu8havozf1">https://www.hypercms.com/cms_dev/?oal=00ydtjuu8havozf1</a>
MD5 code of the file	73fdb8b54803bf11b116fabbe3dedfb1

This view shows the owner of an object (user) various information about the object like the date of last change, date of last publication, the reference to the underlying content container, the assigned template and the file size in Kbytes.


There are 3 types of links to multimedia files:

- **Direct link:** This is a direct link to the file and only works on published websites. In Intranets, Extranets and Digital Asset Management Solutions the access can be restricted.
- **Wrapper Link:** This is an indirect access to a file via a wrapper. The wrappers depends on system configuration and can allow or block access. Even if the media files are all protected this can be used to give access to single files without being logged in the system.
- **Download Link:** This type of link forces the download of a file. The same rules as for Wrapper Links apply. Files that have been downloaded via this kind of link are recorded in the download statistic.
- **Access Link:** This link, if enabled, allows the automatic logon in the system and the access to the object. The permissions depend upon the general user, which has been assigned to the access link feature.

When using the link management you can also display additional information about components. By clicking "container usage" you can list all pages where the component has been embedded. By clicking an entry of this list you can go directly to a page or component to view or edit it.

For multimedia files a download statistic is available. Precondition is that this file has been accessed using the system and not a direct link.

The statistic offers a convenient way to see the download and upload behavior of users for a certain file within the months.



The button "Meta information" gives access to all meta information of a file.

File	
File Size	717 kB
File Modification Date/Time	2013:04:08 13:57:19+02:00
File Type	JPEG
MIME Type	image/jpeg
Exif Byte Order	Little-endian (Intel, II)
Current IPTC Digest	7fce9029967bcb6e959bf0b43313ac1
Image Width	2500
Image Height	1664
Encoding Process	Baseline DCT, Huffman coding
Bits Per Sample	8
Color Components	3
YCbCr Sub Sampling	YCbCr4:4:4 (1 1)
JFIF	
JFIF Version	1.02
EXIF	
Image Description	an abstract background image featuring colourful waves of light
Make	NIKON CORPORATION
Camera Model Name	NIKON D700
Orientation	Horizontal (normal)
X Resolution	300
Y Resolution	300
Resolution Unit	inches
Software	Adobe Photoshop CS4 Windows
Modify Date	2011:07:10 11:16:48
Copyright	www.freeimages.co.uk see site for terms of use
Exposure Time	1.9
F Number	8.0
Exposure Program	Manual
ISO	200

The button "Recipients" shows a list of users which the object was sent to via e-mail notification.

Date	User	e-mail	Delete
2013-04-30	User20130430150019	john.doe@hypercms.com	<input type="checkbox"/>
▶ Delete selected recipients: 			

If a workflow is linked to a page or component you can view its status by clicking the "info"-tab. The status of a workflow is represented by a table, which lists all instances of a workflow as well as its members and the status of the document.

member type	member	status	date
members on workflow stage 1			
user	staribacher	pending/rejected	-
members on workflow stage 2			
robot script	-	pending/rejected	-
user	webmaster	pending/rejected	-
members on workflow stage 3			
user	kopezky	pending/rejected	-
usergroup	ChiefEditor	pending/rejected	-
members on workflow stage 4			
user	staribacher	pending/rejected	-

# 11 Legal reference / flag

## 11.1 Questions and suggestions

For advanced questions and suggestions, please contact the support. We are available for every question regarding our reseller- and partner-program. You can apply for an access to our enhanced Online-Demo of the hyper Content & Digital Asset Management Servers via our support.

### **hyperCMS Support:**

[www.hypercms.com](http://www.hypercms.com)  
[support@hypercms.com](mailto:support@hypercms.com)

## 11.2 Imprint

Responsible for the content:

hyperCMS  
Content Management Solutions GmbH  
Rembrandtstr. 35/6  
A-1020 Vienna – Austria

[office@hypercms.com](mailto:office@hypercms.com)  
<http://www.hypercms.com>

## 11.3 Legal information

The present product information is based on the version of the program, which was available at the time the document was composed.

The maker reserves the rights of modifications and corrections of the program.  
Errors and misapprehension accepted.

© 2020 by hyperCMS Content Management Solutions