

Querying Relational Databases Part 5 Notes

Team Treehouse


June 7, 2020

1 What are Set Operations?

- Combine or limit results using two or more datasets
- has 4 set operations
 - UNION / UNION ALL
 - INTERSET
 - EXCEPT

2 Union Operations

- Stacks data vertically



- has to have matching number of columns

Example:

```
1  SELECT MakeID, MakeName FROM Make UNION SELECT ForeignMakeID,  
2  MakeName FROM ForeignMake;
```

```
1 -- <Statement 1> UNION <Statement 2>
2
3 -- What are all the domestic and foreign makes?
4
5 SELECT MakeID, MakeName FROM Make UNION SELECT ForeignMakeID, MakeName FROM ForeignMake;
6
```

Reset

Run

MakeID	MakeName
1	BMW
1	Ford
2	Chevy
2	Volkswagen
3	Audi
3	Jeep
4	Dodge
4	Honda
5	Honda

Example 2:

```
1 SELECT MakeID, MakeName FROM Make
2 WHERE MakeName < "D"
3 UNION
4 SELECT ForeignMakeID, MakeName FROM ForeignMake
5 WHERE MakeName < "D"
6 ORDER BY MakeName;
7
```

3 Union All Operations

- Is the same as union but does not eliminate duplicates