

# SQL Basics Part 3 Notes

Team Treehouse

June 4, 2020

## 1 Searching Tables with 'WHERE'

- WHERE clause
  - **Syntax:** *SELECT columns FROM table name WHERE condition;*
  - **Syntax (Condition):** *Columns Operator Value*
- Equality Operator
  - **Syntax:** *SELECT columns FROM table name WHERE column name = value;*

### Examples:

```
1  SELECT * FROM contacts WHERE first_name = "Andrew";
2
3
4  SELECT first_name, email FROM users WHERE last_name = "Chalkley";
5
6
7  SELECT name AS "Product Name" FROM products WHERE stock_count = 0;
8
9
10 SELECT title "Book Title" FROM books WHERE year_published = 1999;
11
```

- Inequality Operator
  - **Syntax:** *SELECT columns FROM table name WHERE column name != value;*

### Examples:

```
1  SELECT * FROM contacts WHERE first_name != "Kenneth";
2
3
4  SELECT first_name, email FROM users WHERE last_name != "L:one";
5
6
7  SELECT name AS "Product Name" FROM products WHERE stock_count !=
8  0;
9
10 SELECT title "Book Title" FROM books WHERE year_published != 2015;
11
```

- Greater than/ Less than Operator
  - **Syntax (less than):** `SELECT columns FROM table name WHERE column name < value;`
  - **Syntax (greater than):** `SELECT columns FROM table name WHERE column name > value;`
- Cheat Sheet: [Link](#)

## 2 Exercise 1

- Solution included in `exercise_1.sql`

## 3 Filtering by Comparing Values

- **Syntax (Less than):** `SELECT columns FROM table name WHERE column name < value;`
- **Syntax (Less than or equal):** `SELECT columns FROM table name WHERE column name <= value;`
- **Syntax (Greater than):** `SELECT columns FROM table name WHERE column name > value;`
- **Syntax (Greater than or equal):** `SELECT columns FROM table name WHERE column name >= value;`

### Example:

```
1  SELECT first_name, last_name FROM users WHERE date_of_birth < '
2  1998-12-01';
3
4  SELECT title AS "Book Title", author AS Author FROM books WHERE
5  year_released <= 2015;
6
7  SELECT name, description FROM products WHERE price > 9.99;
8
9
10 SELECT title FROM movies WHERE release_year >= 2000;
11
```

## 4 Exercise 2

- Solution included in *exercise\_2.sql*

## 5 Filtering on More than One Condition

- Is used when filtering with multiple conditions
- Can be done using *AND* and/or *OR* operator
- **Syntax (AND):** SELECT *columns* FROM *table name* WHERE *condition 1* AND *condition 2*; ...;
- **Syntax (OR):** SELECT *columns* FROM *table name* WHERE *condition 1* OR *condition 2*; ...;

### Examples:

```
1  SELECT username FROM users WHERE last_name = "Chalkley" AND
2  first_name = "Andrew";
3
4  SELECT * FROM products WHERE category = "Games Consoles" AND price
5  < 400;
6
7  SELECT * FROM movies WHERE title = "The Matrix" OR title = "The
8  Matrix Reloaded" OR title = "The Matrix Revolutions";
```

```
9
10  SELECT country FROM countries WHERE population < 1000000 OR
11  population > 100000000;
```

## 6 Exercise 3

- Solution included in *exercise\_3.sql*

## 7 Filtering By Dates

- Is done using comparison operators (same as part 3).
- **Syntax (Less than):** `SELECT columns FROM table name WHERE column name < value;`
- **Syntax (Less than or equal):** `SELECT columns FROM table name WHERE column name <= value;`
- **Syntax (Greater than):** `SELECT columns FROM table name WHERE column name > value;`
- **Syntax (Greater than or equal):** `SELECT columns FROM table name WHERE column name >= value;`

### Examples:

```
1  SELECT first_name, last_name FROM users WHERE date_of_birth < '
2  1998-12-01';
3
4  SELECT title AS "Book Title", author AS Author FROM books WHERE
5  year_released <= 2015;
6
7  SELECT name, description FROM products WHERE price > 9.99;
8
9
10 SELECT title FROM movies WHERE release_year >= 2000;
11
```

## 8 Exercise 4

- Solution included in *exercise\_4.sql*

## 9 Searching Within a Set of Values

- Returns results with matching sets of values in a columns
- Is similar to Python's *x in [Value1, value2, ....]*
- **Syntax:** `SELECT columns FROM table name WHERE column name IN (value 1, value 2, ...);`
- **Syntax (Negation):** `SELECT columns FROM table name WHERE column name NOT IN (value 1, value 2, ...);`

### Examples:

```
1  SELECT name FROM islands WHERE id IN (4, 8, 15, 16, 23, 42);
2
3
4  SELECT * FROM products WHERE category IN ("eBooks", "Books", "
   Comics");
5
6
7  SELECT title FROM courses WHERE topic IN ("JavaScript", "Databases
   ", "CSS");
8
9
10 SELECT * FROM campaigns WHERE medium IN ("email", "blog", "ppc");
11
12
13 SELECT * FROM products WHERE category NOT IN ("Electronics");
14
15
16 SELECT title FROM courses WHERE topic NOT IN ("SQL", "NoSQL");
17
```

## 10 Exercise 5

- Solution included in *exercise\_5.sql*

## 11 Searching Within a Range of Values

- Returns results between *lesser value* and *greater value*
- **Syntax:** `SELECT columns FROM table name WHERE column name BETWEEN lesser value AND greater value;`

### Examples:

```
1  SELECT * FROM movies WHERE release_year BETWEEN 2000 AND 2010;
2
3
4  SELECT name, description FROM products WHERE price BETWEEN 9.99
   AND 19.99;
5
6
7  SELECT name, appointment_date FROM appointments WHERE
   appointment_date BETWEEN "2015-01-01" AND "2015-01-07";
8
```

## 12 Exercise 6

- Solution included in *exercise\_6.sql*

## 13 Finding Data that Matches a Pattern

- LIKE operator
  - Is used inside of *WHERE* clause to match a pattern
  - **Syntax:** `SELECT columns FROM table name WHERE column name LIKE pattern;`
  - Can be used to make search case insensitive

```
1  SELECT title FROM books WHERE title LIKE "Harry Potter";
2  // returns items like 'Harry potter', 'harry potter'
3
4
```

- LIKE operator with wild card %
  - Works to match zero or more unspecified characters

- works the same as ‘ in regex

```
1  SELECT title FROM books WHERE title LIKE "Harry Potter%Fire";
2  // returns items like 'Harry Potter and Dragon Fire', 'Harry
   Potter and Fire', 'Harry Potter Rising Fire'
3
4  SELECT title FROM movies WHERE title LIKE "Alien%";
5  // Returns items like 'Alien attack', 'Alien', "Alienate"
6
7
8  SELECT * FROM contacts WHERE first_name LIKE "%drew";
9  // Returns items like 'tigerdrew', 'mountaindrew', 'morning drew',
   'andrew'
10
11
12 SELECT * FROM books WHERE title LIKE "%Brief History%";
13 // Returns items like 'Canadian Brief History Channel', 'Brief
   History'
14
```

## 14 Exercise 7

- Solution included in *exercise\_7.sql*

## 15 Filtering Out or Finding Missing Information

- Using IS NULL
  - Is used in WHERE
  - Retrieve rows with information missing.
  - **Syntax:** SELECT *columns* FROM *table name* WHERE *column name* IS NULL;
- Using IS NOT NULL
  - **Syntax:** SELECT *columns* FROM *table name* WHERE *column name* IS NOT NULL;

### Example:

```
1  SELECT address FROM records WHERE address IS NOT NULL;
2
```

## 16 Exercise 8

- Solution included in *exercise\_8.sql*

## 17 Review & Practice with SQL Playgrounds