


CSC343 Worksheet 14 Solution


July 7, 2020



1.


Notes:

- E/R Model
 - Means **Entity Relationship Model**
 - Entity Relationship Model(ER Modeling) is a graphical approach to database design.
 - Is comparable to class diagram in UML
 - Uses three principle element types:
 1. Entity sets
 - * Is an abstract object of some sort (i.e. entity)
 - * Is not used to represent class
 - * Is represented by rectangles




2. Attributes

- * Are properties of entities in a set (i.e. column name)
- * Each has its own primitive data types (e.g. String, integers, Reals)
- * Is represented by ovals




3. Relationships

- * Are connections among two or more entity sets (e.g. intermediary Relations like Stars In)
- * Is represented by diamond




Example:



- Multiway Relationships
 - Connects more than two relationship sets
 - Enables to represent relationships that otherwise is difficult in binary relationship
 - Arrow → 'one'
 - No arrow → 'many'

Example:



Example 2:




Figure 4.4: A three-way relationship

- Roles in Relationships
 - Is the label of edges between the entity set and relationship
 - Are used to clarify the semantics of relationship

Example:




Figure 4.5: A relationship with roles


Example 2:


Figure 4.6: A four-way relationship

- Attributes on Relationships

- can be thought as a property of tuples in the relationship set (i.e. String, Integer, Float, Boolean)


Example:

- Can be removed by creating an entity set with the attribute

Example:

- Converting Multiway Relationships to Binary

Example:



- Subclasses in the E/R Model
 - Has its own special attributes and/or relationships
 - All 'isa' relationship is one to one
 - Is represented by triangle with label 'isa' followed by entity set

Example:

