

SQL Basics Part 3 Notes

Team Treehouse

June 3, 2020

1 Searching Tables with 'WHERE'

- WHERE clause
 - **Syntax:** *SELECT columns FROM table name WHERE condition;*
 - **Syntax (Condition):** *Columns Operator Value*
- Equality Operator
 - **Syntax:** *SELECT columns FROM table name WHERE column name = value;*

Examples:

```
1  SELECT * FROM contacts WHERE first_name = "Andrew";
2
3
4  SELECT first_name, email FROM users WHERE last_name = "Chalkley";
5
6
7  SELECT name AS "Product Name" FROM products WHERE stock_count = 0;
8
9
10 SELECT title "Book Title" FROM books WHERE year_published = 1999;
11
```

- Inequality Operator
 - **Syntax:** *SELECT columns FROM table name WHERE column name != value;*

Examples:

```
1  SELECT * FROM contacts WHERE first_name != "Kenneth";
2
3
4  SELECT first_name, email FROM users WHERE last_name != "L:one";
5
6
7  SELECT name AS "Product Name" FROM products WHERE stock_count !=
8  0;
9
10 SELECT title "Book Title" FROM books WHERE year_published != 2015;
11
```

- Greater than/ Less than Operator
 - **Syntax (less than):** SELECT *columns* FROM *table name* WHERE *column name* < *value*;
 - **Syntax (greater than):** SELECT *columns* FROM *table name* WHERE *column name* > *value*;
- Cheat Sheet: [Link](#)

2 Exercise 1

- Solution included in *exercise_1.sql*

3 Filtering by Comparing Values

- **Syntax (Less than):** SELECT *columns* FROM *table name* WHERE *column name* < *value*;
- **Syntax (Less than or equal):** SELECT *columns* FROM *table name* WHERE *column name* <= *value*;
- **Syntax (Greater than):** SELECT *columns* FROM *table name* WHERE *column name* > *value*;
- **Syntax (Greater than or equal):** SELECT *columns* FROM *table name* WHERE *column name* >= *value*;

Example:

```
1  SELECT first_name, last_name FROM users WHERE date_of_birth < '
2  1998-12-01';
3
4  SELECT title AS "Book Title", author AS Author FROM books WHERE
5  year_released <= 2015;
6
7  SELECT name, description FROM products WHERE price > 9.99;
8
9
10 SELECT title FROM movies WHERE release_year >= 2000;
11
```

4 Exercise 2

- Solution included in *exercise_2.sql*

5 Filtering on More than One Condition

- Is used when filtering with multiple conditions
- Can be done using *AND* and/or *OR* operator
- **Syntax (AND):** SELECT *jcolumnsj* FROM *jtablej* WHERE *jcondition 1j* AND *jcondition 2j* ...;
- **Syntax (OR):** SELECT *jcolumnsj* FROM *jtablej* WHERE *jcondition 1j* OR *jcondition 2j* ...;

Examples:

```
1  SELECT username FROM users WHERE last_name = "Chalkley" AND
2  first_name = "Andrew";
3
4  SELECT * FROM products WHERE category = "Games Consoles" AND price
5  < 400;
6
7  SELECT * FROM movies WHERE title = "The Matrix" OR title = "The
8  Matrix Reloaded" OR title = "The Matrix Revolutions";
```

```
9
10  SELECT country FROM countries WHERE population < 1000000 OR
11  population > 100000000;
```

6 Exercise 3

- Solution included in *exercise_3.sql*

7 Filtering By Dates

- Is done using comparison operators (same as part 3).
- **Syntax (Less than):** `SELECT columns FROM table name WHERE column name < value;`
- **Syntax (Less than or equal):** `SELECT columns FROM table name WHERE column name <= value;`
- **Syntax (Greater than):** `SELECT columns FROM table name WHERE column name > value;`
- **Syntax (Greater than or equal):** `SELECT columns FROM table name WHERE column name >= value;`

Examples:

```
1  SELECT first_name, last_name FROM users WHERE date_of_birth < '
2  1998-12-01';
3
4  SELECT title AS "Book Title", author AS Author FROM books WHERE
5  year_released <= 2015;
6
7  SELECT name, description FROM products WHERE price > 9.99;
8
9
10 SELECT title FROM movies WHERE release_year >= 2000;
11
```

8 Exercise 4

- Solution included in *exercise_4.sql*