





This open source resume was generated with GitHub Metrics.

Summary: GitHub



◆ Overall issues and pull requests status

Created by ctilewis



These metrics include private contributions Last updated Sat, 08 May 2021 00:57:51 GMT with lowlighter/metrics@3.8.0-beta

Contributions: GitHub

Recent activity
An error occured

Contributions: StackOverflow

*	3053 3 qu	· · · · · · · · · · · · · · · · · · ·	> 47 badges > 155 answers
	_	Recent answers Typescript: Index signature is r casting, typescript Resolution TS wants us to define the type of compiler that you can index the myobj['anyString'], change: interface myInterface { myval: string; (1 more line was trimmed) 14 Q 0 Q 3 🗎 28/12/20	of the index. For example, to tell the object with any string, e.g.
	Ç	Property 'value' does not exist ⇒ angular, typescript, properties In my case, I had: const handleOnChange = (e: C doSomething(e.target.value (1 more line was trimmed) And the issue was that I did not ChangeEvent so that it knows ↑ 2 ♀ 0 ♀ 1 ☐ 19/02/202	Resolved hangeEvent) => {); provide a type argument to e.target was an (HTMLInputElement).
	Ç 3		ogle-closure-compiler ion_mode IIFE . I ran into this when with browser interfaces like Node .
	Ç	My code should be detecting if a string has currency symbols, but it will not detect £ ▷ javascript, arrays, for-loop, if-statement ② Resolved If you don't want to use regex, just check if the string includes a symbol, increment a counter, and return whether or not there was exactly 1 match: let testA = "\$£50", testB = "£50", (17 more lines were trimmed) □ ○ □ ○ □ ○ □ 3	
	Ç	\$1 variable which refers to each back the top-level \$1 variable	and restoreDir() make use of the ch function's first argument. You could up to a global like FILE_LOCATION uss it to your functions as needed: