

(s) Joined GitHub 9 years ago Rx Followed by 22 users




Generated with GitHub Metrics.

Summary: GitHub

→ □ □	Activity 1804 Commits 12 Pull requests reviewed 36 Pull requests opened 61 Issues opened 276 issue comments		Community stats Member of 2 organizations Following 59 users Sponsoring 0 repositories Starred 78 repositories Watching 85 repositories
	73 Repositories (including 35 forks)		
ΔĪΔ	Prefers MIT license	\bigcirc	0 Sponsors
\bigcirc	0 Releases	$\stackrel{\wedge}{\Box}$	10 Stargazers
\Diamond	0 Packages	မှ	3 Forks
	2.68 GB used	0	37 Watchers
±	233k added, 124k removed		

Most used languages



These metrics include private contributions, timezone America/Chicago Last updated Sun, 20 Jun 2021 01:00:45 GMT with lowlighter/metrics@3.10.0-beta

Contributions: GitHub

- Recent activity
- ① Opened #15251 `@storybook/react` forces outdated `react-docg... opened in storybookjs/storybook
- Opened #3836 Use native `Array.isArray()` in `utils.js` in axios/axios
 1 file changed (++1 --1)
- ① Opened #230 Using `package-scripts.js` in ESM context? opened in sezna/nps
- ① Opened #125962 Editor will not open files for viewing/editing opened in microsoft/vscode
- ① Opened #125959 Linux integrated terminal broken: "bash is not ... opened in microsoft/vscode

Contributions: StackOverflow

*	Stackoverflow metrics 3103 reputation points
	Recent answers Typescript: Index signature is missing in type casting, typescript Pescript
	Property 'value' does not exist on type 'EventTarget' ⇒ angular, typescript, properties Resolved In my case, I had: const handleOnChange = (e: ChangeEvent) => { doSomething(e.target.value); (1 more line was trimmed) And the issue was that I did not provide a type argument to ChangeEvent so that it knows e.target was an HTMLInputElement. □ 4 □ 0 □ 1 □ 19/02/2021
	JSC_REDECLARED_VARIABLE_ERROR when using gulp closure compiler plugin in javascript, typescript, gulp, google-closure-compiler in Try (env custom) or (isolation_mode IIFE). I ran into this when compiling code that conflicted with browser interfaces like Node. in 0 □ 0 □ 1 □ 24/12/2020
	My code should be detecting if a string has currency symbols, but it will not detect £ ignorpoonup javascript, arrays, for-loop, if-statement ignorpoonup javascript, arrays, for-loop, if-statement ignorpoonup Resolved If you don't want to use regex, just check if the string includes a symbol, increment a counter, and return whether or not there was exactly 1 match: let testA = "\$£50",
	Problem calling functions within case and if loop linux, bash, unix Per @vgersh99, overwrite() and restoreDir() make use of the s1 variable which refers to each function's first argument. You could back the top-level \$1 variable up to a global like FILE_LOCATION and reference that, or simply pass it to your functions as needed: □ 0 □ 0 □ 1 ⊟ 28/07/2020