

Infection

study_unique_id	<input type="text"/>
positive_culture_number	<input type="text"/>
positive_culture	<div><input type="radio"/> Yes <input type="radio"/> No</div>
positive_culture_src	<div><input type="radio"/> blood <input type="radio"/> csf <input type="radio"/> urine <input type="radio"/> tracheal aspirate <input type="radio"/> peritoneal (positiveCultureSrc)</div>
positive_culture_date	<input type="text"/>
positive_culture_time	<input type="text"/>

positive_culture_organism_code1

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp.
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Cocksackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned
(positiveCultureOrganism)

positive_culture_organism_code2

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp.
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned
(positiveCultureOrganism)

positive_culture_organism_code3

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp.
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned
(positiveCultureOrganism)

antibiotics

- ☐ Yes
- ☐ No

antibiotics_code1

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)

antibiotics_code2

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)

antibiotics_code3

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)

rewarming_antibiotics

- ☐ Yes
- ☐ No

rewarming_antibiotics_code1

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)

rewarming_antibiotics_code2

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)

rewarming_antibiotics_code3

- ☐ Ampicillin
- ☐ Carbenicillin
- ☐ Oxacillin
- ☐ Penicillin G
- ☐ Piperacillin
- ☐ Ticarcillin
- ☐ Mexlocillin
- ☐ Methicillin
- ☐ Nafcillin
- ☐ Cephalothin
- ☐ Cefazolin (Kefzol)
- ☐ Cefotaxime (Claforan)
- ☐ Cefoxitin
- ☐ Moxalactam
- ☐ Ceftazadime (Fortaz)
- ☐ Ceftriaxone (Rocephin)
- ☐ Ceftizoxime
- ☐ Cefuroxime
- ☐ Cefotetan
- ☐ Amikacin
- ☐ Gentamicin
- ☐ Kanamycin
- ☐ Tobramycin
- ☐ Amphotericin B
- ☐ Flucytosine (5FC)
- ☐ Vancomycin
- ☐ Vidarabine
- ☐ Bactrim
- ☐ Chloramphenicol (Chloromycetin)
- ☐ Oral Nystatin
- ☐ Clindamycin
- ☐ Erythromycin (IV)
- ☐ Fluconazole
- ☐ Imipenem
- ☐ Metronidazole
- ☐ Aztreonam
- ☐ Acyclovir
- ☐ Ganciclovir
- ☐ Ribavirin (Aerosol)
- ☐ Zidovudine (AZT)
- ☐ Other
(antibiotics)