

# Discharge Infection

---

study\_unique\_id

\_\_\_\_\_

---

discharge\_septicemia

- ☐ Yes  
☐ No

discharge\_septicemia\_organism\_code1

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Cocksackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)

discharge\_septicemia\_organism\_code2

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp.
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)

discharge\_septicemia\_organism\_code3

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)

---

discharge\_meningitis\_encephalitis

- ☐ Yes
- ☐ No

discharge\_meningitis\_organism\_code1

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis



- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)

discharge\_meningitis\_organism\_code2

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp.
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Cocksackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)

discharge\_meningitis\_organism\_code3

- ☐ Other; Code to be assigned
- ☐ Staphylococcus sp.
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus sp. Unknown, coag -neg
- ☐ Micrococcus sp.
- ☐ Streptococcus sp. (includes Enterococcus)
- ☐ Streptococcus viridans
- ☐ Streptococcus Group A
- ☐ Streptococcus Group B
- ☐ Streptococcus Group G
- ☐ Streptococcus pneumoniae
- ☐ Streptococcus Group D
- ☐ Streptococcus Group D faecum
- ☐ Streptococcus Group D faecalis
- ☐ Bacillus sp.
- ☐ Listeria sp.
- ☐ Listeria monocytogenes
- ☐ Escherichia coli
- ☐ Salmonella sp
- ☐ Shigella sp.
- ☐ Citrobacter sp.
- ☐ Klebsiella sp.
- ☐ Enterobacter sp.
- ☐ Enterobacter cloacae
- ☐ Serratia sp.
- ☐ Serratia marcescens
- ☐ Proteus sp.
- ☐ Providencia sp.
- ☐ Pseudomonas sp.
- ☐ Pseudomonas aeruginosa
- ☐ Pseudomonas cepacia
- ☐ Acinetobacter antiratus
- ☐ Herellea vaginicola
- ☐ Bacteroides sp.
- ☐ Clostridia sp.
- ☐ Fusobacterium nucleatum
- ☐ Peptococcus sp.
- ☐ Peptostreptococcus sp.
- ☐ Propionibacterium sp.
- ☐ Corynebacterium sp.
- ☐ Streptococcus sp.
- ☐ Treponema sp.
- ☐ Treponema pallidum (Syphilis)
- ☐ Neisseria sp.
- ☐ Neisseria gonorrhoeae
- ☐ Hemophilus sp.
- ☐ Hemophilus influenzae
- ☐ Hemophilus vaginalis
- ☐ Other Bacteria; Code to be assigned
- ☐ Meningococcus meningitis
- ☐ Other Antigen; Code to be assigned
- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Candida sp.
- ☐ Candida albicans
- ☐ Candida parapsilosis
- ☐ Torulopsis glabrata
- ☐ Alternaria sp.
- ☐ Aureobasidium sp.
- ☐ Cladsporium sp.
- ☐ Rhodotorula sp.
- ☐ Saccharomyces sp. (yeast)
- ☐ Malassezia fur fur
- ☐ Other Fungi; Code to be assigned
- ☐ CMV
- ☐ Coxsackie
- ☐ Herpes
- ☐ Hepatitis

- ☐ HIV
- ☐ RSV
- ☐ Rotavirus
- ☐ Rubella
- ☐ Toxoplasmosis hominis
- ☐ Mycoplasma
- ☐ Ureaplasma urealyticum
- ☐ Para Influenza
- ☐ Other Virus; Code to be assigned  
(positiveCultureOrganism)