
Pantheon Report

Generated at 2019-07-04 15:32:34 (UTC).

Tested in mahimahi: mm-link 12mbps.trace 12mbps.trace Repeated the test of 1 congestion control schemes once. Each test lasted for 30 seconds running 1 flow. System info: Linux 4.15.0-54-generic net.core.default_qdisc = fq_codel net.core.rmem_default = 212992 $net.core.rmem_max = 212992$ net.core.wmem_default = 212992 $net.core.wmem_max = 212992$ $net.ipv4.tcp_rmem = 4096 87380 6291456$ $net.ipv4.tcp_wmem = 4096 16384 4194304$ Git summary: branch: master @ 1819399ba770873c1527f3a35dc992b331f0f34b third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519 third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9 third_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4 third_party/gold @ e47bed6d7495aa223eec8de2c7a43035967074ef $\verb|third_party/goldLSTM @ 27e9186456014c8b1e166339942eeb5f09718859|$ third_party/indigo @ 2601c92e4aa9d58d38dc4dfe0ecdbf90c077e64d third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1 third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42 third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2 third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26 third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494 M src/verus.hpp M tools/plot.py third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4

third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851



0.054

95th percentile one-way delay (ms)

0.052

0.050


0.048 +4.344e3

0.056

11.506

0.060

0.058



| | | mean avg tput (Mbit/s) | mean 95th-%ile delay (ms) | mean loss rate $(\%)$ |
|---------------------------|--------|------------------------|---------------------------|-----------------------|
| scheme | # runs | flow 1 | flow 1 | flow 1 |
| $\operatorname{GoldLSTM}$ | 1 | 11.51 | 4344.05 | 13.71 |

Run 1: Statistics of GoldLSTM

Start at: 2019-07-04 15:31:29 End at: 2019-07-04 15:31:59

Below is generated by plot.py at 2019-07-04 15:32:33

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 11.51 Mbit/s (95.9% utilization) 95th percentile per-packet one-way delay: 4344.054 ms

Loss rate: 13.71%

-- Flow 1:

Average throughput: 11.51 Mbit/s

95th percentile per-packet one-way delay: 4344.054 ms

Loss rate: 13.71%

Run 1: Report of GoldLSTM — Data Link

