

[Dashboard](#) / [Courses](#) / [Winter 2021-22](#) / [BTech Semester 4](#) / [CS268](#) / [Assignment 1-18-02-2022](#) / [Assignment 1-18-02-2022](#)

**Started on** Friday, 18 February 2022, 1:40 PM

**State** Finished

**Completed on** Friday, 18 February 2022, 1:44 PM

**Time taken** 4 mins 41 secs

**Marks** 5.00/7.00

**Grade** 7.14 out of 10.00 (71%)

Question **1**

Complete

Mark 1.00 out of 1.00

**An instruction register is the part of a CPU's control unit that holds the \_\_\_\_ currently being executed**

- ☐ a. data
- ☐ b. address
- ☐ c. None of the mentioned
- ☒ d. instruction

Question **2**

Complete

Mark 0.00 out of 1.00

**The components to design the data path architecture ?**

- ☐ a. ALU, MUX, Registres
- ☐ b. Control unit and MUX
- ☒ c. ALU, Control unit, program counter
- ☐ d. None of the mentioned

Question **3**

Complete

Mark 1.00 out of 1.00

**In a system, which has 32 registers the register id is \_\_\_\_\_ long?**

- ☐ a. 6 bit
- ☐ b. 16 bit
- ☐ c. 4 bit
- ☒ d. 5 bit

Question **4**

Complete

Mark 1.00 out of 1.00

**Which unit is responsible for directing the operations of computer arithmetic and logical unit?**


- ☒ a. Control Unit
- ☐ b. Multiplexer
- ☐ c. ALU by itself
- ☐ d. Program Counter

## Question 5

Complete

Mark 1.00 out of 1.00

Consider the following data path of a cpu:



In the above data path size of bus, ALU and all registers are equal. All operations including incrementation of the PC and the GPRs are to be carried out in the ALU.

Two clock cycles are needed for memory read operation- one is for loading address in MAR and one for loading data from memory but into MDR.

The instruction "call Rn,sub" is a two word instruction. Assume that program counter is incremented during the fetch cycle of the first word of the instruction, it's register transfer interpretation is

$R_n \leq PC + 1;$

$PC \leq M[PC];$

The no. of minimum number of CPU clock cycles required in the execution cycle of this instruction?

- ☐ a. 4
- ☐ b. 2
- ☒ c. 3
- ☐ d. 1

## Question 6

Complete

Mark 1.00 out of 1.00

\_\_\_\_\_ register specifically holds the \_\_\_\_\_ and provides it to instruction decoder circuit

- ☐ a. Memory and instruction
- ☒ b. Instruction and instruction
- ☐ c. data and instruction
- ☐ d. instruction and data

Question **7**

Complete

Mark 0.00 out of 1.00

**A machine (31-bit architecture, with 1-word long instructions) has 64 registers, each register is 32 bits long. It needs to support 45 instructions, which have an immediate operand in addition to two register operands. Assuming that the immediate operand is an unsigned integer, what is the maximum value of the immediate operand?**

- ☐ a. 16333
- ☒ b. 16383
- ☐ c. 26383
- ☐ d. None of the mentioned

[◀ Announcements](#)

Jump to...

[Assignment 2-18-02-2022 ▶](#)