



# Quiz review

Started on	Tuesday, 14 May 2024, 10:24 AM
State	Finished
Completed on	Tuesday, 14 May 2024, 10:37 AM
Time taken	12 mins 11 secs
Marks	7.00/8.00
Grade	87.50 out of 100.00
Feedback	Congratulations!! You have passed by securing more than 80%

## Question 1

Correct

Mark 1.00 out of 1.00

The methods of a class with the \_\_\_\_\_ access specifier cannot be accessed in its subclass class of different package.

Select one:

- ☐ a. protected
- ☒ b. default ✓
- ☐ c. public

Your answer is correct.

We call the access specifier default as “package level access” because, in a class, members declared as default can be accessed only within the package in which it is declared.

The correct answer is: default



## Question 2

Correct

Mark 1.00 out of 1.00

Predict the output.

```
class X
{
    void display(int a)
    {
        System.out.println("INT");
    }

    void display(double d)
    {
        System.out.println("DOUBLE");
    }
}

public class Sample
{
    public static void main(String[] args)
    {
        new X().display(100);
    }
}
```

Select one:

- ☒ a. INT ✓
- ☐ b. Compilation Fails
- ☐ c. Ambiguity error
- ☐ d. DOUBLE

Your answer is correct.

The correct answer is: INT

### Question 3

Correct

Mark 1.00 out of 1.00

Observe the code

```
public class Sample {  
    public static void main(String [] args) {  
        int x = 6;  
        Sample p = new Sample();  
        p.display(x);  
        System.out.print(" main x = " + x);  
    }  
    void display(int x) {  
        System.out.print(" display x = " + x++);  
    }  
}
```

Given in command line - **java Sample** - What is the result?

Select one:

- ☐ a. display x = 7 main x = 6
- ☐ b. An exception is thrown at runtime.
- ☐ c. display x = 7 main x = 7
- ☐ d. Compilation fails.
- ☐ e. display x = 6 main x = 7
- ☒ f. display x = 6 main x = 6 ✓

Your answer is correct.

The correct answer is:

display x = 6 main x = 6

#### Question 4

Incorrect

Mark 0.00 out of 1.00

```
Integer x1 = new Integer(120);  
int x2 = 120;  
System.out.println( x1 == x2 );
```

What will be the output of the above code fragment?

Select one:

- ☐ a. Compilation Error
- ☒ b. false ❌
- ☐ c. CastException
- ☐ d. true
- ☐ e. Runtime Exception

Your answer is incorrect.

The correct answer is: true

52248

52248

### Question 5

Correct

Mark 1.00 out of 1.00

Given:

```
public class Message {  
    String msg;  
    int noOfWords;  
    public Message() {  
        msg += " Thank you";  
    }  
    public Message(int noOfWords) {  
        this.noOfWords = noOfWords;  
        msg = "Welcome";  
        Message();  
    }  
    public static void main(String args[]) {  
        Message m = new Message(5);  
        System.out.println(m.msg);  
    }  
}
```

What will be the output ?

Select one:

- ☐ a. Welcome
- ☐ b. Welcome Thank you
- ☐ c. Welcome Thank you 5
- ☒ d. Compilation fails ✓
- ☐ e. An exception is thrown at runtime
- ☐ f. The code runs with no output

Your answer is correct.

The correct answer is: Compilation fails

### Question 6

Correct

Mark 1.00 out of 1.00

Given classes defined in two different files:

```
1. package p1;  
2. public class Test {  
3.     public static void display(String [] a) { /* some code */ }  
4. }
```

```
1. package p2;  
2. public class TestMain {  
3.     public static void main(String[] args) {  
4.         String [] names = new String[10];  
5.         // insert code here  
6.     }  
7. }
```

Identify the statement to be written in line 5 in class TestMain to call the display method of class Test.

Select one:

- ☒ a. `p1.Test.display(names);` ✓
- ☐ b. `import p1.Test.*; display(names);`
- ☐ c. `display(names);`
- ☐ d. `p1.display(names);`
- ☐ e. TestMain cannot use methods in p1

Your answer is correct.

The correct answer is: `p1.Test.display(names);`

### Question 7

Correct

Mark 1.00 out of 1.00

What is the outcome of the code?

```
public class Item {  
    private String description;  
  
    public String getDescription() {  
        return description;  
    }  
  
    public void setDescription(String description) {  
        this.description = description;  
    }  
  
    public static void modifyDesc(Item item,String desc) {  
        item=new Item();  
        item.setDescription(desc);  
    }  
  
    public static void main(String[] args) {  
        Item it=new Item();  
        it.setDescription("Gobstopper");  
        Item it2=new Item();  
        it2.setDescription("Fizzylifting");  
        it.modifyDesc(it,"Scrumdiddlyumptious");  
        System.out.println(it.getDescription());  
        System.out.println(it2.getDescription());  
    }  
}
```

Select one:

- ☐ a. Gobstopper  
Scrumdiddlyumptious
- ☐ b. Scrumdiddlyumptious  
Fizzylifting
- ☐ c. Scrumdiddlyumptious
- ☒ d. Gobstopper ✓  
Fizzylifting
- ☐ e. Compilation fails

Your answer is correct.

The correct answer is: Gobstopper  
Fizzylifting

### Question 8

Correct

Mark 1.00 out of 1.00

Which of the following is not a Java modifier?

Select one:

- ☐ a. public
- ☒ b. virtual ✓
- ☐ c. protected
- ☐ d. private

Your answer is correct.

The correct answer is: virtual

52248

◀ Calculate Expiry Date - Use Calendar

Jump to...



Pre-Quiz Arrays and Strings ►

52248

52248