course = "Improving your statistical inferences through simulation studies in R"


lesson_iteration = 6
lesson_title = "different ways to analyse RCTs (2X2 within-between experiments)"

auth = "Ian Hussey"
dept = "Psychology of Digitalisation"

- In analytic strategy 4 where all four tests are run, are any of the tests redundant to answering the primary research question of 'is the intervention effective'?
- What are the inappropriate ways of analyzing these scores? Why?

Only the independent t-test comparing scores at post is relevant (i.e., Scenario 2).

All the others are redundant at best, or misleading at worst.



aut = "Ian Hussey";

gnmen

Only the independent t-test comparing scores at post is relevant (i.e., Scenario 2).

All the others are redundant at best, or misleading at worst.


Why?

- > Because any differences at baseline must be random, as group allocation was randomised.
 - > No statistical test can tell you if you randomised: this is procedural. You either did or didn't randomise.
- > Differences at post test the key counterfactual:
 - > If you had not intervened, how would participants be doing at post?

gnment

Why are the dependent t-tests within each group misleading?

> Because "the difference between significant and non-significant is not itself significant" (Gelman & Stern, 2006)




gnmen

Why are the dependent t-tests within each group misleading?

> Because "the difference between significant and non-significant is not itself significant" (Gelman & Stern, 2006)

Dependent t-tests compare each condition to zero




gnment

Why are the dependent t-tests within each group misleading?

> Because "the difference between significant and non-significant is not itself significant" (Gelman & Stern, 2006)

Dependent t-tests compare each condition to zero



Independent t-test at post compares the conditions against one another


gnmen

Why are the dependent t-tests within each group misleading?

> Because "the difference between significant and non-significant is not itself significant" (Gelman & Stern, 2006)

> If you want to compare whether intervention is more effective than control, you have to *compare intervention to control*

Dependent t-tests compare each condition to zero



Independent t-test at post compares the conditions against one another

aut = "Ian Hussey";

> If you want to compare whether intervention is more effective than control, you have to *compare intervention to control*

Around 50% of published articles don't do this, undermined their conclusions

PERSPECTIVE

nature neuroscience

Erroneous analyses of interactions in neuroscience: a problem of significance

Sander Nieuwenhuis^{1,2}, Birte U Forstmann³ & Eric-Jan Wagenmakers³

In theory, a comparison of two experimental effects requires a statistical test on their difference. In practice, this comparison is often based on an incorrect procedure involving two separate tests in which researchers conclude that effects differ when one effect is significant (*P* < 0.05) but the other is not (*P* > 0.05). We reviewed 513 behavioral, systems and cognitive neuroscience articles in five top-ranking journals (*Science*, *Nature*, *Nature Neuroscience*, *Neuron* and *The Journal of Neuroscience*) and found that 78 used the correct procedure and 79 used the incorrect procedure. An additional analysis suggests that incorrect analyses of interactions are even more common in cellular and molecular neuroscience. We discuss scenarios in which the erroneous procedure is particularly beguiling.

That is, as famously noted by Rosnow and Rosenthal², "surely, God loves the 0.06 nearly as much as the 0.05". Thus, when making a comparison between two effects, researchers should report the statistical significance of their difference rather than the difference between their significance levels.

Our impression was that this error of comparing significance levels is widespread in the neuroscience literature, but until now there were no aggregate data to support this impression. We therefore examined all of the behavioral, systems and cognitive neuroscience studies published in four prestigious journals (*Nature*, *Science*, *Nature Neuroscience* and *Neuron*) in 2009 and 2010 and in every fourth issue of the 2009 and 2010 volumes of *The Journal of Neuroscience*. In 157 of these 513 articles (31%), the authors describe at least one situation in which they might be tempted to make the error. In 50% of these cases (78 articles; **Table 1**), the authors used the correct approach:

nc. All rights

- What other ways are there of analyzing these data?
 - What are the pros and cons of each of them?

- What other ways are there of analyzing these data?

- What are the pros and cons of each of them?

Default / good: Independent t-test applied to scores at post post ~ condition

1. Calculate pre-post difference scores, use difference scores into an independent t-test pre_post_diff ~ condition

2. Mixed within-between RM-ANOVA score ~ condition * timepoint

3. ANCOVA with baseline scores entered as a covariate post ~ condition + pre

gnment

- What other ways are there of analyzing these data?
 - What are the pros and cons of each of them?

```
Default / good: Independent t-test applied to scores at post post ~ condition
```

1. Calculate pre-post difference scores, use difference scores into an independent t-test

```
pre_post_diff ~ condition
intuitive but hides some assumptions about baseline
```

- 2. Mixed within-between RM-ANOVA
 score ~ condition * timepoint
 interaction effect can hide nature of effect; no Cohen's d
- 3. ANCOVA with baseline scores entered as a covariate
 post ~ condition + pre
 can increases statistical power; but no Cohen's d

Readings

- > German & Stern (2006) The Difference Between "Significant" and "Not Significant" is not Itself Statistically Significant. The American Statistician. https://doi.org/10.1198/000313006X152649
- > Nieuwenhuis et al. (2011) Erroneous analyses of interactions in neuroscience: a problem of significance. Nature Neuroscience. https://doi.org/10.1038/nn.2886
- > Van Breukelen (2006) ANCOVA versus change from baseline: more power in randomized studies, more bias in nonrandomized studies. Journal of Clinical Epidemiology. https://doi.org/10.1016/j.jclinepi.2006.02.007