

Diploma Web Design and Development 14 March 2009


WDD3.2

Information Architecture and content creation

Andrew Harder, Design Research Specialist, Nokia, London

Peter Otto, Principal User Experience Consultant, Flow Interactive, London

PROJECT TIMELINE



Creating a concept design


We followed a UCD process and have completed user research to understand:

- **Organisational structures** and **business goals**
- The overall **market**
- **Users** and their **goals** and **needs**
- **Personas** (models of the users) and **scenarios** (models of the things they want to do).

We've created a **value proposition** and **site goals that bring user goals and business objectives together**. We can now look **how to deliver this value** to the user.

Creating a concept design

The elements of user experience



...one view of it. [Here's another one](#)

What is concept design?

A collaborative thinking process involving:


- Creation of **new ideas**, approaches and solutions
- **Exploration** of fit for purpose and alternatives
- **Refinement** of ideas to define a ideal solution

In the UCD lifecycle concept design is not about:

- Defining business needs
- Defining user needs
- Understanding technology constraints

Generating ideas

- **Knowledge from user research** is used to generate ideas and make decisions about which ideas to eliminate and which to keep and improve.
- **Personas** and **scenarios** are tools we use to keep user focus.




Creating a concept design

Look at your personas and task scenarios and think:

- **What shape could the design take?** – is it more like a magazine, a catalogue, a guided tour?
- **What existing Web patterns could you use?** – take advantage of conventions that you know work already
- **What real-world metaphors could work?** – take advantage of the fact that people already have an understanding of the way certain things work in the real world
- **Does your proposition change?**

Concept design is about **creating
lots of ideas and rapid iteration!**



“The best way to a
good idea is to have
lots of ideas.”

Linus Pauling

It's important to start simple...

...sometimes a **little doodle is enough** to test an idea.

Many great designs have started with **simple sketches and prototypes**. It's too expensive to do the real thing and then watch it fail.

UCD is about **iterating your design** until it's right.

Therefore it's important to work at the **right level of fidelity** for each stage of the project – that is just doing enough to be able to evaluate the design

Use scenarios

- Take your task scenarios of your personas and turn them into use scenarios are storyboard – **stories of how users would use your site**
- Think of the **user goal**, the **tasks** it takes to achieve the goal, and what **functionality** and **information** of your site users will use to complete their task
- **Do users have the right information and functionality** to complete the task?
- **Does your solution align with the mental models** you found in your research?
- **Use your personas to validate**

Creating a structure to your site

- You can now start thinking about a **structure** to your site
- Look at the different use scenarios: what **content and functionality** does the site need to provide?
- Create a **diagram of the key users journeys** through the site...
- Where do they **overlap**?
- An article about user journeys on boxes and arrows

Storyboards


- **Storyboards are series of illustrations or images** displayed in sequence to create the outline structure of a motion graphic or interactive media sequence.
- In web design you can use them to plan how a user would use your site
- You can vary the level of detail as needed: Click-by-click or just showing key steps in the user journey
- A great book that will help you to understand how to effectively storyboard is Understanding Comics
- See also Adaptive Path's article on “sketchboards” and downloadable templates

Remember – UCD is iterative

- Successful evolution happens through many **alternative designs**
- Using **paper, pen and post-it's** (and a digital camera to document progress) or **storyboards** helps you quickly explore alternative solutions
- Producing fancy diagrams and designs too early in the process is a waste of time

Organising Information

The elements of user experience



...one view of it. [Here's another one](#)

Organisational challenges

Organizing complex information on a web site presents huge challenges:

- **Findability:** Users need to be able to find what they want among a potentially huge numbers of items
- **Ambiguity:** Language is ambiguous, e.g. multiple definitions, cultural differences (the words "pitch", "catch")
- **Heterogeneity:** "Objects composed of unrelated or unlike parts" Most Web sites are very heterogeneous because they have multiple formats, usually all mixed up together
- **Differences in user perspectives:** Ignoring different user perspectives can make parts of your site unusable; make sure that you know your user!

Organising information

Information can be organized in the following ways:

- **Alphabetical**, e.g. Cambridge Uni
- **Chronological**, e.g. The food timeline
- **Geographical**, e.g. Twittervision
- **Topical**, e.g. DMOZ
- **Task-oriented**, e.g. Blogger
- **Audience-specific**, e.g. UWE
- **Metaphor-driven**, e.g. JK Rowling, Hothorse's old site.

Classification and hierarchies

- **Taxonomy is the classification of things.** e.g. Dewey Decimal System, Linnaean classification
- **Not all taxonomies are hierarchical** e.g. days of week
- Classification schemes provide important metadata for a Web site. They provide the basis for (i) efficient search and information retrieval and (ii) sharing of data between Web sites.

The hierarchy: a top-down approach

- A more rigid approach with usually **mutually exclusive categories**
- You can choose a **narrow and deep approach**; fewer sections, more levels of subpages beneath
- Or a **broad and shallow approach**: lots of section with fewer subpages.
- If you expect your site to grow, **it's easier to incorporate change into a broad and shallow design**
- **Don't feel trapped by hierarchies**, and don't force topics in a hierarchy, hyperlinked or database driven approaches are useful too

Relational databases: a bottom-up approach

- Better where users want to retrieve information in different ways, having different starting knowledge.
- Content created "on-the-fly" depending on requirements
- Examples of a bottom-up approach are **search based** sites, or **faceted navigation** e.g. Amazon or Ebay

Folksonomies

As the web becomes more social and interactive, it becomes **harder to maintain formal taxonomies and structures.**

- Informal structures are becoming much more common and there's a move towards getting users to start tagging their own content e.g. Flickr or del.icio.us
- Tags are often visualised as a tag cloud
- See also: the Wikipedia entry for Folksonomy
- The implications of user-generated tags & content are huge!

Labelling systems

- **Can't present all information at once**, so need to use informative short cuts, i.e. labels
- These need to **communicate information effectively**

Why labels are important:

- Users have **short attention spans** (avoid high "cognitive load" for your users)
- **Bad labels make bad impressions**; they frustrate users
- **Self-centred labelling makes a bad impression** (avoid business-speak & terminology)
- Labelling systems need serious planning.

An unplanned labelling system...

- **Technology Interface Unit**
- **Project QA**
- **Business & Media Interaction**
- **Internal Services Office**
- **New Media Center**

These assume that the user knows what you are talking about!

A planned labelling system...

- Arts & Humanities
- Business & Economy
- Computers & Internet
- Education
- Entertainment
- Health

These might also make us wonder... e.g. what resources are contained within these categories? We do know what subject areas are covered, though. It's also a common system. Users have seen it before so they only need to learn the system, not individual labels (familiarity breeds contentment!)

Common labels within navigation systems

- Home / home page / main / main page /
- Search / find / browse / sitemap / index / table of contents
- Contact / feedback
- Help / FAQ / frequently asked questions
- News / what's new

Some of these have clear user expectations attached to them; use these in your favour!

Using metaphors

- Sometimes the use of metaphors helps users understand things
- Use them wisely to support your navigation
- **Steer away from metaphors that are obscure or ambiguous,** or have different meanings in different cultures
- Common metaphors include:
Checkout, Shopping basket, Home

Card sorting

- Card sorting is a simple, quick method for **understanding how site users classify content** (by shuffling cards around, hence the name).
- The method is used to generate an **overall structure for your information**, as well as **suggestions for navigation, menus, and possible taxonomies**.
- **See also:** Card sorting: a definitive guide on Boxes & Arrows and Information design using card sorting

Steps in a card sort

- **Select the content to be tested** (pages of existing site? new content?)
- **Find the participants** (should be representative of site users)
- **Prepare the cards** (write names of pages on cards)
- **Conduct the tests**
 - **Open sort** - participants create and label groups for the cards as they see fit
 - **Closed sort** - how do the cards fit into an existing classification? (validation of an existing classification)
- **Analyse the results** (common groupings? cluster analysis?)

Task: Conduct a card sort

Go to optimalsort.com

Working in groups of 3, conduct the open card sort on the site. Try to group the cards in a meaningful way (what is 'meaningful'?) and try to produce appropriate labels for the groups.

Designing navigation systems



Where am I?

***Where have
I been?***

***Where
can I go?***

Four modes of information search

See: [Four Modes of Seeking Information](#)

- **Known-item searching.** You know what you're looking for.
- **Exploration.** Seeing what's around.
- **Don't know what you need to know.** Know general area, but looking for guidance.
- **Re-finding.** Finding something that you've found before.

If we understand which of these modes our primary users are most likely to use, we can design our interface to support them (e.g. via search, navigation, contextual links, site indexes, bookmarks, wish lists etc.)

The scent of information

- This is an extremely important concept in designing navigation. It's "the magical force that pulls users to their content".
- **"Trigger" words and phrases** that users recognize give them confidence that their information quest is on the right track.
- Specific phrases that have direct meaning to the user (e.g. *Second Hand Audi, Arctic Monkeys CD*) produce a stronger scent than very general phrases (e.g. *Products, Solutions*).
- Use of the back button is usually associated with a lost scent of information.
- See: [Getting Confidence From Lincoln](#)

Hierarchical navigation

- Information hierarchy as primary navigation system
- Main options at each level taken are directly from hierarchy

For example, dmoz.

Global (primary) navigation systems

- **What's on the whole site?**
- Allows greater vertical & lateral navigational movement
- Simple navigation bar
- Usually have some indicator to show where you are (e.g. tabs change colour on Amazon)

Local navigation systems

- What's nearby?
- Complement global navigation
- Navigational options refer to **information in a specific category**
- Get list of **options for entire level** for example, Biz/ed
- Can get secondary, tertiary navigation, etc...
- Such navigation systems **can be challenging to design**, particularly when there are many options/levels
- How does the BBC site deal with multiple levels?

Ad hoc navigation

Embedded links

- Links within the page (hypertext)
- Must be informative (avoid "click here" and "more...")

Structural links

- Point to other levels of site structure
- e.g. "up to services and products"

Associative links

- "See also..."

Most easily implemented in database-driven sites where information has to be classified in detail e.g. [BBC News](#)

Browser navigation features

- **Open URL**
- **Back & Forward buttons**
- **Bookmark**
- **History**
- **Visited links**
- **URL display in status bar for links**

Don't override these features - support them! For example, (i) the back button doesn't work on many Flash sites, or if new windows are spawned, and (ii) frames don't allow pages to be bookmarked.

Breadcrumbs paths

- Breadcrumbs are a secondary navigation aid

Why are they useful:

- They tell users **where they are**
- They provide a **mechanism for back-tracking** (in addition to the back button)
- They are small: **low real-estate “cost”**

See: Guardian.co.uk

Navigation to avoid: mine-sweeping

Also known as Mystery Meat navigation

- Options are not clearly presented
- User has to roll-over every option to see what it is
- Can only really be justified if it's for entertainment, to get a sense of exploration (it can be useful for kids sites - kids love to explore!)
- Example: 10 Worst Web Site Uses of Navigation for 2008, The Matrix, The CSI Companies

Developing prototypes

Creating a more detailed design

Once there is a direction to pursue, we can go into more detail:


- Create more detailed use scenarios to work out the different pieces of **functionality** and **information** user will require
- Turn them into **flow charts** and **site architecture diagrams** to describe flow and structure
- Finally, we create **prototypes** at varying levels of fidelity

Throughout the process we evaluate and iterate the design

Site architecture diagrams


- **Flow charts** are a way to describe how users interact with a system in a **sequential** way
- **Site architecture diagrams** are a way to describe the content structure of a website in a diagrammatic format and a **hierarchical** way
- Each page has a unique number
- Represent each level on its own row

Flow chart



This flow diagram shows part of a e-commerce checkout flow

Site architecture diagrams



The structure of a website is usually shown in a site architecture diagram

Wireframes

Wireframes are low-medium fidelity prototypes on interfaces

- They describe **structure** and **types** of content
- They normally show **navigation** and form part of a **bigger prototypes**
- Normally, before visual design commences, the interaction design or information architect(s) create a wireframe specification outlining **page structures, content, task flows** and **site structure**

Wireframes



Pros:

- Focuses on **information design**
- **Quicker** than high fidelity mock-ups
- **Easy to change**
- Allows **freedom for graphic design**

Cons:



- Clients often expect to have something that "looks nice"
- Not very interactive (although can be made so)
- Requires extra documentation
- Find out more about [using wireframes](#)

Hand-drawn wireframes



These are examples for hand-drawn wireframes


Wireframes



These wireframes have been produced in Visio. The one on the right has been filled with example content to make it more meaningful for user testing.

Producing great content

The elements of user experience



...one view of it. [Here's another one](#)

Identifying content needs

- Now you've got a rough structure, you can start thinking about **what content you require** for the site for example: an "About us" page, product information, contact details
- If you're dealing with an existing site, or have lots of pre-written material, you need to conduct a content audit
- You can often do this automatically using a tool such as Xenu Link Sleuth
- See also: Doing a Content Inventory (Or, A Mind-Numbingly Detailed Odyssey Through Your Web Site), How to do a content audit

What to look out for

On the web, these six things matter most about content:

- **Quality** – users need to see quality content to gain trust in your site
- **Succinctness** – don't waste people's time
- **Scannability** – the ability of users to quickly scan the page to relevant information
- **Relevance to user goals** –the content needs to match what users are looking for
- **Legibility** – reading from a screen is tiresome, don't make it harder than it needs to be
- **Authenticity and Credibility** – if your content doesn't come across as credible, visitors will leave

Make sure the content is of high quality

- **No spelling errors or typos** – use a spellchecker (SHIFT + F7 in Dreamweaver)
- **Good grammar**
- Provide **engaging**, well-written text (be creative!)
- **Avoid jargon & acronyms**, e.g. Hummingbird
- **Follow a style guide** if possible e.g. webstyleguide.com, Apple's style guide
- See also The Elements of Style

Be succinct!

George Orwell's tips:

1. **Never use a long word** where a short one will do.
2. If it is possible to cut a word out, then always **cut it out**.
3. **Never use a foreign phrase**, a scientific word, or a jargon word if you can think of an everyday equivalent.

Make pages scannable

- **On the web, people scan-read** looking for salient words and the next hyperlink that seems to be the closest match to their goal (the 'scent of information')
- This process is also called '**information foraging**' Jakob's alert on this topic
- This is very similar to the way we read newspapers. Why? What are the design implications?

Make pages scannable

Allow users to scan-read the page to find relevant content:

- Use **meaningful headlines**
- Split text into paragraphs with **sub headings**
- **Bullet points** are useful
- **Highlighting** and *emphasis* where appropriate
- Good **visual hierarchy** of text, e.g. Boxes and arrows versus Useit
- "**Inverted pyramid**" style of writing: summarise first, e.g. BBC
- Compare these pages: HROD Consultancy, Craig's list, The Guardian

Make pages scannable

- **Avoid pages becoming too long**
- Generally users don't have a problem to scroll a little if they think they will find what they are looking for
- **However, try to split up very long pages** (but provide printable versions of the full text)
- **It's 25% slower to read from screen** than paper
- **Avoid horizontal scrolling**
- **Be concise – avoid waffle**
- **Avoid scrollstoppers**

Make it legible

- Use plain backgrounds, e.g. Circlemakers
- Don't write in uppercase
- Avoid small font sizes for key content
- Avoid long paragraphs of text
- Avoid wide fixed column widths

IT'S VERY DIFFICULT TO READ FROM A SCREEN ANYWAY. PUTTING EVERYTHING IN UPPERCASE MAKES IT EVEN HARDER BECAUSE IT REDUCES THE SPACING BETWEEN LETTERS. IT ALSO MAKES IT SOUND LIKE YOU ARE SHOUTING ALL THE TIME. SO THE BEST THING TO DO IS AVOID IT UNLESS YOU REALLY NEED TO.

Links

- [Writing for the Web](#) (from Jakob Nielsen)
- [Writing for the Web](#) (from Dartmouth College)
- [Writing for the Web](#) (from Gerry McGovern)

Task: Re-write a text for the web

Take a look at a passage of text from a real website.

Is this an appropriate style of writing for the web?

What would you do to improve it if you could?

Designing effective homepages

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc enim elit, convallis ac, varius eget, faucibus nec, urna. In hac habitasse platea dictumst. Aliquam eu dui. Nam ullamcorper magna id nisi. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Vestibulum auctor, dui ut vehicula mollis, pede quam aliquet metus, egestas dapibus nibh elit ut augue. Quisque non dolor.

Integer ipsum libero, nonummy ut, consectetur eu, imperdiet dignissim, augue. Vestibulum nunc purus, placerat sed, ultricies a, euismod ut, dui. Aenean elementum, eros vitae molestie ornare,

Integer ipsum libero, nonummy ut, consectetur eu, imperdiet dignissim, augue. Vestibulum nunc purus, placerat sed, ultricies a, euismod ut, dui. Aenean elementum, eros vitae molestie ornare, sapien augue malesuada libero, et placerat arcu mauris vitae tortor. Etiam eget lorem. Duis eu ante. Cras dignissim tellus at sapien. Etiam tellus. Nunc eget sem. Pellentesque vitae ipsum et risus tempus suscipit. Duis et dui eu nisi venenatis venenatis. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Vestibulum auctor, dui ut vehicula mollis, pede quam aliquet metus, egestas dapibus

Integer ipsum libero, nonummy ut, consectetur eu, imperdiet dignissim, augue. Vestibulum nunc purus, placerat sed, ultricies a, euismod ut, dui. Aenean elementum, eros vitae molestie ornare, sapien augue malesuada libero, et placerat arcu mauris vitae tortor. Etiam eget lorem. Duis eu ante. Cras dignissim tellus at sapien. Etiam tellus. Nunc eget sem. Pellentesque vitae ipsum et risus tempus suscipit. Duis et dui eu nisi venenatis venenatis. Sed volutpat tempus ante. Ut porta mollis sem.

Integer ipsum libero, nonummy ut, consectetur eu, imperdiet dignissim, augue. Vestibulum nunc purus, placerat sed, ultricies a, euismod ut, dui. Aenean elementum, eros vitae molestie ornare, sapien augue malesuada libero, et placerat arcu mauris vitae tortor. Etiam eget lorem. Duis eu ante. Cras dignissim tellus at sapien. Etiam tellus. Nunc eget sem. Pellentesque vitae ipsum et risus tempus suscipit. Duis et dui eu nisi venenatis venenatis. Sed volutpat

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc enim elit, convallis ac, varius eget, faucibus nec, urna. In hac habitasse platea dictumst. Aliquam eu dui. Nam ullamcorper magna id nisi. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Vestibulum auctor, dui ut vehicula mollis, pede quam aliquet metus, egestas dapibus nibh elit ut augue. Quisque non dolor. Aliquam eu dui. Nam ullamcorper magna id nisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc enim elit, convallis ac, varius eget, faucibus nec, urna. In hac habitasse platea dictumst. Aliquam eu dui. Nam ullamcorper magna id nisi. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Vestibulum auctor, dui ut vehicula mollis, pede quam aliquet metus, egestas dapibus nibh elit ut augue. Quisque non dolor. Aliquam eu dui. Nam ullamcorper

Integer ipsum libero, nonummy ut, consectetur eu, imperdiet dignissim, augue. Vestibulum nunc purus, placerat sed, ultricies a, euismod ut, dui. Aenean elementum, eros vitae molestie ornare, sapien augue malesuada libero, et placerat arcu mauris vitae tortor. Etiam eget lorem. Duis eu ante. Cras dignissim tellus at sapien. Etiam tellus. Nunc eget sem. Pellentesque vitae ipsum et risus tempus suscipit. Duis et dui eu nisi venenatis venenatis. Sed volutpat tempus ante. Ut porta mollis sem. Suspendisse at enim.


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc enim elit, convallis ac, varius eget, faucibus nec, urna. In hac habitasse platea dictumst. Aliquam eu dui. Nam ullamcorper magna id nisi. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc enim elit, convallis ac, varius eget, faucibus nec, urna. In hac habitasse platea dictumst. Aliquam eu dui. Nam ullamcorper magna id nisi. Quisque malesuada, dolor a dictum lobortis, nibh enim congue turpis, ut volutpat sem massa ac nibh. Vestibulum auctor, dui ut vehicula mollis, pede quam aliquet metus, egestas dapibus nibh elit ut augue. Quisque non dolor. Aliquam eu dui. Nam ullamcorper

Jakob's top 5 recommendations for designing effective homepages:

1. **Proposition message:** “What is this site for?”
2. **Unique Selling Point:** “What makes this site better than the alternatives?”
3. **Call to action:** for priority tasks – make it clear what the user can do
4. **Actual content:** don't provide abstract description of what the site will offer – provide excerpts of the actual content
5. **Search box:** because some users just want to search

Interaction design

The elements of user experience



...one view of it. [Here's another one](#)

Interfaces & interactions

- Task analysis allowed us to specify the **main goals of users** and the **steps required** to achieve them
- We now need to start translating this detailed **interactions** and how this will be achieved using the **user interface**

Interfaces & interactions

It's essentially about designing simple, intuitive interfaces that support users in their tasks (see [Introducing Interaction design](#)).

Key concepts include:

- Flow
- Task support
- Action/reaction
- State
- Error prevention

Patterns

- A **pattern** describes an **optimal solution to a common problem** within a specific context
- **Patterns** for interface and interaction design are now emerging
- The term is taken from the book 'A Pattern language', originally invented by the architect Christopher Alexander

Web interfaces: pattern libraries

- Web design patterns
- UI patterns
- Factory Joe
- Yahoo! design pattern library
- AJAX patterns
- **See also:** 37 Signals' article An Introduction to Using Patterns in Web Design

Pattern language applied to interactions and tasks

- **What are the components of an online shopping experience?**
e.g. login, selection, shopping cart, payment, order-tracking, etc...
- **How do these parts fit together?** e.g. need to have login before anything else can happen, payment must occur before order tracking, an error message needs to be generated if the password is wrong, etc...
- **What's the best way to design individual interface components?**
e.g. use drop down boxes or free text for dates when registering? radio buttons or check boxes for making selections? etc...
- **Once you know about user tasks and goals, and what content is available, you have to be ruthlessly precise** and logical to map interactions that support these goals.

Visualising interactions

- User experience designers usually use **flowcharts** (**workflows**) to describe the interactions in the site they are designing
- Usually use a tool like Microsoft Visio (PC) or Omni Graffle (Mac)

A visual vocabulary

- From <http://www.jjg.net/ia/visvocab>
- This vocabulary is based on a simple conceptual model encompassing both information architecture and interaction design:
 - The system presents the user with **paths**
 - The user moves along these paths through **actions**
 - These actions then cause the system to generate **results**
- You can download a file containing [PowerPoint versions of these shapes](#).
- Example from [jjg.net](#): [Metafilter interaction design](#).

Creating a functional specification

Some or all of the following may be found in a **functional specification document**:

- Business analysis
- Competitor analysis
- User analysis (may include personas)
- Task analysis (may include scenarios)
- Technical requirements
- Site map/architecture
- Task/workflows (interaction design)
- Prototypes (mock-ups)