COMP[29]041 16s2 (http://www.cse.unsw.edu.au/~cs2041/16s2/)

### You can Do Anything With Perl

Software Construction (http://www.cse.unsw.edu.au/~cs2041/16s2/)

#### **Aims**

This week we develop your Perl programming skills.

#### Assessment

Submission: give cs2041 lab08 courses.pl lectures0.pl lectures1.pl lectures2.pl [tags.py shortest\_path.py]

**Deadline:** either during the lab, or Monday October 19 11:59pm (midnight)

Assessment: Make sure that you are familiar with the lab assessment criteria (lab/assessment.html).

### Background

We have covered only a small amount of Perl in lectures. In fact, to cover the whole language in detail would take a whole semester, so we're going to rely on you finding out about the language yourself in tutes, labs and assignments. A good place to start is the Perl documentation & tutorial links on the class home page For example you might find these useful:

- Perl language syntax (http://search.cpan.org/dist/perl/pod/perlsyn.pod)
- Perl functions (http://search.cpan.org/dist/perl/pod/perlsub.pod)
- Perl operators (http://search.cpan.org/dist/perl/pod/perlop.pod)

As usual lab08 sub-directory of your git repo:

- s cd
- \$ cd 2041-labs/lab08
- \$ gedit courses.pl &

## Exercise: Scraping Course Codes

Write a Perl script courses.pl which prints the course codes with a given prefix of all UNSW courses with lectures on the Kensington Campus this session. For example:

\$ ./courses.pl VISN
VISN1101
VISN1111
VISN1221
VISN2111
VISN2211
VISN2231
VISN3111
VISN3211
VISN3211

**Hints:** The course codes with prefix VISN can be found in this web page:

http://www.timetable.unsw.edu.au/current/VISNKENS.html (http://www.timetable.unsw.edu.au/current/VISNKENS.html). You can assume this is the case for all prefixes. You saw how to retrieve a web page using wget in a previous lab. So you can perform this task in less than 10 lines of Perl.

As usual:

- \$ ~cs2041/bin/autotest lab08 courses.pl \$ git add courses.pl
- \$ git commit -a -m "courses.pl was easy Perl is cool"

# Exercise: Scraping Lecture Times

Write a Perl script lectures0.pl which given course codes as arguments prints details of their lectures.

```
$ ./lectures0.pl COMP2041

COMP2041: S2 Tue 13:00 - 15:00 (Weeks:1-9,10-12), Thu 17:00 - 18:00 (Weeks:1-9,10-12), Thu 17:00 - 18:00 (Weeks:1-9,10-12), Wed 14:00 - 15:00 (Weeks:1-9,10-12), Wed 14:00 - 15:00 (Weeks:1-9,10-12), Wed 14:00 - 19:00 (Weeks:1-9,10-12), Wed 18:00 - 19:00 (Weeks:1-9,10-12), Wed 18:00 - 19:00 (Weeks:1-4,5-12)

COMP9024: S1 Tue 18:00 - 21:00 (Weeks:1-4,5-12)

COMP9024: S2 Thu 18:00 - 21:00 (Weeks:1-9,10-12)

COMP3231: S1 Tue 14:00 - 16:00 (Weeks:1-4,5-12), Wed 16:00 - 17:00 (Weels:1-4,5-12)
```

Hint: You can assume that a course's lecture times will be found in a web page equivalent to:

http://timetable.unsw.edu.au/current/COMP2041.html (http://timetable.unsw.edu.au/current/COMP2041.html). Its difficult to use a regexp to match the line containing the lecture description but you match a previous line, then skip a certain number of lines.

You can also get the teaching period this way. Don't panic if you can't get this quite right your tutor will be generous with hints.

Hint: a hash can be easily used to avoid repeated output.

**Hint:** make sure you have the URL exactly as above - e.g. don't have repeated slashes (the timetable website uses fragile rewriting rules).

As usual:

```
$ ~cs2041/bin/autotest lab08 lectures0.pl
$ git add lectures0.pl
$ git commit -a -m "lectures0.pl passes autotest"
```

### Semi-Challenge Exercise: Lecture Times as Tuples

The output from lectures0.pl is (more or less) human readable but is less convenient for other uses. Copy lectures0.pl to lectures1.pl and modify it so that if a -d option is specified it prints the hourly details of lectures in the format shown in the examples below:

```
$ ./lectures1.pl COMP2041
COMP2041: S2 Tue 13:00 - 15:00 (Weeks:1-9,10-12), Thu 17:00 - 18:00
$ ./lectures1.pl -d COMP2041
S2 COMP2041 Tue 13
S2 COMP2041 Tue 14
S2 COMP2041 Thu 17
$ ./lectures1.pl -d COMP4121
S2 COMP4121 Mon 11
S2 COMP4121 Mon 12
S2 COMP4121 Thu 9
S2 COMP4121 Thu 10
$ ./lectures1.pl -d COMP1927
X1 COMP1927 Wed 9
X1 COMP1927 Wed 10
X1 COMP1927 Wed 11
X1 COMP1927 Fri 9
X1 COMP1927 Fri 10
X1 COMP1927 Fri 11
S1 COMP1927 Tue 16
S1 COMP1927 Tue 17
S1 COMP1927 Wed 12
S2 COMP1927 Mon 10
S2 COMP1927 Mon 11
S2 COMP1927 Wed 15
S2 COMP1927 Wed 16
$ ./lectures1.pl -d PSYC1011 COMP9024 COMP3231
S2 PSYC1011 Mon 11
S2 PSYC1011 Wed 14
S2 PSYC1011 Thu 12
S2 PSYC1011 Mon 18
S2 PSYC1011 Wed 18
S2 PSYC1011 Thu 18
S1 COMP9024 Tue 18
S1 COMP9024 Tue 19
S1 COMP9024 Tue 20
S2 COMP9024 Thu 18
S2 COMP9024 Thu 19
S2 COMP9024 Thu 20
S1 COMP3231 Tue 14
S1 COMP3231 Tue 15
S1 COMP3231 Wed 16
```

Getting this exercise completely correct is difficult - your tutor will be generous with nearly correct attempts.

#### As usual:

```
$ ~cs2041/bin/autotest lab08 lectures1.pl
$ git add lectures1.pl
$ git commit -a -m "lectures1.pl working for 1 hour lectures"
```

## Semi-Challenge Exercise: Lecture Times as a Table

Copy lectures1.pl to lectures2.pl and modify itso that when a -t option is specified it prints a count of many lectures occur at each day/time in an ASCII table in the format shown in the example below.

```
$ ./lectures2.pl COMP9020 COMP9021 COMP9024
COMP9020: S1 Fri 14:00 - 17:00 (Weeks:1-4,5-12)
COMP9020: S2 Thu 12:00 - 15:00 (Weeks:1-9,10-12)
COMP9021: S1 Tue 18:00 - 21:00 (Weeks:1-4,5-12)
COMP9021: S2 Thu 18:00 - 21:00 (Weeks:1-9,10-12)
COMP9024: S1 Tue 18:00 - 21:00 (Weeks:1-4,5-12)
COMP9024: S2 Thu 18:00 - 21:00 (Weeks:1-9,10-12)
$ ./lectures2.pl -d COMP9020 COMP9021 COMP9024
S1 COMP9020 Fri 14
S1 COMP9020 Fri 15
S1 COMP9020 Fri 16
S2 COMP9020 Thu 12
S2 COMP9020 Thu 13
S2 COMP9020 Thu 14
S1 COMP9021 Tue 18
S1 COMP9021 Tue 19
S1 COMP9021 Tue 20
S2 COMP9021 Thu 18
S2 COMP9021 Thu 19
S2 COMP9021 Thu 20
S1 COMP9024 Tue 18
S1 COMP9024 Tue 19
S1 COMP9024 Tue 20
S2 COMP9024 Thu 18
S2 COMP9024 Thu 19
S2 COMP9024 Thu 20
$ ./lectures2.pl -t COMP9020 COMP9021 COMP9024
S1
         Mon
                             Thu
                Tue
                       Wed
                                    Fri
09:00
10:00
11:00
12:00
13:00
14:00
                                     1
15:00
                                     1
16:00
                                     1
17:00
18:00
                 2
                 2
19:00
                 2
20:00
S2
         Mon
                Tue
                       Wed
                             Thu
                                    Fri
09:00
10:00
11:00
12:00
                              1
13:00
                               1
14:00
                               1
15:00
16:00
17:00
18:00
                               2
                              2
19:00
                               2
20:00
s ./lectures2.pl -t COMP1911 COMP2041 COMP2121 COMP3121 COMP3311 COMP3331 COMP4121 COMP
```

2016					Week U8 Lab Class
S1	Mon	Tue	Wed	Thu	Fri
09:00	1				
10:00	1				
11:00	2		1		
12:00	1		1		
13:00		1	1	1	
14:00		1	1		1
15:00			1	1	1
16:00			1		1
17:00			1		
18:00		2			
19:00		2			
20:00		2			
S2	Mon	Tue	Wed	Thu	Fri
09:00				1	
10:00				1	
11:00	1				
12:00	1			1	
13:00		1		1	
14:00		1	1	2	
15:00		1		2	
16:00	1	1		1	
17:00	1			1	
18:00				2	
19:00				2	
20:00				2	

Getting this exercise completely correct is difficult - your tutor will generous with nearly correct attempts.

#### As usual:

- \$ ~cs2041/bin/autotest lab08 lectures2.pl
- \$ git add lectures2.pl
- \$ git commit -a -m "lectures2.pl half working"

## Challenge Exercise: Extracting Tags in Python

The introduction to Python in lectures will come later.

The example Python scripts (/~cs2041/lec/python/examples.index.html) and links to external Python resources should help - but you may need more info - Google is your friend. Write a Python program, tags.py which given the URL of a web page fetches it by running wget and prints the HTML tags it uses.

Don't count closing tags (e.g. </a>)

The tag should be converted to lower case and printed in sorted order with a count of often each is used.

You are expected (not required) to use regexes but there are problems processing HTML this way - don't be surprised if its hard to get right.

Hint: make sure you don't print tags within HTML comments.

For example:

```
$ ./tags.py http://www.cse.unsw.edu.au/~cs2041/intro.html
a 20
b 8
body 1
br 17
center 1
div 2
em 2
font 15
h1 1
h3 18
head 1
hr 2
html 1
li 52
link 1
ol 2
p 32
pre 1
script 1
small 15
table 3
tbody 1
td 20
th 5
title 1
tr 9
ul 11
$ ./tags.py http://www.cse.unsw.edu.au/~cs2041/15s2/
a 138
b 3
body 1
br 27
code 1
div 9
em 36
head 1
html 1
link 1
p 1
script 1
small 3
table 3
tbody 3
td 162
th 11
thead 3
title 1
tr 29
$ ./tags.py http://www.cse.unsw.edu.au
a 151
body 1
br 2
div 421
```

```
fieldset 1
form 1
h2 27
h3 1
head 1
html 1
img 24
input 6
label 2
legend 1
li 81
link 10
meta 11
p 15
script 9
span 39
title 1
ul 13
```

Add an -f option to tags.py which indicates the tags are to printed in order of frequency. For example:

```
$ ./tags.py -f http://www.cse.unsw.edu.au/~cs2041/intro.html
pre 1
h1 1
title 1
tbody 1
html 1
body 1
head 1
link 1
center 1
script 1
em 2
hr 2
ol 2
div 2
table 3
th 5
b 8
tr 9
ul 11
font 15
small 15
br 17
h3 18
td 20
a 20
p 32
li 52
```

**Hint:** see last week's tute for a sample solution in Perl. As usual:

```
$ ~cs2041/bin/autotest lab08 tags.py
$ git add tags.py
$ git commit -a -m "tags.py almost working"
```

## Challenge Exercise: Finding the Shortest Journey in Python

Write a Python program shortest\_path.py that given the road distances between a number of towns (on standard input) calculates the shortest journey between two towns specified as arguments. Here is an example of how your program should behave.

```
$ ./shortest_path.py Parkes Gilgandra
Bourke Broken-Hill 217
Bourke Dubbo
                  23
Bourke Gilgandra
                  62
Bourke Parkes
                 71
Canowindra Dubbo
                   35
Canowindra Gilgandra 13
Canowindra Parkes
                  112
Dubbo Gilgandra
                  91
Dubbo Parkes
                 57
<cntrl-d>
Shortest route is length = 105: Parkes Dubbo Canowindra Gilgandra.
```

Hints: Python's strings have a split method (http://en.wikibooks.org/wiki/Python\_Programming/Strings#split.2C\_splitlines) which can break up input lines. Its easy to implement Sets in python (http://en.wikibooks.org/wiki/Python\_Programming/Sets).

**Hint:** see last week's tute for a sample solution in Perl. As usual:

```
$ ~cs2041/bin/autotest lab08 shortest_path.py
$ git add shortest_path.py
$ git commit -a -m "my shortest_path.py rocks!"
```

### Testing

You will need to do your own testing but to assist you as usual some autotest tests are available for this lab.

To run all tests:

```
$ ~cs2041/bin/autotest lab08
```

You can run a single test if you also pass the test label as the second argument to autotest. For example, to run just test courses\_2 type:

```
$ ~cs2041/bin/autotest lab08 courses 2
```

## Finalising

You must show your solutions to your tutor and be able to explain how they work. Once your tutor has discussed your answers with you, you should submit them using:

```
s give cs2041 lab08 courses.pl lectures0.pl lectures1.pl lectures2.pl [tags.py shortest_path.py]
```

Whether you discuss your solutions with your tutor this week or next week, you must submit them before the above deadline.