

Appendix 4

Studies in the Camera Trapping Database, Chapter 4

Item numbers correspond to tables and figures in Chapter 4. Both paper and electronic copies of every article are deposited at the Institute of Wildlife Research, University of Sydney. The Digital Object Identifier (DOI) or Universal Resource Locator (URL) is given for all items where it can be determined. All URLs are valid as of October 2009.

- [1]. Abbott, H.G. & Coombs, A.W. (1964) A Photoelectric 35-mm Camera Device for Recording Animal Behavior. *Journal of Mammalogy*, 45, 327–330. URL: <http://www.jstor.org/stable/1377020>
- [2]. Abbott, H.G. & Dodge, W.E. (1961) Photographic observations of white pine seed destruction by birds and mammals. *Journal of Forestry*, 59, 292–294. [http://dx.doi.org/10.1648/0273-8570\(2003\)074\[0416:TVSUTS\]2.0.CO;2](http://dx.doi.org/10.1648/0273-8570(2003)074[0416:TVSUTS]2.0.CO;2)
- [3]. Abelson, E. (2009) Camera-shy wildlife and capture bias: behavioral response to TrailMaster 1550 camera traps. ESA, Albuquerque, NM. URL: <http://eco.confex.com/eco/2009/techprogram/P18322.htm>
- [4]. Alexy, K.J., Brunjes, K.J., Gassett, J.W. & Miller, K.V. (2003) Continuous Remote Monitoring of Gopher Tortoise Burrow Use. *Wildlife Society Bulletin*, 31, 1240–1243. URL: <http://www.jstor.org/stable/3784473>
- [5]. Alexy, K.J., Gassett, J.W., Osborn, D.A. & Miller, K.V. (2001) Remote Monitoring of Scraping Behaviors of a Wild Population of White-Tailed Deer. *Wildlife Society Bulletin*, 29, 873–878. URL: <http://www.jstor.org/stable/3784414>
- [6]. Allison, N.L. & Destefano, S. (2006) Equipment and Techniques for Nocturnal Wildlife Studies. *Wildlife Society Bulletin*, 34, 1036–1044. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[1036:EATFNW\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[1036:EATFNW]2.0.CO;2)
- [7]. Alvarez, A.D. & Galetti, M. (2007) Predação de ninhos artificiais em uma ilha na Mata Atlântica: testando o local e o tipo de ovo [Artificial nest predation in Atlantic Forest Island: testing the place and the different types of egg]. *Revista Brasileira de Zoologia*, 24, 1011–1016. <http://dx.doi.org/10.1590/S0101-81752007000400018>
- [8]. Ambarli, H. (2006) *Analyses of Human-Bear Conflict in Yusufeli, Artvin, Turkey*. MSc Thesis. Middle East Technical University. URL: http://www.carnivoreconservation.org/files/thesis/ambarli_2006_msc.pdf
- [9]. Andrew, N.G., Bleich, V.C., August, P.V. & Torres, S.G. (1997) Demography of mountain sheep in the East Chocolate Mountains, California. *California Fish and Game*, 83, 68–77
- [10]. Anile, S., Bizzarri, L. & Ragni, B. (2009) Camera trapping the European Wildcat (*Felis silvestris silvestris*) in Sicily (southern Italy): preliminary results. *Hystrix, the Italian Journal of Mammalogy*, 20, 55–60. URL: <http://www.italian-journal-of-mammalogy.it/viewarticle.php?id=559>
- [11]. Anon. (2003) New Auto-camera Picture of Cheetah Family in Iran. *Cat News*, 43, 25. URL: http://www.catsg.org/cheetah/01_information/1_3_periodical-reports/cat-news/Cat_News_43_2005_New_auto-camera_picture_of_cheetah_familiy_in_Iran.pdf
- [12]. Anon. (2003) Will Asiatic Cheetahs Fall for Calvin Klein Perfume? *Cat News*, 38, 25
- [13]. Anon. (2006) Rare marbled cat photographed in Sumatra. URL: <http://www.zsl.org/zsl-london-zoo/news/rare-marbled-cat-photographed-in-sumatra,323,NS.html>
- [14]. Anon. (2009) New evidence of critically-endangered cat. URL: <http://www.zsl.org/conservation/news/new-evidence-of-critically-endangered-cat,564,NS.html>
- [15]. Anon. (2009) WCS Russia results from camera trapping studies. URL: <http://www.21stcenturytiger.org/index.php?pg=1250843365>
- [16]. Anthony, R.M., Grand, J.B., Fondell, T.F. & Manly, B.F.J. (2004) A Quantitative Approach to Identifying Predators from Nest Remains. *Journal of Field Ornithology*, 75, 40–48. URL: <http://www.jstor.org/stable/4151241>
- [17]. Anthony, R.M., Grand, J.B., Fondell, T.F. & Miller, D.A. (2006) Techniques for identifying predators of goose nests. *Wildlife Biology*, 12, 249–256. [http://dx.doi.org/10.2981/0909-6396\(2006\)12\[249:TFIPOG\]2.0.CO;2](http://dx.doi.org/10.2981/0909-6396(2006)12[249:TFIPOG]2.0.CO;2)
- [18]. Aprill, D. (2003) On the trail of trail cameras: Do modern trail cameras take better pictures? URL: http://static.pressrepublican.com/outdoor_archives/12142003out1.htm
- [19]. Arispe, R., Rumiz, D.I. & Noss, A.J. (2007) Six Species of Cats Registered by Camera Trap Surveys of Tropical Dry Forest in Bolivia. *Cat News*, 46, 36–38. URL: http://www.catsg.org/catnews/02_webarchive/news-nr46-2007/content-nr46-2007.htm#Article%2017
- [20]. Arispe, R., Venegas, C. & Rumiz, D. (2008) Abundancia y patrones de actividad del mapache (*Procyon cancrivorus*) en un bosque Chiquitano de Bolivia [Abundance and activity patterns of the Crab Eating Raccoon (*Procyon cancrivorus*) in a Chiquitano forest of Bolivia]. *Mastozoología Neotropical*, 15, 323–333. URL: <http://www.scielo.org.ar/pdf/mznt/v15n2/v15n2a18.pdf>
- [21]. Arnold, G., Steven, D. & Weeldenburg, J. (1989) The effect of daylength and weather conditions on the time spent by western grey kangaroos (*Macropus fuliginosus*) on farmland. *Applied Animal Behaviour Science*, 24, 353–360. [http://dx.doi.org/10.1016/0168-1591\(89\)90062-2](http://dx.doi.org/10.1016/0168-1591(89)90062-2)
- [22]. Aronsen, G.P. (2009) New photographic evidence of the African golden cat (*Profelis aurata* Temminck, 1827) at Mainaro, Kibale National Park, Uganda. *Integrative and Comparative Biology*, 49, e195. URL: <http://www.sicb.org/meetings/2009/schedule/abstractdetails.php?id=677>
- [23]. Arzoumanian, Z., Holmberg, J. & Norman, B. (2005) An astronomical pattern-matching algorithm for computer-aided identification of whale sharks *Rhincodon typus*. *Journal of Applied Ecology*, 42, 999–1011. <http://dx.doi.org/10.1111/j.1365-2664.2005.01117.x>

- [24]. Attum, O., Eason, P. & Wakefield, S. (2006) Conservation implications of midden selection and use in an endangered gazelle (*Gazella gazella*). *Journal of Zoology (London)*, 268, 255-260. <http://dx.doi.org/10.1111/j.1469-7998.2005.00027.x>
- [25]. Augeri, D.M. (2005) *On the Biogeographic Ecology of the Malayan Sun Bear*. PhD Thesis. University of Cambridge. URL: http://www.denverzoo.org/downloads/Sun_Bear_da.pdf
- [26]. Augeri, D.M. (2005) Biogeographic Ecology of the Malayan Sun Bear. *International Bear News*, 14, 25-26. URL: <http://www.bearbiology.com/iba/ibn01.html>
- [27]. Augeri, D.M., Reading, R.P., Fisher, M., Chivers, D.J. & Royle, J.A. (2006) Good Estimates of Density: A Response to Garshelis and McLellan. *International Bear News*, 15, 8-11. URL: <http://www.bearbiology.com/iba/ibn01.html>
- [28]. Austin, S.C. (1999) Camera-trapping Evidence of Large Spotted Civet (*Viverra zibetha*) in Xe Pian National Biodiversity Conservation Area (NBCA), Southern Lao PDR. *Natural History Bulletin of the Siam Society*, 47, 255-257. URL: <http://www.siam-society.org/publications/NHB/contents.html#X47-2>
- [29]. Autrum, H. (1968) Colour vision in man and animals. *Naturwissenschaften*, 55, 10-18. <http://dx.doi.org/10.1007/BF00593399>
- [30]. Babweteera, F., Savill, P. & Brown, N. (2007) *Balanites wilsoniana*: Regeneration with and without elephants. *Biological Conservation*, 134, 40-47. <http://dx.doi.org/10.1016/j.biocon.2006.08.002>
- [31]. Balme, G. (2005) Counting Cats. *Africa Geographic*, 13, 36-43. URL: <http://www.africageographic.com/archives/ShowArticle.asp?ArticleID=804>
- [32]. Balme, G. (2005) Conservation biology of leopards (*Panthera pardus*) in a fragmented landscape; spatial ecology, population biology and human threats. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [33]. Balme, G.A., Hunter, L.T.B. & Slotow, R. (2009) Evaluating Methods for Counting Cryptic Carnivores. *Journal of Wildlife Management*, 73, 433-441. <http://dx.doi.org/10.2193/2007-368>
- [34]. Balme, G.A., Slotow, R. & Hunter, L.T. (2009) Impact of conservation interventions on the dynamics and persistence of a persecuted leopard (*Panthera pardus*) population. *Biological Conservation*, 142, 2681-2690. <http://dx.doi.org/10.1016/j.biocon.2009.06.020>
- [35]. Bañbura, J., Blondel, J., Wilde-Lambrechts, H., Galan, M. & Maistre, M. (1994) Nestling diet variation in an insular Mediterranean population of blue tits *Parus caeruleus*: effects of years, territories and individuals. *Oecologia*, 100, 413-420. <http://dx.doi.org/10.1007/BF00317863>
- [36]. Barbry, T. & Gallardo, G. (2006) First camera trap photos of the Andean cat in the Sajama National Park and Natural Area on Integrated Management, Bolivia. *Cat News*, 44, 23. URL: http://www.catsg.org/catnews/02_webarchive/news-nr44-2006/content-nr44-2006.htm#Article%2013
- [37]. Barea-Azcón, J., Virgós, E., Ballesteros-Duperón, E., Moleón, M. & Chiroso, M. (2007) Surveying carnivores at large spatial scales: a comparison of four broad-applied methods. *Biodiversity and Conservation*, 16, 1213-1230. <http://dx.doi.org/10.1007/s10531-006-9114-x>
- [38]. Barlow, A.C.D., McDougal, C., Smith, J.L.D., Gurung, B., Bhatta, S.R., Kumal, S. et al. (2009) Temporal Variation in Tiger (*Panthera tigris*) Populations and Its Implications for Monitoring. *Journal of Mammalogy*, 90, 472-478. <http://dx.doi.org/10.1644/07-MAMM-A-415.1>
- [39]. Basille, M., Balestra, L., Henri, J.P., Lambrech, M., Marboutin, E., Pernet, L. & Touzain, L. (2003) *Photodétection du Lynx (Lynx lynx): résultats et analyse d'une pré-étude de faisabilité*. Office National de la Chasse et de la Faune Sauvage. URL: http://tout-sur-le-lynx-boreal.wifeo.com/documents/Photodetection_du_Lynx_2003.pdf
- [40]. Bateson, P.P.G. (1977) Testing an observer's ability to identify individual animals. *Animal Behaviour*, 25, 247-248. [http://dx.doi.org/10.1016/0003-3472\(77\)90090-2](http://dx.doi.org/10.1016/0003-3472(77)90090-2)
- [41]. Batts, G.K., Lafon, N.W., Kelly, M.J. & Vaughan, M.R. (2006) A Modified Approach to Rocket Netting White-tailed Deer using a Remote Video System. In *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies* pp. 77-82. URL: <http://www.mjkelly.info/batts.pdf>
- [42]. Bauer, J.W., Logan, K.A., Sweanor, L.L. & Boyce, W.M. (2005) Scavenging Behavior in Puma. *The Southwestern Naturalist*, 50, 466-471. URL: <http://www.jstor.org/stable/3672297>
- [43]. Beck, H. & Terborgh, J. (2002) Groves versus Isolates: How Spatial Aggregation of *Astrocaryum murumuru* Palms Affects Seed Removal. *Journal of Tropical Ecology*, 18, 275-288. URL: <http://www.jstor.org/stable/3068736>
- [44]. Beeby, R. (2008) Candid Camera. *The North American Truffler*, 27, 1-5. URL: <http://74.125.153.132/search?q=cache:kQdjsM1Xes4J:www.natruffling.org/news/2711.doc+potoroo+trapping+stress&cd=10&hl=en&ct=clnk&gl=au&client=firefox-a>
- [45]. Beisiegel, B. (2009) First camera trap record of bush dogs in the state of São Paulo, Brazil. *Canid News*, 12, 5. URL: http://www.canids.org/canidnews/12/Bush_dogs_in_Sao_Paulo.pdf
- [46]. Ben-David, M. (1990) Phototrapping Honey badgers. *Small Carnivore Conservation*, 3, 14-15. URL: http://strayfeathers.in/sccwiki/images/c/c9/Number_3.PDF
- [47]. Benter, W.P. (1934) Apparatus for Wild Life Photography. *Nature Magazine*, 23, 154
- [48]. Beringer, J., Millsaugh, J.J., Sartwell, J. & Woeck, R. (2004) Real-Time Video Recording of Food Selection by Captive White-Tailed Deer. *Wildlife Society Bulletin*, 32, 648-654. URL: <http://www.jstor.org/stable/3784787>
- [49]. Bertrand, A., Kenn, S., Gallant, D., Tremblay, E., Vasseur, L. & Wissink, R. (2006) MtDNA analyses on hair samples confirm Cougar, *Puma concolor*, presence in southern New Brunswick, eastern Canada. *Canadian Field Naturalist*, 120, 438-442. URL: <http://www.ofnc.ca/cfn/120-4/Bertrand.pdf>
- [50]. Bessa-Gomes, C., Fernandes, M., Abreu, P., Castro, L., Ceia, H., Pinto, B. & Pires, A.E. (2002) Le lynx pardelle (*Lynx pardinus*) au Portugal: diverses approches dans un scénario de pré-extinction. In *L'étude et la conservation des carnivores. Société Française pour l'Etude et la Protection des mammifères, Paris* pp. 128-136. URL: http://www.catsg.org/iberianlynx/04_library/4_3_publications/B/Bessa-Gomes_et_al_2002_Le_Lynx_pardelle_au_Portugal.pdf
- [51]. 'Bill' (2009) Just what is Black Flash and what is the State of the Art? URL: <http://www.chasinggame.com/index.php?id=134>

- [52]. Biologic (2009) Motion Sensitive Cameras. URL: <http://biologicenv.com.au/blog/?p=62>
- [53]. Bleich, V.C., Bowyer, R.T. & Wehausen, J.D. (1997) Sexual Segregation in Mountain Sheep: Resources or Predation? *Wildlife Monographs*, 134, 3-50. URL: <http://www.jstor.org/stable/3830743>
- [54]. Blondel, J., Isenmann, P., Maistre, M. & Perret, P. (1992) What are the consequences of being a downy oak (*quercus pubescens*) or a holm oak (*Q. ilex*) for breeding blue tits (*Parus caeruleus*)? *Plant Ecology*, 99-100, 129-136. <http://dx.doi.org/10.1007/BF00118218>
- [55]. Blondel, J., Dervieux, A., Maistre, M. & Perret, P. (1991) Feeding ecology and life history variation of the blue tit in Mediterranean deciduous and sclerophyllous habitats. *Oecologia*, 88, 9-14. <http://dx.doi.org/10.1007/BF00328397>
- [56]. Bluff, L.A. & Rutz, C. (2008) A quick guide to video-tracking birds. *Biology Letters*, 4, 319-322. <http://dx.doi.org/10.1098/rsbl.2008.0075>
- [57]. Bolton, M., Butcher, N., Sharpe, F., Stevens, D. & Fisher, G. (2007) Remote monitoring of nests using digital camera technology. *Journal Of Field Ornithology*, 78, 213-220. <http://dx.doi.org/10.1111/j.1557-9263.2007.00104.x>
- [58]. Booms, T.L. & Fuller, M.R. (2003) Time-lapse video system used to study nesting Gyrfalcons. *Journal of Field Ornithology*, 74, 416-422. URL: <http://www.jstor.org/stable/4131052>
- [59]. Boonaratana, R. (2004) A photograph of a remarkable Viverra from Vietnam. *Small Carnivore Conservation*, 31, 20. URL: http://strayfeathers.in/scc/Old-issues#2004_28Vols_30_26_31.29
- [60]. Boone, A., Kraft, J.P. & Stapp, P. (2009) Scavenging by mammalian carnivores on prairie dog colonies: implications for the spread of plague. *Vector Borne and Zoonotic Diseases*, 9, 185-190. <http://dx.doi.org/10.1089/vbz.2008.0034>
- [61]. Botello, F., Illoldi, P., Linaje, M., Monroy, G. & Sánchez-Cordero, V. (2005) Nuevos registros del «tepezcuintle» (*Agouti paca*) para el norte del estado de Oaxaca, México [New records of the «tepezcuintle» (*Agouti paca*) in the north of Oaxaca state, Mexico]. *Revista Mexicana de Biodiversidad*, 76, 103-105. URL: http://www.ibiologia.unam.mx/pdf/directorio/c/cervantes/clases/masto/nuevos_reg_tepezcuintle.pdf
- [62]. Botello, F., Illoldi-Rangel, P., Linaje, M. & Sánchez-Cordero, V. (2006) Primer registro del Tigrillo (*Leopardus wiedii*, Schinz 1821) y del Gato Montés (*Lynx rufus*, Kerr 1792) en la reserva de la Biósfera de Tehuacán-Cuicatalán, Oaxaca, México. *Acta Zoológica Mexicana (nueva serie)*, 22, 135-139. URL: http://www.ecologia.edu.mx/azm/documentos/22_1/M-Botello.pdf
- [63]. Botello, F., Monroy, G., Illoldi-Rangel, P., Trujillo-Bolio, I. & Sánchez-Cordero, V. (2007) Sistematización de imágenes obtenidas por fototrampeo: una propuesta de ficha. *Revista Mexicana de Biodiversidad*, 78, 207-210. URL: http://ntux.ibiologia.unam.mx/pdf/publicaciones/revista_78_1/21_botello.pdf
- [64]. Boulanger, J.R., Bigler, L.L., Curtis, P.D., Lein, D.H. & Lembo, A.J. (2006) A polyvinyl chloride bait station for dispensing rabies vaccine to raccoons in suburban landscapes. *Wildlife Society Bulletin*, 34, 1206-1211. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[1206:APCBSF\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[1206:APCBSF]2.0.CO;2)
- [65]. Bowkett, A.E., Lunt, N., Rovero, F., Plowman, A.B. & de Vere, N.L. (2006) How do you monitor rare and elusive mammals? Counting duikers in Tanzania and Zimbabwe. In *Animals, Zoos and Conservation* (eds E. Zgrabczyńska, P. Cwiertnia & J. Ziomek), pp. 21-28. Zoological Garden in Poznan, Poznan, Poland
- [66]. Bowkett, A.E., Rovero, F. & Marshall, A.R. (2008) The use of camera-trap data to model habitat use by antelope species in the Udzungwa Mountain forests, Tanzania. *African Journal of Ecology*, 46, 479-487. <http://dx.doi.org/10.1111/j.1365-2028.2007.00881.x>
- [67]. Bowman, J.L., Chamberlain, M.J., Leopold, B.D. & Jacobson, H.A. (1996) An evaluation of two censusing techniques to estimate black bear population size on White River National Wildlife Refuge, Arkansas. In *Proceedings of the Annual Conference of the Southeast Association Fish and Wildlife Agencies* pp. 614-621
- [68]. Bowman, J., Dawson, N., Magoun, A.J. & Ray, J. (undated) An assessment of methods for detecting wolverines in boreal forest. In *1st International Symposium on Wolverine Research and Management* p. 33. Swedish University of Agricultural Sciences, Jokkmokk, Sweden
- [69]. Boydston, E.E. (2005) *Behavior, Ecology, and Detection Surveys of Mammalian Carnivores in the Presidio*. Final Report. U.S. Geological Survey, Sacramento, California. URL: http://www.werc.usgs.gov/sandiego/pdfs/USGSFinalReport_PresidioCarnivores2005.pdf
- [70]. Brahic, C. (2007) Camera traps reveal secrets of 'worthless' forest. URL: <http://www.newscientist.com/article/dn12852>
- [71]. Bridges, A.S., Vaughan, M.R. & Klenzendorf, S. (2004) Seasonal variation in American black bear *Ursus americanus* activity patterns: quantification via remote photography. *Wildlife Biology*, 10, 277-284. URL: http://www.wildlifebiology.com/Downloads/Article/478/En/10_4_bridges.pdf
- [72]. Bridges, A.S., Fox, J.A., Olfenbittel, C. & Vaughan, M.R. (2004) American Black Bear Denning Behavior: Observations and Applications Using Remote Photography. *Wildlife Society Bulletin*, 32, 188-193. URL: <http://www.jstor.org/stable/3784557>
- [73]. Bristow, M. (1997) Spotlight on Sumatra. *BBC Wildlife*, February, 66-68
- [74]. Brooks, R.T. (1996) Assessment of Two Camera-Based Systems for Monitoring Arboreal Wildlife. *Wildlife Society Bulletin*, 24, 298-300. URL: <http://www.jstor.org/stable/3783122>
- [75]. Browder, R.G., Browder, R.C. & Garman, G.C. (1995) An Inexpensive and Automatic Multiple-Exposure Photographic System. *Journal of Field Ornithology*, 66, 37-43. URL: <http://www.jstor.org/stable/4513978>
- [76]. Brown, C.G. (2002) Feed Evaluation Using 35mm Remote-Sensing Cameras: Where Do I Start? In p. 7. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [77]. Brown, J. & Gehrt, S.D. (2009) *The Basics of Using Remote Cameras to Monitor Wildlife*. Fact Sheet: Agriculture and Natural Resources. Ohio State University. URL: <http://ohioline.osu.edu/w-fact/pdf/0021.pdf>
- [78]. Brown, K.P., Moller, H., Innes, J. & Jansen, P. (1998) Identifying predators at nests of small birds in a New Zealand forest. *Ibis*, 140, 274-279. <http://dx.doi.org/10.1111/j.1474-919X.1998.tb04389.x>

- [79]. Brudin, C.O. (2004) Wildlife use of existing culverts and bridges in North Central Pennsylvania. In pp. 344-352. North Carolina State University, Raleigh, URL: <http://repositories.cdlib.org/cgi/viewcontent.cgi?article=1127&context=jmie/roadeco>
- [80]. Buckner, C. (1964) Preliminary Trials of a Camera Recording Device for the Study of Small Mammals. *Canadian Field Naturalist*, 78, 77-79
- [81]. Buler, J.J. & Hamilton, R.B. (2000) Predation of Natural and Artificial Nests in a Southern Pine Forest. *The Auk*, 117, 739-747. URL: <http://www.jstor.org/stable/4089598>
- [82]. Bull, E.L., Holthausen, R.S. & Bright, L.R. (1992) Comparison of 3 Techniques to Monitor Marten. *Wildlife Society Bulletin*, 20, 406-410. URL: <http://www.jstor.org/stable/3783060>
- [83]. Burton, J.A., Hedges, S. & Mustari, A.H. (2005) The taxonomic status, distribution and conservation of the lowland anoa *Bubalus depressicornis* and mountain anoa *Bubalus quarlesi*. *Mammal Review*, 35, 25-50. <http://dx.doi.org/10.1111/j.1365-2907.2005.00048.x>
- [84]. Bustamante-Ho, A., Moreno, R. & Sáenz, J. (2009) Depredación de un pizote (*Nasua narica*) por una puma (*Puma concolor*) en el sureste de la península de Osa, Costa Rica [Predation of a coati (*Nasua narica*) by a puma (*Puma concolor*) in the southeast of the Osa peninsula, Costa Rica]. *Acta Biologica Panamensis*, 1, 39-45
- [85]. Campbell, B.H. & Remington, R. (1979) Bighorn Use of Artificial Water Sources in the Buckskin Mountains, Arizona. *Desert Bighorn Council Transactions*, 23, 50-56. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [86]. Campbell, L.A. (2004) *Distribution and Habitat Associations of Mammalian Carnivores in the Central and Southern Sierra Nevada*. PhD Thesis. University of California, Davis. URL: http://www.fs.fed.us/psw/programs/snrc/staff/campbell/campbell_dissertation.pdf
- [87]. Can, Ö.E. & Togan, İ. (2009) Camera Trapping of Large Mammals in Yenice Forest, Turkey: Local Information Versus Camera Traps. *Oryx*, 43, 427-430. <http://dx.doi.org/10.1017/S0030605308000628>
- [88]. Cantú-Salazar, L., Hidalgo-Mihart, M.G., López-González, C.A. & González-Romero, A. (2009) Dry Season Den Use by Pygmy Spotted Skunk (*Spilogale pygmaea*) in a Tropical Deciduous Forest of Mexico. *Biotropica*, 41, 347-353. <http://dx.doi.org/10.1111/j.1744-7429.2008.00482.x>
- [89]. Capen, D. (1978) Time-lapse photography and behaviour analysis of behaviour of nesting white faced ibises. In *Wading Birds* (eds A. Sprunt, J. Ogden & Winkler), pp. 41-43. National Audubon Society Research Report 7
- [90]. Capt, S. (2007) Monitoring and Distribution of the Lynx *Lynx lynx* in the Swiss Jura Mountains. *Wildlife Biology*, 13, 356-364. [http://dx.doi.org/10.2981/0909-6396\(2007\)13\[356:MADOTL\]2.0.CO;2](http://dx.doi.org/10.2981/0909-6396(2007)13[356:MADOTL]2.0.CO;2)
- [91]. Carbone, C., Christie, S., Conforti, K., Coulson, T., Franklin, N., Ginsberg, J.R. et al. (2001) The use of photographic rates to estimate densities of tigers and other cryptic mammals. *Animal Conservation*, 4, 75-79. <http://dx.doi.org/10.1017/S1367943001001081>
- [92]. Carbone, C., Christie, S., Conforti, K., Coulson, T., Franklin, N., Ginsberg, J.R. et al. (2002) The use of photographic rates to estimate densities of cryptic mammals: response to Jennelle et al. *Animal Conservation*, 5, 121-123. <http://dx.doi.org/10.1017/S1367943002002172>
- [93]. Carey, H.R. (1926) Camera-Trapping: A Novel Device for Wild Animal Photography. *Journal of Mammalogy*, 7, 278-281. <http://dx.doi.org/10.2307/1373576>
- [94]. Carley, C.J., Fleharty, E.D. & Mares, M.A. (1970) Occurrence and Activity of *Reithrodontomys megalotis*, *Microtus ochrogaster*, and *Peromyscus maniculatus* as Recorded by a Photographic Device. *The Southwestern Naturalist*, 15, 209-216. URL: <http://www.jstor.org/stable/3670349>
- [95]. Cartar, R.V. & Montgomerie, R.D. (1987) Day-to-Day Variation in Nest Attentiveness of White-Rumped Sandpipers. *The Condor*, 89, 252-260. URL: <http://www.jstor.org/stable/1368478>
- [96]. Carthew, S.M. (1993) An assessment of pollinator visitation to *Banksia spinulosa*. *Austral Ecology*, 18, 257-268. <http://dx.doi.org/10.1111/j.1442-9993.1993.tb00453.x>
- [97]. Carthew, S.M. & Slater, E. (1991) Monitoring Animal Activity with Automated Photography. *Journal of Wildlife Management*, 55, 689-692. <http://dx.doi.org/10.2307/3809519>
- [98]. Cearley, K.A. (2002) What Technology Is Out There? In *Use of Remote-Sensing Cameras in Wildlife Management* p. 2. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [99]. Cederholm, C., Houston, D., Cole, D. & Scarlett, W. (1989) Fate of Coho Salmon (*Oncorhynchus kisutch*) Carcasses in Spawning Streams. *Canadian Journal of Fisheries and Aquatic Sciences*, 46, 1347-1355. <http://dx.doi.org/10.1139/f89-173>
- [100]. Chadwick, D.H. (2008) Out of the Shadows. *National Geographic Magazine*, 213, 106-129. URL: <http://ngm.nationalgeographic.com/2008/06/snow-leopards/chadwick-text>
- [101]. Challet, E., Bost, C., Handrich, Y., Gendner, J. & Maho, Y.L. (1994) Behavioural time budget of breeding king penguins (*Aptenodytes patagonica*). *Journal of Zoology (London)*, 233, 669-681. <http://dx.doi.org/10.1111/j.1469-7998.1994.tb05373.x>
- [102]. Champion, F.W. (1927) *With a Camera in Tiger-Land*. Chatto & Windus, London. URL: http://openlibrary.org/b/OL16765194M/With_a_camera_in_tiger-land
- [103]. Chapman, F.M. (1900) *Bird studies with a camera : with introductory chapters on the outfit and methods of the bird photographer*. D. Appleton and Co., New York. URL: <http://www.archive.org/details/birdstudieswithc00chapiala>
- [104]. Chapman, F.M. (1903) Hunting with a Camera. *World's Work*, 6, 3554-3560
- [105]. Chapman, F.M. (1927) Who treads our trails. *National Geographic Magazine*, 52, 330-345
- [106]. Chapron, G., Veron, G. & Jennings, A. (2006) New carnivore species in Borneo may not be new. *Oryx*, 40, 138. <http://dx.doi.org/10.1017/S0030605306000688>
- [107]. Chaudhary, S. (2009) 121 breeding tigers estimated to be found in Nepal. URL: http://www.eurekalert.org/pub_releases/2009-07/wwf-1bt072709.php
- [108]. Chauhan, D.S., Harihar, A., Goyal, S.P., Qureshi, Q., Lal, P. & Mathur, V.B. (2005) *Estimating Tiger Population Using Camera Traps in Ranthambore National Park*. Wildlife Institute of India, Dehra Dun, India. URL: http://www.catsg.org/catsgportal/bulletin-board/04_reports/pdf/Annexure%203.6.pdf

- [109]. Chauhan, D.S., Harihar, A., Goyal, S.P., Qureshi, Q., Lal, P. & Mathur, V.B. (2005) *Estimating leopard population using camera traps in Sariska Tiger Reserve*. Wildlife Institute of India, Dehra Dun, India. URL: http://www.catsg.org/catsgportal/bulletin-board/04_reports/pdf/Annexure%203.2.pdf
- [110]. Check, E. (2006) Snapshot: A night out in the park. *Nature*, 444, 413. <http://dx.doi.org/10.1038/444413a>
- [111]. Chelysheva, E.V. (2004) A New Approach to Cheetah Identification. *Cat News*, 41, 27-29. URL: http://www.catsg.org/cheetah/05_library/5_3_publications/C/Chelysheva_2004_A_new_approach_to_cheetah_identification.pdf
- [112]. Chen, M., Tewes, M.E., Pei, K.J. & Grassman, L.I. (2009) Activity patterns and habitat use of sympatric small carnivores in southern Taiwan. *Mammalia*, 73, 20-26. <http://dx.doi.org/10.1515/MAMM.2009.006>
- [113]. Chetana, H.C. & Ganesh, T. (2007) Survey and Activity Patterns of Nocturnal Mammals in a Fragmented Dry Deciduous Forest of Karnataka. *Zoos' Print Journal*, 22, 2644-2647. URL: <http://www.zoosprint.org/ZooPrintJournal/2007/April/2644-2647.pdf>
- [114]. Chiang, P. (2007) *Ecology and conservation of Formosan clouded leopard, its prey, and other sympatric carnivores in southern Taiwan*. PhD Thesis. Virginia Polytechnic Institute and State University. URL: <http://scholar.lib.vt.edu/theses/available/etd-11192007-061925/>
- [115]. Choate, D.M., Wolfe, M.L. & Stoner, D.C. (2006) Evaluation of Cougar Population Estimators in Utah. *Wildlife Society Bulletin*, 34, 782-799. URL: <http://www.jstor.org/stable/3784708>
- [116]. Christianini, A.V. & Galetti, M. (2007) Spatial variation in post-dispersal seed removal in an Atlantic forest: Effects of habitat, location and guilds of seed predators. *Acta Oecologica*, 32, 328-336. <http://dx.doi.org/10.1016/j.actao.2007.06.004>
- [117]. Chua, M., Sivasothi, N. & Teo, R. (2009) Rediscovery of greater mouse deer, *Tragulus napu* (Mammalia: Artiodactyla: Tragulidae) in Pulau Ubin, Singapore. *Nature in Singapore*, 2, 373. URL: <http://rmbn.nus.edu.sg/nis/bulletin2009.php>
- [118]. Claridge, A., Mifsud, G., Dawson, J. & Saxon, M. (2004) Use of infrared digital cameras to investigate the behaviour of cryptic species. *Wildlife Research*, 31, 645-650. <http://dx.doi.org/10.1071/WR03072>
- [119]. Clark, H.O. & Orland, M.C. (2008) Comparison of Two Camera Trap Systems for Detection of American Marten on a Winter Landscape. *California Fish and Game*, 94, 53-59. URL: <http://www.dfg.ca.gov/publications/journal/contents.html>
- [120]. Clevenger, A.P. (1996) *A monitoring plan for wildlife crossing structure use along the Trans-Canada Highway*. Prepared for Parks Canada, Banff Warden Service
- [121]. Clifford, D.L., Woodroffe, R., Garcelon, D.K., Timm, S.F. & Mazet, J.A.K. (2007) Using pregnancy rates and perinatal mortality to evaluate the success of recovery strategies for endangered island foxes. *Animal Conservation*, 10, 442-451. <http://dx.doi.org/10.1111/j.1469-1795.2007.00129.x>
- [122]. Coates, P.S., Connelly, J.W. & Delehanty, D.J. (2008) Predators of Greater Sage-Grouse nests identified by video monitoring. *Journal of Field Ornithology*, 79, 421-428. <http://dx.doi.org/10.1111/j.1557-9263.2008.00189.x>
- [123]. Constantino, G.C. (1973) Time-lapse photography census of bighorns at the Desert National Wildlife Range. *Desert Bighorn Council Transactions*, 17, 59-72. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [124]. Constantino, G.C. (1974) Additional time-lapse photography field techniques. *Desert Bighorn Council Transactions*, 18, 29-30. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [125]. Cooper, J.A. & Afton, A.D. (1981) A Multiple Sensor System for Monitoring Avian Nesting Behavior. *The Wilson Bulletin*, 93, 325-333. URL: <http://www.jstor.org/stable/4161497>
- [126]. Cooper, S.M., Cathey, J.C. & Sieckenius, S.S. (2006) Video-Scale: A Novel Device to Measure Supplemental Feed Consumption by Wildlife. *Wildlife Society Bulletin*, 34, 1362-1367. URL: <http://www.jstor.org/stable/4134271>
- [127]. Copeland, J. (1993) *Assessment of Snow-Tracking and Remote Camera Systems to Document Presence of Wolverines at Carrion Bait Stations*. Idaho Department of Fish and Game. URL: http://www.landsinfo.org/ecosystem_defense/science_documents/Copeland_1993.pdf
- [128]. Cowardin, L.M. (1969) Use of Flooded Timber by Waterfowl at the Montezuma National Wildlife Refuge. *Journal of Wildlife Management*, 33, 829-842. URL: <http://www.jstor.org/stable/3799314>
- [129]. Cowardin, L.M. & Ashe, J.E. (1965) An Automatic Camera Device for Measuring Waterfowl Use. *Journal of Wildlife Management*, 29, 636-640. URL: <http://www.jstor.org/stable/3798066>
- [130]. Cowie, R.J. & Hinsley, S.A. (1988) Timing of return with green vegetation by nesting Blue Tits *Parus caeruleus*. *Ibis*, 130, 553-555. <http://dx.doi.org/10.1111/j.1474-919X.1988.tb02722.x>
- [131]. Cowie, R.J. & Hinsley, S.A. (1988) Feeding Ecology of Great Tits (*Parus major*) and Blue Tits (*Parus caeruleus*), Breeding in Suburban Gardens. *Journal of Animal Ecology*, 57, 611-626. URL: <http://www.jstor.org/stable/4928>
- [132]. Cowled, B., Gifford, E., Smith, M., Staples, L. & Lapidge, S. (2006) Efficacy of manufactured PIGOUT® baits for localised control of feral pigs in the semi-arid Queensland rangelands. *Wildlife Research*, 33, 427-437. <http://dx.doi.org/10.1071/WR05083>
- [133]. Craig, G.H. & Craig, J.L. (1974) An Automatic Nest Recorder. *Ibis*, 116, 557-561. <http://dx.doi.org/10.1111/j.1474-919X.1974.tb07654.x>
- [134]. Craig, J.L. (1980) Pair and group breeding behaviour of a communal gallinule, the pukeko, *Porphyrio P. melanotus*. *Animal Behaviour*, 28, 593-603. [http://dx.doi.org/10.1016/S0003-3472\(80\)80068-6](http://dx.doi.org/10.1016/S0003-3472(80)80068-6)
- [135]. Craig, J.L. & Jamieson, I.G. (1985) The relationship between presumed gamete contribution and parental investment in a communally breeding bird. *Behavioral Ecology and Sociobiology*, 17, 207-211. <http://dx.doi.org/10.1007/BF00300138>
- [136]. Cramer, J.M., Mesquita, R.C.G., Bentos, T.V., Moser, B. & Williamson, G.B. (2007) Forest Fragmentation Reduces Seed Dispersal of *Duckeodendron cestroides*, a Central Amazon Endemic. *Biotropica*, 39, 709-718. <http://dx.doi.org/10.1111/j.1744-7429.2007.00317.x>
- [137]. Crooks, K.R., Grigione, M., Scoville, A. & Scoville, G. (2008) Exploratory Use of Track and Camera Surveys of Mammalian Carnivores in the Peloncillo and Chiricahua Mountains of Southeastern Arizona. *The Southwestern Naturalist*, 53, 510-517. <http://dx.doi.org/10.1894/CJ-146.1>

- [138]. Cuéllar, E., Maffei, L., Arispe, R. & Noss, A.J. (2006) Geoffroy's cats at the northern limit of their range: activity patterns and density estimates from camera trapping in Bolivian dry forests. *Studies on Neotropical Fauna and Environment*, 41, 169-177. <http://dx.doi.org/10.1080/01650520600840001>
- [139]. Curtis, P.D., Boldgiv, B., Mattison, P.M. & Boulanger, J.R. (2009) Estimating deer abundance in suburban areas with infrared-triggered cameras. *Human-Wildlife Conflicts*, 3, 116-128. URL: <http://www.berrymaninstitute.org/journal/spring09.html>
- [140]. Custer, T.W. (1973) Snowy Owl Predation on Lapland Longspur Nestlings Recorded on Film. *The Auk*, 90, 433-435. URL: <http://www.jstor.org/stable/4084320>
- [141]. Cutler, T.L. & Swann, D.E. (1999) Using remote photography in wildlife ecology: a review. *Wildlife Society Bulletin*, 27, 571-581. URL: <http://www.jstor.org/stable/3784076>
- [142]. Dajun, W., Sheng, L., McShea, W. & Fu, L. (2006) Use of Remote-Trip Cameras for Wildlife Surveys and Evaluating the Effectiveness of Conservation Activities at a Nature Reserve in Sichuan Province, China. *Environmental Management*, 38, 942-951. <http://dx.doi.org/10.1007/s00267-005-0302-3>
- [143]. Danielson, W.R., Degraaf, R.M. & Fuller, T.K. (1996) An Inexpensive Compact Automatic Camera System for Wildlife Research. *Journal of Field Ornithology*, 67, 414-421. URL: <http://www.jstor.org/stable/4514132>
- [144]. Datta, A., Naniwadekar, R. & Anand, M.O. (2008) *Hornbills, hoolocks and hog badgers: long - term monitoring of threatened wildlife with local communities in Arunachal Pradesh, north - east India*. Final Report to Rufford Small Grants Program (UK). In p. 80. Nature Conservation Foundation, Mysore, India. URL: <http://www.ruffordsmallgrants.org/files/Final%20Rufford%20report-%20Aparajita%20Datta%202008.pdf#page=42>
- [145]. Davis, M.L. & Kelly, M.J. (2009) Habitat Predictors, Predator/Prey Activity Levels, and Overlap Indices for Co-Occurring Felids Across Study Sites. In p. 63. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [146]. De Luca, D.W. & Mpunga, N.E. (2005) Small carnivores of the Udzungwa Mountains: presence, distributions and threats. *Small Carnivore Conservation*, 32, 1-7. URL: http://strayfeathers.in/scc/Old-issues#2005_28Vols_32_26_33.29
- [147]. De Luca, D.W. & Mpunga, N.E. (2005) *Carnivores of the Udzungwa Mountains: presence, distributions and threats*. Wildlife Conservation Society, Mbeya, Tanzania. URL: http://easternarc.or.tz/downloads/Udzungwa/Udz_Carnivores_DDL.pdf
- [148]. De Luca, D.W. & Rovero, F. (2006) First Records in Tanzania of the Vulnerable Jackson's Mongoose Bdeogale Jacksoni (Herpestidae). *Oryx*, 40, 468-471. <http://dx.doi.org/10.1017/S0030605306001396>
- [149]. DeGraaf, R.M. (1995) Nest predation rates in managed and reserved extensive northern hardwood forests. *Forest Ecology and Management*, 79, 227-234. [http://dx.doi.org/10.1016/0378-1127\(95\)03594-X](http://dx.doi.org/10.1016/0378-1127(95)03594-X)
- [150]. Delaney, D.K., Grubb, T.G. & Garcelon, D.K. (1998) An infrared video camera system for monitoring diurnal and nocturnal raptors. *Journal of Raptor Research*, 32, 290-296. URL: <http://64.106.42.23/sora/jrr/v032n04/p00290-p00296.pdf>
- [151]. Derksen, D.V. (1977) A Quantitative Analysis of the Incubation Behavior of the Adélie Penguin. *The Auk*, 94, 552-566. URL: <http://www.jstor.org/stable/4085221>
- [152]. DeVault, T.L., Douglas, M.B., Castrale, J.S., Mills, C.E., Hayes, T. & Rhodes Jr, O.E. (2005) Identification of nest predators at a least tern colony in Southwestern Indiana. *Waterbirds*, 28, 445-449. [http://dx.doi.org/10.1675/1524-4695\(2005\)28\[445:IONPAA\]2.0.CO;2](http://dx.doi.org/10.1675/1524-4695(2005)28[445:IONPAA]2.0.CO;2)
- [153]. DeVault, T., Brisbin Jr., I. & Rhodes Jr., O. (2004) Factors influencing the acquisition of rodent carrion by vertebrate scavengers and decomposers. *Canadian Journal of Zoology*, 82, 502-509. <http://dx.doi.org/10.1139/Z04-022>
- [154]. DeVault, T.L. & Rhodes, O.E. (2002) Identification of vertebrate scavengers of small mammal carcasses in a forested landscape. *Acta Theriologica*, 47, 185-192. URL: <http://acta.zbs.bialowieza.pl/contents/index.php?art=2002-047-002-0185&clear>
- [155]. Di Bitetti, M.S., Paviolo, A. & De Angelo, C. (2006) Density, habitat use and activity patterns of ocelots (*Leopardus pardalis*) in the Atlantic Forest of Misiones, Argentina. *Journal of Zoology (London)*, 270, 153-163. <http://dx.doi.org/10.1111-j.1469-7998.2006.00102.x>
- [156]. Di Bitetti, M.S., Di Blanco, Y.E., Pereira, J.A., Paviolo, A. & Pérez, I.J. (2009) Time Partitioning Favors the Coexistence of Sympatric Crab-Eating Foxes (*Cercopithecus thous*) and Pampas Foxes (*Lycalopex gymnocercus*). *Journal of Mammalogy*, 90, 479-490. <http://dx.doi.org/10.1644/08-MAMM-A-113.1>
- [157]. Di Bitetti, M.S., Paviolo, A., De Angelo, C.D. & Di Blanco, Y.E. (2008) Local and Continental Correlates of the Abundance of a Neotropical Cat, the Ocelot (*Leopardus Pardalis*). *Journal of Tropical Ecology*, 24, 189-200. <http://dx.doi.org/10.1017/S0266467408004847>
- [158]. Di Bitetti, M.S.D., Paviolo, A., Ferrari, C.A., Angelo, C.D. & Blanco, Y.D. (2008) Differential Responses to Hunting in Two Sympatric Species of Broomtail Deer (*Mazama americana* and *M. nana*). *Biotropica*, 40, 636-645. <http://dx.doi.org/10.1111/j.1744-7429.2008.00413.x>
- [159]. Díaz, M., Torre, I., Peris, A. & Tena, L. (2005) Foraging Behavior of Wood Mice as Related to Presence and Activity of Genets. *Journal of Mammalogy*, 86, 1178-1185. URL: <http://www.jstor.org/stable/4094541>
- [160]. Dillon, A. (2005) *Ocelot Density and Home Range in Belize, Central America: Camera-Trapping and Radio Telemetry*. PhD Thesis. Virginia Polytechnic Institute and State University. URL: http://www.carnivoreconservation.org/files/thesis/dillon_2005_msc.pdf
- [161]. Dillon, A. & Kelly, M.J. (2008) Ocelot home range, overlap and density: comparing radio telemetry with camera trapping. *Journal of Zoology (London)*, 275, 391-398. <http://dx.doi.org/10.1111/j.1469-7998.2008.00452.x>
- [162]. Dillon, A. & Kelly, M.J. (2007) Ocelot *Leopardus pardalis* in Belize: the impact of trap spacing and distance moved on density estimates. *Oryx*, 41, 469-477. <http://dx.doi.org/10.1017/S0030605307000518>
- [163]. Dinata, Y., Nugroho, A., Achmad Haidir, I. & Linkie, M. (2008) Camera Trapping Rare and Threatened Avifauna in West-Central Sumatra. *Bird Conservation International*, 18, 30-37. <http://dx.doi.org/10.1017/S0959270908000051>

- [164]. Dixon, D.R. (2003) A non-invasive technique for identifying individual badgers *Meles meles*. *Mammal Review*, 33, 92-94. <http://dx.doi.org/10.1046/j.1365-2907.2003.00001.x>
- [165]. Dixon, V., Glover, H.K., Winnell, J., Treloar, S.M., Whisson, D.A. & Weston, M.A. (2009) Evaluation of three remote camera systems for detecting mammals and birds. *Ecological Management & Restoration*, 10, 156-158. <http://dx.doi.org/10.1111/j.1442-8903.2009.00479.x>
- [166]. Dodge, W.E. & Snyder, D.P. (1960) An Automatic Camera Device for Recording Wildlife Activity. *Journal of Wildlife Management*, 24, 340-342. <http://dx.doi.org/10.2307/3797527>
- [167]. Donaldson, B. (2007) Use of Highway Underpasses by Large Mammals and Other Wildlife in Virginia: Factors Influencing Their Effectiveness. *Transportation Research Record: Journal of the Transportation Research Board*, 2011, 157-164. <http://dx.doi.org/10.3141/2011-17>
- [168]. Doody, J.S. & Georges, A. (2000) A novel technique for gathering nesting and emergence phenology data in turtles. *Herpetological Review*, 31, 220-222
- [169]. Doody, J.S., Sims, R.A. & Letnic, M. (2007) Environmental Manipulation to Avoid a Unique Predator: Drinking Hole Excavation in the Agile Wallaby, *Macropus agilis*. *Ethology*, 113, 128-136. <http://dx.doi.org/10.1111/j.1439-0310.2006.01298.x>
- [170]. Drobnick, R. (1969) A New Wildlife Recorder. *Desert Bighorn Council Transactions*, 13, 22-26. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [171]. Duckworth, J., Lee, P.Y.H., Meijaard, E. & Meiri, S. (2006) The Malay Weasel *Mustela nudipes*: distribution, natural history and a global conservation status review. *Small Carnivore Conservation*, 34-35, 2-11. URL: http://strayfeathers.in/scc/Old-issues#2006_28Vols_34_26_35.29
- [172]. Dunaway, F. (2000) Hunting with the Camera: Nature Photography, Manliness, and Modern Memory, 1890-1930. *Journal of American Studies*, 34, 207-230. URL: <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=57645>
- [173]. Dunbar, E. & Grund, M. (2007) *Estimating white-tailed deer density using trail cameras at Itasca State Park in northwestern Minnesota*. In pp. 32-35. Minnesota Department of Natural Resources. URL: <http://www.dnr.state.mn.us/publications/wildlife/research2007.html>
- [174]. Dunkel, T. (2002) Caught in the act: camera traps in remote spots document rare or "nonexistent" animals, helping conserve wildlands. *Smithsonian*, 27-28. URL: <http://tomdunkel.com/portfolio/article.aspx?articleTitle=Caught%20in%20the%20Act>
- [175]. Dunn, E. (1977) Predation by Weasels (*Mustela nivalis*) on Breeding Tits (*Parus* Spp.) in Relation to the Density of Tits and Rodents. *Journal of Animal Ecology*, 46, 633-652. URL: <http://www.jstor.org/stable/3835>
- [176]. Durnin, M.E., Huang, J.Y. & Zhang, H. (2004) Non-invasive techniques for monitoring giant panda (*Ailuropoda melanoleuca*) behavior, habitat use, and demographics. In *Giant Pandas: biology and conservation* (eds D.G. Lindburg & K. Baragona), pp. 170-175. University of California Press, Berkeley, California
- [177]. Efford, M.G., Dawson, D.K. & Borchers, D.L. (2009) Population density estimated from locations of individuals on a passive detector array. *Ecology*, 90, 2676-2682. <http://dx.doi.org/10.1890/08-1735.1>
- [178]. El Algamy, H. & Simkins, G. (2007) Camera Trap Survey in the Dubai Desert Conservation Reserve. *Wildlife Middle East*, 2, 4. URL: <http://wmenews.com/newsletters/File/Volume-2/Issue-1/wme%20V2%20I1%20Enl%205.pdf>
- [179]. El Algamy, H., Wachter, T., Hamada, A. & Rashad, S. (2003) *Camera Traps; A Non-invasive Sampling Technique to Redefine the Large Mammals Fauna of South Sinai*. Unpublished report. Cat Specialist Group-IUCN. URL: <http://www.catsg.org/catsglib/recordetail.php?recordid=4431>
- [180]. Elkan, P.W., Parnell, R. & Smith, J.L.D. (2009) A die-off of large ungulates following a *Stomoxys* biting fly out-break in lowland forest, northern Republic of Congo. *African Journal of Ecology*, [In press]. <http://dx.doi.org/10.1111/j.1365-2028.2008.00980.x>
- [181]. Emmons, L., Chávez, V., Rocha, N., Phillips, B., Phillips, I., del Aguila, L.F. & Swarner, M.J. (2006) The non-flying mammals of Noel Kempff Mercado National Park (Bolivia). *Revista Boliviana de Ecología*, 19, 23-46. URL: http://www.cedsip.org/cons19_3.html
- [182]. Anderson, J.H., Temple, S.A. & Swartz, L.G. (1972) Time-lapse photographic records of nesting peregrine falcons. *Living Bird*, 11, 113-128
- [183]. Engel, T.R. (1998) Long-term latrine use by Rusty-spotted genet *Genetta rubiginosa* in Kenya. *Small Carnivore Conservation*, 18, 5-8. URL: [http://strayfeathers.in/sccwiki/images/1/14/Number_18_\(Apr_1998\).PDF](http://strayfeathers.in/sccwiki/images/1/14/Number_18_(Apr_1998).PDF)
- [184]. Evans, E.H. (1955) Camera Trails. *Nature Magazine*, 48, 160-161, 164
- [185]. Fabiano, E., Nghikembua, M. & Marker, L. (2009) Do non-target species remote camera trap datasets have any value? A case study using a non-target dataset from a cheetah study conducted in Namibia. Otjiwarongo, Namibia. URL: cheetah@iway.na
- [186]. Farhadinia, M., Nezami, B., Mahdavi, A. & Hatami, K. (2007) Photos of Persian Leopard in Alborz Mountains, Iran. *Cat News*, 46, 34-35. URL: http://www.catsg.org/catnews/20_cat-news-website/home/index_en.htm
- [187]. Fattebert, J., Caviezel, S., Breitenmoser-Würsten, C., Breitenmoser, U. & Zimmermann, F. (2008) *Abondance et densité du lynx dans le Centre du Jura suisse: Estimation par capture-recapture photographique dans le C-1, février-avril 2008*. KORA Reports No. 43. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>
- [188]. Fedriani, J.M., Fuller, T.K., Sauvajot, R.M. & York, E.C. (2000) Competition and intraguild predation among three sympatric carnivores. *Oecologia*, 125, 258-270. <http://dx.doi.org/10.1007/s004420000448>
- [189]. Ferguson, A.W., Weckerly, F.W., Baccus, J.T. & Forstner, M.R.J. (2008) Evaluation of Predator Attendance at Pitfall Traps in Texas. *The Southwestern Naturalist*, 53, 450-457. <http://dx.doi.org/10.1894/CLG-05.1>
- [190]. Fernando, P., Polet, G., Foad, N., Ng, L., Pastorini, J. & Melnick, D. (2006) Genetic diversity, phylogeny and conservation of the Javan rhinoceros (*Rhinoceros sondaicus*). *Conservation Genetics*, 7, 439-448. <http://dx.doi.org/10.1007/s10592-006-9139-4>
- [191]. Ferry, T. (2009) Taiwan Review - In Search of Taiwan's Clouded Leopard. *Taiwan Review*. URL: <http://taiwanreview.nat.gov.tw/ct.asp?xItem=48265&CtNode=1365>

- [192]. Fiehler, C.M., Cypher, B.L., Bremner-Harrison, S. & Pounds, D. (2007) A Theft-Resistant Adjustable Security Box for Digital Cameras. *Journal of Wildlife Management*, 71, 2077-2080. <http://dx.doi.org/10.2193/2006-298>
- [193]. Findley, J.S. & Negus, N.C. (1953) Notes on the Mammals of the Gothic Region, Gunnison County, Colorado. *Journal of Mammalogy*, 34, 235-239. URL: <http://www.jstor.org/stable/1375625>
- [194]. Fjalling, A., Kleiner, J. & Beszczynska, M. (2007) Evidence that grey seals (*Halichoerus grypus*) use above-water vision to locate baited buoys. *NAMMCO Scientific Publications*, 6, 215-227. URL: <http://www.nammco.no/webcronize/images/Nammco/904.pdf>
- [195]. Foresman, K.R. & Pearson, D.E. (1998) Comparison of Proposed Survey Procedures for Detection of Forest Carnivores. *Journal of Wildlife Management*, 62, 1217-1226. <http://dx.doi.org/10.2307/3801985>
- [196]. Foster, M.L. & Humphrey, S.R. (1995) Use of Highway Underpasses by Florida Panthers and Other Wildlife. *Wildlife Society Bulletin*, 23, 95-100. URL: <http://www.jstor.org/stable/3783202>
- [197]. Frantz, S.C. (1989) Remote videography of small mammals under conditions of dim illumination or darkness. In *Vertebrate Pest Control and Management Materials 6th Volume* (eds K.A. Fagerstone & R.D. Curnow), pp. 41-51. American Society for Testing and Materials, Monterey, California
- [198]. Franzreb, K.E. & Hanula, J.L. (1995) Evaluation of Photographic Devices to Determine Nestling Diet of the Endangered Red-Cockaded Woodpecker. *Journal of Field Ornithology*, 66, 253-259. URL: <http://www.jstor.org/stable/4514012>
- [199]. Fukuda, H., Takayama, G., Iguchi, M. & Shibata, E. (2008) Camera-trapped mammal fauna of Mt. Ohdaigahara, Central Japan [in Japanese]. *Japanese Journal of Conservation Ecology*, 13, 265-274. URL: <http://ci.nii.ac.jp/naid/110007008415/en>
- [200]. Fuller, T., York E. C., Powell S. M., Decker T. A & DeGraaf R. M (2001) An evaluation of territory mapping to estimate fisher density. *Canadian Journal of Zoology*, 79, 1691-1696. <http://dx.doi.org/10.1139/cjz-79-9-1691>
- [201]. Furtado, M.M., Carrillo-Percastegui, S.E., Jácomo, A.T.D.A., Powell, G., Silveira, L., Vynne, C. & Sollmann, R. (2008) Studying Jaguars in the Wild: Past Experiences and Future Perspectives. *Cat News*, 41-47. URL: http://www.catsg.org/catnews/03_specialissue/jaguar_brazil/Furtado_et_al_2008_Jaguar_field_methods_s.pdf
- [202]. Galetti, M., Bovendorp, R.S., Fadini, R.F., Gussoni, C.O., Rodrigues, M., Alvarez, A.D. et al. (2009) Hyper abundant mesopredators and bird extinction in an Atlantic forest island. *Zoologia*, 26, 288-298. URL: <http://submission.scielo.br/index.php/zool/article/viewArticle/4873>
- [203]. Gálvez, N. & Hernández, F. (2009) Connecting biological and socio-cultural dimensions of conservation: a strategy to engender positive attitudes towards the kodkod cat, within rural communities in Southern Chile. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [204]. García, P., Arévalo, V. & Mateos, I. (2009) Using sightings for estimating population density of Eurasian Otter (*Lutra lutra*): A preliminary approach with Rowcliffe et al's model. *IUCN Otter Species Group Bulletin*, 26, 50-59. URL: http://iucnosg.org/Bulletin/Volume26/Garcia_et_al_2009.pdf
- [205]. García-Robledo, C. & Kuprewicz, E.K. (2009) Vertebrate Fruit Removal and Ant Seed Dispersal in the Neotropical Ginger *Renealmia alpinia* (Zingiberaceae). *Biotropica*, 41, 209-214. <http://dx.doi.org/10.1111/j.1744-7429.2008.00478.x>
- [206]. Gardner, B. & Royle, J.A. (2009) Spatially-Explicit Hierarchical Modeling for Camera Trapping Studies. In p. 64. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [207]. Gardner, J.L. (1998) Experimental evidence for edge-related predation in a fragmented agricultural landscape. *Austral Ecology*, 23, 311-321. <http://dx.doi.org/10.1111/j.1442-9993.1998.tb00736.x>
- [208]. Garrison, B.A., Wachs, R.L., Giles, T.A. & Triggs, M.L. (1999) A Mounting Technique for Trailmaster Camera Systems to Monitor Deer. *Transactions of the Western Section of the Wildlife Society*, 35, 50-56. URL: <http://www.tws-west.org/transactions/Garrison%20Wachs%20Giles%20Triggs.pdf>
- [209]. Garshelis, D.L. (2006) On the allure of noninvasive genetic sampling-putting a face to the name. *Ursus*, 17, 109-123. [http://dx.doi.org/10.2192/1537-6176\(2006\)17\[109:OTAONG\]2.0.CO;2](http://dx.doi.org/10.2192/1537-6176(2006)17[109:OTAONG]2.0.CO;2)
- [210]. Garshelis, D.L., Coy, P.L. & Kontio, B.D. (1993) Applications of remote animal-activated cameras in bear research. In *Proceedings of the International Union of Game Biologists Congress* pp. 315-322
- [211]. Garshelis, D. & McLellan, B. (2006) Tainting Perfectly Good Estimates of Occupancy with Bad Estimates of Density. *International Bear News*, 15, 13-15. URL: <http://www.bearbiology.com/iba/iba01.html>
- [212]. Gemita, E., Hall, A.L. & Maddox, T. (2007) The Asian Tapir in Jambi Lowland Forest and Commercial Landscape. *Tapir Conservation*, 16, 30-34. URL: http://www.tapirs.org/Downloads/newsletters/tcn_21_low.pdf
- [213]. Gese, E.M. (2001) Monitoring of terrestrial carnivore populations. In *Carnivore Conservation* (eds J.L. Gittleman, S.M. Funk, D.W. MacDonald & R.K. Wayne), pp. 372-396. Cambridge University Press, Cambridge
- [214]. Gibeau, M.L. & McTavish, C. (2009) Wildlife Imaging: Not-So-Candid Cameras. *Wildlife Professional*, 3, 35-37. URL: <http://www.wildlifeprofessional-digital.org/wildlifeprofessional/2009fall/?pg=37#pg37>
- [215]. Gill, V. (2009) Poached skins matched to tigers. *BBC News*. URL: <http://news.bbc.co.uk/2/hi/science/nature/7935661.stm>
- [216]. Gimán, B., Stuebing, R., Megum, N., McShea, W. & Stewart, C.M. (2007) A Camera Trapping Inventory for Mammals in a Mixed use Planted Forest in Sarawak. *The Raffles Bulletin of Zoology*, 55, 209-215. URL: <http://rmbn.nus.edu.sg/rbz/journal551.php>
- [217]. Glen, A.S. & Dickman, C.R. (2003) Monitoring bait removal in vertebrate pest control: a comparison using track identification and remote photography. *Wildlife Research*, 30, 29-33. <http://dx.doi.org/10.1071/WR01059>
- [218]. Glen, A.S. & Dickman, C.R. (2003) Effects of bait-station design on the uptake of baits by non-target animals during control programmes for foxes and wild dogs. *Wildlife Research*, 30, 147-149. <http://dx.doi.org/10.1071/WR01060>
- [219]. Goetz, R.C. (1981) A Photographic System for Multiple Automatic Exposures under Field Conditions. *Journal of Wildlife Management*, 45, 273-276. URL: <http://www.jstor.org/stable/3807902>
- [220]. Goldman, H.V. & Walsh, M.T. (2002) Is The Zanzibar Leopard (*Panthera pardus adersi*) Extinct. *Journal of East African Natural History*, 91, 15-25. [http://dx.doi.org/10.2982/0012-8317\(2002\)91\[15:ITZLPP\]2.0.CO;2](http://dx.doi.org/10.2982/0012-8317(2002)91[15:ITZLPP]2.0.CO;2)

- [221]. Goldman, H.V. & Winther-Hansen, J. (2003) First photographs of the Zanzibar servaline Genet *Genetta servalina archeri* and other endemic subspecies on the island of Unguja, Tanzania. *Small Carnivore Conservation*, 29, 1-4. URL: http://strayfeathers.in/scwiki/images/9/90/Number_29.PDF
- [222]. Goldman, H.V. & Winther-Hansen, J. (2003) *The small carnivores of Unguja: results of a photo-trapping survey in Jozani Forest Reserve, Zanzibar, Tanzania*. In p. 36. Norwegian Polar Institute, Polar Environmental Centre, Tromsø, Norway. URL: <http://www.lioncrusher.com/ZanzibarCamTrap72dpi.pdf>
- [223]. Goldman, H.V., Winther-Hansen, J. & Walsh, M. (2004) Zanzibar's Recently Discovered Servaline Genet. *Nature East Africa*, 34, 5-7. URL: <http://zanzibarleopard.blogspot.com/2009/04/zanzibars-recently-discovered-servaline.html>
- [224]. Gómez, H., Wallace, R., Ayala, G. & Tejada, R. (2005) Dry season activity periods of some Amazonian mammals. *Studies on Neotropical Fauna and Environment*, 40, 91-95. <http://dx.doi.org/10.1080/01650520500129638>
- [225]. Gompper, M., Kays, R., Ray, J., Lapoint, S., Bogan, D. & Cryan, J. (2006) A comparison of noninvasive techniques to survey carnivore communities in northeastern North America. *Wildlife Society Bulletin*, 34, 1142-1151. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[1142:ACONTT\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[1142:ACONTT]2.0.CO;2)
- [226]. Gonçalves, F.A., Cechin, S.Z. & Bager, A. (2007) Predação de ninhos de *Trachemys dorbigni* (Duméril & Bibron) (Testudines, Emydidae) no extremo sul do Brasil [Nest predation of *Trachemys dorbigni* (Duméril & Bibron) (Testudines, Emydidae) in Southern Brazil]. *Revista Brasileira de Zoologia*, 24, 1063-1070. <http://dx.doi.org/10.1590/S0101-81752007000400025>
- [227]. Gonzales-Maya, J.F., Schipper, J. & Rojas-Jimenez, K. (2009) Elevational Distribution and Abundance of Baird's Tapir (*Tapirus bairdii*) at different Protection Areas in Talamanca Region of Costa Rica. *Tapir Conservation*, 18, 29-35. URL: [http://www.tapirs.org/Downloads/newsletters/TC_Vol_18\(1\)_Jun2009.pdf](http://www.tapirs.org/Downloads/newsletters/TC_Vol_18(1)_Jun2009.pdf)
- [228]. González-Esteban, J., Villate, I. & Irizar, I. (2004) Assessing camera traps for surveying the European mink, *Mustela lutreola* (Linnaeus, 1761), distribution. *European Journal of Wildlife Research*, 50, 33-36. <http://dx.doi.org/10.1007/s10344-003-0031-y>
- [229]. Goulart, F.V.B., Cáceres, N.C., Graipel, M.E., Tortato, M.A., Ghizoni Jr, I.R. & Oliveira-Santos, L.G.R. (2009) Habitat selection by large mammals in a southern Brazilian Atlantic Forest. *Mammalian Biology*, 74, 182-190. <http://dx.doi.org/10.1016/j.mambio.2009.02.006>
- [230]. Grassman, L., Haines, A., Janecka, J. & Tewes, M. (2006) Activity periods of photo-captured mammals in north central Thailand. *Mammalia*, 70, 306-309. <http://dx.doi.org/10.1515/MAMM.2006.048>
- [231]. Grassman, L., Tewes, F. & Silvy, A. (2005) Armoring the Camtrakker® camera-trap in a tropical Asian forest. *Wildlife Society Bulletin*, 33, 349-352. [http://dx.doi.org/10.2193/0091-7648\(2005\)33\[349:FTFATC\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2005)33[349:FTFATC]2.0.CO;2)
- [232]. Grassman, L.I., Haines, A.M., Tewes, M.E. & Silvy, N.J. (2005) Stouffer® Wildlife Timers as an Index of Vertebrate Activity Periods in a Tropical Forest. *Wildlife Society Bulletin*, 33, 1174-1177. URL: <http://www.jstor.org/stable/3785058>
- [233]. Grassman, L.I.J. (2003) *Thailand Cat Project: Final Report*. Cat Action Treasury Final Report. In p. 44. Kingsville, Texas, USA. URL: <http://www.felidae.org/LIBRARY/grassman%202003.doc>
- [234]. Grassman, L.I.J., Haines, A., Janecka, J.E., Tewes, M.E. & Kreetiyutanont, K. (2006) Activity periods of birds in Thailand as determined by camera trapping. *Tigerpaper (FAO)*, 33, 1-3. URL: <http://www.fao.org/world/regional/rap/tigerpaper/tigerpaper.htm>
- [235]. Grassman, L.I.J., Kreetiyutanont, K. & Tewes, M.E. (2002) Survey and status of the carnivore community in Northeastern Thailand. *Tigerpaper (FAO)*, 29, 1-3. URL: <http://www.fao.org/world/regional/rap/tigerpaper/tigerpaper.htm>
- [236]. Green, G. & Anderson, D. (1961) A simple and inexpensive apparatus for photographing events at pre-set intervals. *Canadian Entomologist*, 93, 741-745. URL: <http://pubservices.nrc-cnrc.ca/rp-ps/inDetail.jsp?jcode=ent&lang=eng&vol=93&is=9>
- [237]. Gregory, T. (1929) Camera Trapping in the Snow. *Journal of Mammalogy*, 10, 142-148. <http://dx.doi.org/10.2307/1373836>
- [238]. Gregory, T. (1939) *Eyes in the night*. Thomas Y. Crowell Company, New York. URL: http://openlibrary.org/b/OL18973072M/Eyes_in_the_night
- [239]. Griffiths, L. (2008) Use of a remote camera to rapidly assess Eurasian badger *Meles meles* occupancy within a sett to be lost due to pipeline laying near Uppingham, Rutland, England. *Conservation Evidence*, 5, 92-94. URL: <http://www.conservationevidence.com/Attachments/PDF1294.pdf>
- [240]. Griffiths, M. & van Schaik, C.P. (1993) Camera-trapping: a new tool for the study of elusive rain forest animals. *Tropical Biodiversity*, 1, 131-135
- [241]. Griffiths, M. (1993) Population Density of Sumatran Tigers in Gunung Leuser National Park. *Tiger Beat*, 6, 17-18
- [242]. Griffiths, M. (1993) *The Javan rhino of Ujung Kulon: an investigation of its population and ecology through camera trapping*. No. Project No: ID 0091-2. Jakarta, Directorate General of Forest Protection and Nature Conservation and the World Wide Fund for Nature Indonesia Program. URL: http://www.rhinosourcecenter.com/index.php?s=1&act=refs&CODE=ref_detail&id=1165243882
- [243]. Griffiths, M. & van Schaik, C.P. (1993) The impact of human traffic on the abundance and activity periods of Sumatran rain-forest wildlife. *Conservation Biology*, 7, 623-626. <http://dx.doi.org/10.2307/2386692>
- [244]. Grivas, C., Xirouchakis, S., Christodoulou, C., Carcamo-Aboitiz, B., Georgiakakis, P. & Probonas, M. (2009) An audio-visual nest monitoring system for the study and manipulation of siblicide in bearded vultures *Gypaetus barbatus* on the island of Crete (Greece). *Journal of Ethology*, 27, 105-116. <http://dx.doi.org/10.1007/s10164-008-0091-2>
- [245]. Grogan, R.G. & Lindzey, F.G. (1999) Estimating Population Size of a Low-Density Black Bear Population Using Capture-Resight. *Ursus*, 11, 117-122. URL: <http://www.jstor.org/stable/3872992>
- [246]. Grundel, R. (1987) Determinants of Nestling Feeding Rates and Parental Investment in the Mountain Chickadee. *The Condor*, 89, 319-328. URL: <http://www.jstor.org/stable/1368484>

- [247]. Grundel, R. (1990) The Role of Dietary Diversity, Prey Capture Sequence and Individuality in Prey Selection by Parent Mountain Chickadees (*Parus gambeli*). *Journal of Animal Ecology*, 59, 959-976. URL: <http://www.jstor.org/stable/5025>
- [248]. Grundel, R. (1992) How the Mountain Chickadee Procures More Food in Less Time for Its Nestlings. *Behavioral Ecology and Sociobiology*, 31, 291-300. URL: <http://www.jstor.org/stable/4600752>
- [249]. Grundel, R. & Dahlsten, D.L. (1991) The feeding ecology of mountain chickadees (*Parus gambeli*): patterns of arthropod prey delivery to nestling birds. *Canadian Journal of Zoology*, 69, 1793-1804. <http://dx.doi.org/10.1139/z91-248>
- [250]. Guggisberg, C.A.W. (1977) *Early Wildlife Photographers*. David & Charles, Newton Abbot, UK. URL: http://openlibrary.org/b/OL22236481M/Early_wildlife_photographers
- [251]. Gürtler, W. & Zimen, E. (1982) The use of baits to estimate fox numbers. *Comparative Immunology, Microbiology and Infectious Diseases*, 5, 277-283. [http://dx.doi.org/10.1016/0147-9571\(82\)90049-2](http://dx.doi.org/10.1016/0147-9571(82)90049-2)
- [252]. Gysel, L.W. & Davis, E.M. (1956) A Simple Automatic Photographic Unit for Wildlife Research. *Journal of Wildlife Management*, 20, 451-453. <http://dx.doi.org/10.2307/3797161>
- [253]. Hackett, H.M., Lesmeister, D.B., Desanty-Combes, J., Montague, W.G., Millspaugh, J.J. & Gompper, M.E. (2007) Detection Rates of Eastern Spotted Skunks (*Spilogale Putorius*) in Missouri and Arkansas Using Live-capture and Non-invasive Techniques. *American Midland Naturalist*, 158, 123-131. [http://dx.doi.org/10.1674/0003-0031\(2007\)158\[123:DROESS\]2.0.CO;2](http://dx.doi.org/10.1674/0003-0031(2007)158[123:DROESS]2.0.CO;2)
- [254]. Haines, A.M., Janecka, J.E., Tewes, M.E., Grassman Jr, L.I. & Morton, P. (2006) The importance of private lands for ocelot *Leopardus pardalis* conservation in the United States. *Oryx*, 40, 90-94. <http://dx.doi.org/10.1017/S0030605306000044>
- [255]. Hamidi, A.K. (2008) Persian Leopard Ecology and Conservation in Bamu National Park, Iran. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [256]. Hance, J. (2009) Snow leopard in Afghanistan. URL: http://news.mongabay.com/2009/0830-hance_snowleopard-afghan.html
- [257]. Hanula, J.L., Franzreb, K.E. & Fanzreb, K.E. (1995) Arthropod Prey of Nestling Red-Cockaded Woodpeckers in the Upper Coastal Plain of South Carolina. *The Wilson Bulletin*, 107, 485-495. URL: <http://www.jstor.org/stable/4163572>
- [258]. Harder, B. (2002) Elusive Snow Leopard Seen in Rare Photos. URL: http://news.nationalgeographic.com/news/2002/06/0614_020614_snowleopards.html
- [259]. Harihar, A., Pandav, B. & Goyal, S. (2009) Density of leopards (*Panthera pardus*) in the Chilla Range of Rajaji National Park, Uttarakhand, India. *Mammalia*, 73, 68-71. <http://dx.doi.org/10.1515/MAMM.2009.007>
- [260]. Harihar, A., Pandav, B. & Goyal, S. (2009) Responses of tiger (*Panthera tigris*) and their prey to removal of anthropogenic influences in Rajaji National Park, India. *European Journal of Wildlife Research*, 55, 97-105. <http://dx.doi.org/10.1007/s10344-008-0219-2>
- [261]. Harihar, A., Pandav, B. & Goyal, S. (2009) Subsampling photographic capture-recapture data of tigers (*Panthera tigris*) to minimize closure violation and improve estimate precision: a case study. *Population Ecology*, 51, 471-479. <http://dx.doi.org/10.1007/s10144-009-0138-4>
- [262]. Harmsen, B.J., Foster, R.J., Silver, S., Ostro, L. & Doncaster, C.P. (2009) Differential Use of Trails by Forest Mammals and the Implications for Camera-Trap Studies: A Case Study from Belize. *Biotropica*, In press. <http://dx.doi.org/10.1111/j.1744-7429.2009.00544.x>
- [263]. Harmsen, B.J., Foster, R.J., Silver, S.C., Ostro, L.E.T. & Doncaster, C.P. (2009) Spatial and Temporal Interactions of Sympatric Jaguars (*Panthera onca*) and Pumas (*Puma concolor*) in a Neotropical Forest. *Journal of Mammalogy*, 90, 612-620. <http://dx.doi.org/10.1644/08-MAMM-A-140R.1>
- [264]. Harrison, R., Barr, D. & Dragoo, J. (2002) A comparison of population survey techniques for swift foxes (*Vulpes velox*) in New Mexico. *American Midland Naturalist*, 148, 320-337. URL: <http://www.jstor.org/stable/3083136>
- [265]. Harrison, R.L. (2006) A Comparison of Survey Methods for Detecting Bobcats. *Wildlife Society Bulletin*, 34, 548-552. URL: <http://www.jstor.org/stable/3785164>
- [266]. Hayes, R., Nahrung, H. & Wilson, J. (2006) The response of native Australian rodents to predator odours varies seasonally: a by-product of life history variation? *Animal Behaviour*, 71, 1307-1314. <http://dx.doi.org/10.1016/j.anbehav.2005.08.017>
- [267]. Hayward, M.W., Henschel, P., O'Brien, J., Hofmeyr, M., Balme, G. & Kerley, G.I.H. (2006) Prey preferences of the leopard (*Panthera pardus*). *Journal of Zoology (London)*, 270, 298-313. <http://dx.doi.org/10.1111/j.1469-7998.2006.00139.x>
- [268]. Hearn, A. & Ross, J. (2006) Bornean Wild Cat and Clouded Leopard Project. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [269]. Hebeisen, C., Fattebert, J., Baubet, E. & Fischer, C. (2008) Estimating wild boar (*Sus scrofa*) abundance and density using capture-resights in Canton of Geneva, Switzerland. *European Journal of Wildlife Research*, 54, 391-401. <http://dx.doi.org/10.1007/s10344-007-0156-5>
- [270]. Hegglin, D., Bontadina, F., Gloor, S., Romer, J., Muller, U., Breitenmoser, U. & Deplazes, P. (2004) Baiting red foxes in an urban area: A camera trap study. *Journal of Wildlife Management*, 68, 1010-1017. [http://dx.doi.org/10.2193/0022-541X\(2004\)068\[1010:BRFIAU\]2.0.CO;2](http://dx.doi.org/10.2193/0022-541X(2004)068[1010:BRFIAU]2.0.CO;2)
- [271]. Heilbrun, R.D., Silvy, N.J., Peterson, M.J. & Tewes, M.E. (2006) Estimating Bobcat Abundance Using Automatically Triggered Cameras. *Wildlife Society Bulletin*, 34, 69-73. URL: <http://www.jstor.org/stable/3784936>
- [272]. Heilbrun, R.D., Silvy, N.J., Tewes, M.E. & Peterson, M.J. (2003) Using Automatically Triggered Cameras to Individually Identify Bobcats. *Wildlife Society Bulletin*, 31, 748-755. URL: <http://www.jstor.org/stable/3784595>
- [273]. Helvie, J.B. (1972) Census of desert bighorn sheep with time-lapse photography. *Desert Bighorn Council Transactions*, 16, 3-8. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [274]. Henschel, P. & Ray, J.C. (2003) *Leopards in African Rainforests: Survey and Monitoring Techniques*. Wildlife Conservation Society. URL: http://www.panthera.org/documents/LeopardManual_English_lowres.pdf

- [275]. Hernandez, F., Rollins, D. & Cantu, R. (1997) An Evaluation of Trailmaster® Camera Systems for Identifying Ground-Nest Predators. *Wildlife Society Bulletin*, 25, 848-853. URL: <http://www.jstor.org/stable/3783734>
- [276]. Hernandez, F., Rollins, D. & Cantu, R. (1997) Evaluating Evidence to Identify Ground-Nest Predators in West Texas. *Wildlife Society Bulletin*, 25, 826-831. URL: <http://www.jstor.org/stable/3783730>
- [277]. Hernandez, L., Laundre, J. & Gurung, M. (2005) Use of camera traps to measure predation risk in a puma-mule deer system. *Wildlife Society Bulletin*, 33, 353-358. URL: <http://www.jstor.org/stable/3784877>
- [278]. Herranz, J., Yanes, M. & Suárez, F. (2002) Does photo-monitoring affect nest predation? *Journal of Field Ornithology*, 73, 97-101. [http://dx.doi.org/10.1648/0273-8570\(2002\)073\[0097:DPMANP\]2.0.CO;2](http://dx.doi.org/10.1648/0273-8570(2002)073[0097:DPMANP]2.0.CO;2)
- [279]. Hiby, L., Lovell, P., Patil, N., Kumar, N.S., Gopalaswamy, A.M. & Karanth, K.U. (2009) A tiger cannot change its stripes: using a three-dimensional model to match images of living tigers and tiger skins. *Biology Letters*, 5, 383-386. <http://dx.doi.org/10.1098/rsbl.2009.0028>
- [280]. Hirakawa, H. & Maeda, K. (2006) A Technique to Estimate the Approximate Size of Photographed Bats. *Wildlife Society Bulletin*, 34, 413-418. URL: <http://www.jstor.org/stable/3785141>
- [281]. Hirons, G. (1985) The importance of body reserves for successful reproduction in the Tawny owl (*Strix aluco*). *Journal of Zoology, Series B*, 1, 1-20
- [282]. Holden, J. (2006) Small carnivores in Central Sumatra. *Small Carnivore Conservation*, 34-35, 35-38. URL: http://strayfeathers.in/scc/Old-issues#2006_28Vols_34_26_35.29
- [283]. Hood, G.A. & Parker, K.L. (2001) Impact of Human Activities on Grizzly Bear Habitat in Jasper National Park. *Wildlife Society Bulletin*, 29, 624-638. URL: <http://www.jstor.org/stable/3784189>
- [284]. Hudson, M.R. & Bird, D.M. (2006) An Affordable Computerized Camera Technique for Monitoring Bird Nests. *Wildlife Society Bulletin*, 34, 1455-1457. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[1455:AACCTF\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[1455:AACCTF]2.0.CO;2)
- [285]. Hunt, R.H. & Ogden, J.J. (1991) Selected Aspects of the Nesting Ecology of American Alligators in the Okefenokee Swamp. *Journal of Herpetology*, 25, 448-453. URL: <http://www.jstor.org/stable/1564768>
- [286]. Hussell, D.J.T. (1972) Factors Affecting Clutch Size in Arctic Passerines. *Ecological Monographs*, 42, 317-364. URL: <http://www.jstor.org/stable/1942213>
- [287]. Hussell, D.J.T. (1974) Photographic Records of Predation at Lapland Longspur and Snow Bunting Nests. *Canadian Field Naturalist*, 88, 503-506
- [288]. Hutajulu, M.B. (2007) *Studi Karakteristik Ekologi Harimau Sumatera [Panthera tigris sumatrae (Pocock 1929)] Berdasarkan Camera Trap di Lansekap Tesso Nilo–bukit Tigapuluh, Riau [Study on Ecological Characteristic of Sumatran Tiger [Panthera tigris sumatrae (Pocock 1929)] Using Camera Trap in Tesso Nilo – Bukit Tigapuluh Landscape, Riau]*. MSc Thesis. Universitas Indonesia. URL: <http://www.nfwf.org/AM/TemplateRedirect.cfm?template=/CM/ContentDisplay.cfm&ContentID=8049>
- [289]. Iglesias, J., Sánchez-Cordero, V., Magaña-Cota, G., Bolaños, R., Aranda, M., Hernández, R. & Botello, F.J. (2008) Noteworthy records of margay, *Leopardus wiedii* and ocelot, *Leopardus pardalis* in the state of Guanajuato, Mexico. *Mammalia*, 72, 347-349. <http://dx.doi.org/10.1515/MAMM.2008.036>
- [290]. Iriarte, A., Villalobos, R., Lagos, N., Napolitano, C., Bennett, M. & Johnson, W. (2009) Ecology and Conservation of the Andean Cat (*Leopardus jacobita*) and Pampas Cat (*L. colocolo*) in Northern Chile. Mendoza, Argentina. URL: <http://www.gatoandino.org/archivos/2AbstractsPresenta2009.pdf>
- [291]. Jackson, R.M., Roe, J.D., Wangchuk, R. & Hunter, D.O. (2006) Estimating Snow Leopard Population Abundance Using Photography and Capture-Recapture Techniques. *Wildlife Society Bulletin*, 34, 772-781. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[772:ESLPAU\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[772:ESLPAU]2.0.CO;2)
- [292]. Jackson, R. & Hillard, D. (1986) Tracking the elusive snow leopard. *National Geographic Magazine*, 169, 792-809
- [293]. Jackson, R. & Roe, J. (2002) Preliminary observations on non-invasive techniques for identifying individual snow leopards and monitoring populations. Seattle, USA. URL: <http://www.snowleopardconservancy.org/pdf/Jackson%20&%20Roe%20Techniques%20Abstract.pdf>
- [294]. Jackson, R.M., Roe, J.D., Wangchuk, R. & Hunter, D.O. (2005) *Surveying Snow Leopard Populations with Emphasis on Camera Trapping - A Handbook*. In p. 73. The Snow Leopard Conservancy, Sonoma, California. URL: <http://www.snowleopardconservancy.org/pdf/print111705.pdf>
- [295]. Jackson, R.M., Roe, J.D., Wangchuk, R. & Hunter, D.O. (2005) Camera-Trapping of Snow Leopards. *Cat News*, 42, 19-21. URL: <http://www.snowleopardconservancy.org/pdf/cameratrapping.pdf>
- [296]. Jacobson, H.A. (2002) Censusing Deer Populations Using Remote Cameras. In p. 3. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remotesensing_cameras.pdf
- [297]. Jacobson, H.A., Kroll, J.C., Browning, R.W., Koerth, B.H. & Conway, M.H. (1997) Infrared-Triggered Cameras for Censusing White-Tailed Deer. *Wildlife Society Bulletin*, 25, 547-556. URL: <http://www.jstor.org/stable/3783490>
- [298]. Jácomo, A.T.D.A., Silveira, L. & Diniz-Filho, J.A.F. (2004) Niche Separation Between the Maned Wolf (*Chrysocyon brachyurus*), the Crab-Eating Fox (*Dusicyon thous*) and the Hoary Fox (*Dusicyon vetulus*) in Central Brazil. *Journal of Zoology (London)*, 262, 99-106. <http://dx.doi.org/10.1017/S0952836903004473>
- [299]. Jaeger, J.R., Wehausen, J.D. & Bleich, V.C. (1991) Evaluation of time-lapse photography to estimate population parameters. *Desert Bighorn Council Transactions*, 35, 5-8. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [300]. Jafferally, D. (2001) *Camera Trapping of Tapirs (Tapirus terrestris) in Surama, North Rupununi*. Iwokrama International Centre for Rain Forest Conservation and Development, Georgetown, Guyana. URL: <http://www.iwokrama.org/library/pdfdownload/Tapir%20Camera%20Trapping.pdf>
- [301]. Jayasekara, P., Takatsuki, S., Weerasinghe, U.R. & Wijesundara, S. (2003) Arboreal fruit visitors in a tropical forest in Sri Lanka. *Mammal Study*, 28, 161-165. <http://dx.doi.org/10.3106/mammalstudy.28.161>
- [302]. Jeganathan, P., Green, R.E., Bowden, C.G.R., Norris, K., Pain, D. & Rahmani, A. (2002) Use of tracking strips and automatic cameras for detecting Critically Endangered Jerdon's courser *Rhinoptilus bitorquatus* in scrub jungle in Andhra Pradesh, India. *Oryx*, 36, 182-188. <http://dx.doi.org/10.1017/S003060530200025X>
- [303]. Jenkins, M.A. (1978) Gyrfalcon Nesting Behavior from Hatching to Fledging. *The Auk*, 95, 122-127. URL: <http://www.jstor.org/stable/4085502>

- [304]. Jennelle, C.S., Runge, M.C. & MacKenzie, D.I. (2002) The use of photographic rates to estimate densities of tigers and other cryptic mammals: a comment on misleading conclusions. *Animal Conservation*, 5, 119-120. <http://dx.doi.org/10.1017/S1367943002002160>
- [305]. Jennelle, C.S., Samuel, M.D., Nolden, C.A. & Berkley, E.A. (2009) Deer Carcass Decomposition and Potential Scavenger Exposure to Chronic Wasting Disease. *Journal of Wildlife Management*, 73, 655-662. <http://dx.doi.org/10.2193/2008-282>
- [306]. Johnsingh, A.J.T. (2006) Status and Conservation of the Tiger in Uttaranchal, Northern India. *AMBIO: A Journal of the Human Environment*, 35, 135-137. [http://dx.doi.org/10.1579/0044-7447\(2006\)35\[135:SACOTT\]2.0.CO;2](http://dx.doi.org/10.1579/0044-7447(2006)35[135:SACOTT]2.0.CO;2)
- [307]. Johnsingh, A.J.T. & Negi, A.S. (2003) Status of tiger and leopard in Rajaji-Corbett Conservation Unit, northern India. *Biological Conservation*, 111, 385-393. [http://dx.doi.org/10.1016/S0006-3207\(02\)00307-5](http://dx.doi.org/10.1016/S0006-3207(02)00307-5)
- [308]. Johnson, A., Vongkhamheng, C., Hedemark, M. & Saithongdam, T. (2006) Effects of human-carnivore conflict on tiger (*Panthera tigris*) and prey populations in Lao PDR. *Animal Conservation*, 9, 421-430. <http://dx.doi.org/10.1111/j.1469-1795.2006.00049.x>
- [309]. Johnson, A., Vongkhamheng, C. & Saithongdam, T. (2009) The diversity, status and conservation of small carnivores in a montane tropical forest in northern Laos. *Oryx*, 43, 626-633. <http://dx.doi.org/10.1017/S0030605309990238>
- [310]. Jones, L.L.C., Raphael, M.G., Forbes, J.T. & Clark, L.A. (1997) Using Remotely Activated Cameras to Monitor Maternal Dens of Martens. In *Martes: taxonomy, ecology, techniques, and management: proceedings of the Second International Martes Symposium* pp. 329-348. Univ of Alberta Publication Services. URL: <http://www.royalalbertamuseum.ca/natural/pubs/martes.htm>
- [311]. Jones, L.L.C. & Raphael, M.G. (1993) *Inexpensive camera systems for detecting martens, fishers, and other animals: guidelines for use and standardization*. General Technical Report No. PNW-GTR-306. In p. 22. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon. URL: <http://www.treesearch.fs.fed.us/pubs/viewpub.jsp?index=3068>
- [312]. Joslin, P. (1977) Night Stalking. *Photo Life*, July 1977, 34-35
- [313]. Joslin, P. (1988) A Phototrapline for Cold Temperatures. In *Proceedings of the 5th International Snow Leopard Symposium* (ed. H. Freeman), pp. 121-128. International Snow Leopard Trust and Wildlife Institute of India, October 1986, Srinagar, India. URL: <http://www.snowleopardnetwork.org/bibliography/pjpc88.pdf>
- [314]. Kahn, J. (2007) On the Prowl. URL: <http://www.smithsonianmag.com/science-nature/prowl-200711.html>
- [315]. Kandel, S., Abelson, E., Garcia-Molina, H., Paepcke, A. & Theobald, M. (2008) PhotoSpread: A Spreadsheet for Managing Photos. Florence, Italy. URL: <http://ilpubs.stanford.edu:8090/857/>
- [316]. Kaneko, Y., Tsukada, H., Okumura, T., Fujii, T., Sasaki, H. & Murakami, T. (2009) Identification of carnivore field signs, camera trap techniques and data analysis—with a distribution survey case study. *Honyurui Kagaku (Mammalian Science)*, 49, 65-88. URL: http://www.jstage.jst.go.jp/article/mammalian-science/49/1/49_65/_article
- [317]. Karanth, K.U. (1995) Estimating tiger *Panthera tigris* populations from camera-trap data using capture–recapture models. *Biological Conservation*, 71, 333-338. [http://dx.doi.org/10.1016/0006-3207\(94\)00057-W](http://dx.doi.org/10.1016/0006-3207(94)00057-W)
- [318]. Karanth, K.U., Chundawat, R.S., Nichols, J.D. & Kumar, N.S. (2004) Estimation of Tiger Densities in the Tropical Dry Forests of Panna, Central India, Using Photographic Capture–recapture Sampling. *Animal Conservation*, 7, 285-290. <http://dx.doi.org/10.1017/S1367943004001477>
- [319]. Karanth, K.U., Nichols, J.D., Kumar, N.S. & Hines, J.E. (2006) Assessing Tiger Population Dynamics Using Photographic Capture–recapture Sampling. *Ecology*, 87, 2925-2937. [http://dx.doi.org/10.1890/0012-9658\(2006\)87\[2925:ATPDUP\]2.0.CO;2](http://dx.doi.org/10.1890/0012-9658(2006)87[2925:ATPDUP]2.0.CO;2)
- [320]. Karanth, K.U. & Nichols, J.D. (1998) Estimation of Tiger Densities in India Using Photographic Captures and Recaptures. *Ecology*, 79, 2852-2862. <http://dx.doi.org/10.2307/176521>
- [321]. Karanth, K.U. & Nichols, J.D. (2000) *Camera trapping big cats: some questions that should be asked frequently*. Wildlife Conservation Society, New York. URL: <http://www.catsg.org/catsglib/recorddetail.php?recordid=2728>
- [322]. Karanth, K.U., Nichols, J.D. & Kumar, N.S. (2004) Photographic Sampling of Elusive Mammals in Tropical Forests. In *Sampling Rare or Elusive Species* (ed. W.L. Thompson), pp. 229-247. Island Press, Washington DC. URL: http://www.islandpress.com/bookstore/details.php?prod_id=519
- [323]. Karanth, K.U., Nichols, J.D., Kumar, N.S., Link, W.A. & Hines, J.E. (2004) Tigers and their prey: Predicting carnivore densities from prey abundance. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 4854-4858. <http://dx.doi.org/10.1073/pnas.0306210101>
- [324]. Karanth, K.U., Nichols, J.D., Seidenstricker, J., Dinerstein, E., Smith, J.L.D., McDougal, C. et al. (2003) Science Deficiency in Conservation Practice: The Monitoring of Tiger Populations in India. *Animal Conservation*, 6, 141-146. <http://dx.doi.org/10.1017/S1367943003003184>
- [325]. Karpanty, S., Crawford, C., Gerber, B. & Kotshwar, M. (2008) Using camera-traps and traditional knowledge to estimate population parameters and movements of carnivores in southeastern Madagascar: tools towards better understanding lemur predation risk from a predator's perspective. In p. 128. AAPA, Columbus, Ohio. <http://dx.doi.org/10.1002/ajpa.20806>
- [326]. Kasper, C.B., Mazim, F.D., Soares, J.B.G., de Oliveria, T.G. & Fabián, M.E. (2007) Composição e abundância relativa dos mamíferos de médio e grande porte no Parque Estadual do Turvo, Rio Grande do Sul, Brasil [Composition and relative abundance of the medium-large sized mammals of Turvo State Park, Rio Grande do Sul, Brazil]. *Revista Brasileira de Zoologia*, 24, 1087-1100. <http://dx.doi.org/10.1590/S0101-81752007000400028>
- [327]. Kauffman, M.J., Sanjayan, M., Lowenstein, J., Nelson, A., Jeo, R.M. & Crooks, K.R. (2007) Remote Camera-Trap Methods and Analyses Reveal Impacts of Rangeland Management on Namibian Carnivore Communities. *Oryx*, 41, 70-78. <http://dx.doi.org/10.1017/S0030605306001414>
- [328]. Kawanishi, K. & Sunquist, M. (2003) Possible new records of fishing cat (*Prionailurus viverrinus*) from Peninsular Malaysia. *Cat News*, 39, 3-5. URL: http://www.catsg.org/catnews/20_cat-news-website/home/index_en.htm
- [329]. Kawanishi, K. (2001) Standardized data management system for camera-trapping studies in Malaysia. *Journal of Wildlife and Parks*, 19, 75-88

- [330]. Kawanishi, K. (2002) *Population status of tigers (Panthera tigris) in a primary rainforest of Peninsular Malaysia*. PhD Thesis. University of Florida. URL: <http://carnivoreecology.free.fr/pdf/Kawanishi2002.PDF>
- [331]. Kawanishi, K., Richardson, D. & Lazarus, K. (2006) Contraction of bearded pig *Sus barbatus* distribution in Peninsular Malaysia. *Suiform Soundings*, 6, 13-16. URL: <http://data.iucn.org/themes/ssc/sgs/pphsg/Suiform%20soundings/Newsletter.htm>
- [332]. Kawanishi, K., Siti Hawa, Y., Abdul Kadir, A.H. & Rahmat, T. (2003) Distribution and potential population size of the Tiger in Peninsular Malaysia. *Journal of Wildlife and Parks*, 21, 29-50. URL: <http://www.savethetigerfund.org/AM/Template.cfm?Section=home1&TEMPLATE=/CM/ContentDisplay.cfm&CONTENTID=8055>
- [333]. Kawanishi, K. & Sunkist, M.E. (2004) Conservation status of tigers in a primary rainforest of Peninsular Malaysia. *Biological Conservation*, 120, 329-344. <http://dx.doi.org/10.1016/j.biocon.2004.03.005>
- [334]. Kays, R.W. (2007) Remote Cameras as a Tool for Broad Scale Wildlife Surveys. In pp. 179-182. National Geographic Society, Washington DC. URL: <http://www.nationalgeographic.com/abis/pdf/abis-proceedings.pdf>
- [335]. Kays, R.W., Kranstauber, B., Jansen, P.A., He, Z., Zhou, Z., Carbone, C. & Rowcliffe, J.M. (2009) Estimating Animal Density from Photo Rates and Animal Movement Speeds Recorded in Camera Trap Videos. In p. 65. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [336]. Kays, R.W. & Slauson, K.M. (2008) Remote Cameras. In *Noninvasive Survey Methods for Carnivores* (eds R.A. Long, P. MacKay, W.J. Zielinski & J.C. Ray), pp. 110-140. Island Press, Washington DC. URL: http://www.islandpress.com/bookstore/details.php?prod_id=1190
- [337]. Kays, R.W. & DeWan, A.A. (2004) Ecological impact of inside/outside house cats around a suburban nature preserve. *Animal Conservation*, 7, 273-283. <http://dx.doi.org/10.1017/S1367943004001489>
- [338]. Kerton, R. (1897) *With nature and a camera: Being the adventures and observations of a field naturalist and an animal photographer*, 1st edition. Cassell & Co. Ltd., London. URL: <http://gdl.cdlr.strath.ac.uk/keacam/>
- [339]. Kelly, M.J. (2008) Design, evaluate, refine: camera trap studies for elusive species. *Animal Conservation*, 11, 182-184. <http://dx.doi.org/10.1111/j.1469-1795.2008.00179.x>
- [340]. Kelly, M.J. (2001) Computer-Aided Photograph Matching: An Example from Serengeti Cheetahs. *Cat News*, 34, 29-30. URL: http://www.catsg.org/cheetah/05_library/5_3_publications/K/Kelly_2001_Computer-aided_PhotoMatch_in_Cheetahs_CatNews34.pdf
- [341]. Kelly, M.J. (2001) Computer-Aided Photograph Matching in Studies Using Individual Identification: An Example from Serengeti Cheetahs. *Journal of Mammalogy*, 82, 440-449. URL: <http://www.jstor.org/stable/1383725>
- [342]. Kelly, M.J. & Holub, E.L. (2008) Camera Trapping of Carnivores: Trap Success Among Camera Types and Across Species, and Habitat Selection by Species, on Salt Pond Mountain, Giles County, Virginia. *Northeastern Naturalist*, 15, 249-262. [http://dx.doi.org/10.1656/1092-6194\(2008\)15\[249:CTOCTS\]2.0.CO;2](http://dx.doi.org/10.1656/1092-6194(2008)15[249:CTOCTS]2.0.CO;2)
- [343]. Kelly, M.J., Noss, A.J., Di Bitetti, M.S., Maffei, L., Arispe, R.L., Paviolo, A. et al. (2008) Estimating Puma Densities from Camera Trapping across Three Study Sites: Bolivia, Argentina, and Belize. *Journal of Mammalogy*, 89, 408-418. <http://dx.doi.org/10.1644/06-MAMM-A-424R.1>
- [344]. Kendall, K.C., Stetz, J.B. & Macleod, A. (2009) Use of remote camera systems to investigate efficiency of DNA-based sampling methods. URL: <http://www.nrmcs.usgs.gov/research/KendallRemoteCamera.htm>
- [345]. Kennedy, R. (2009) Treasures From an Underground Trove. *The New York Times*. URL: <http://www.nytimes.com/2009/08/19/arts/design/19geographic.html>
- [346]. Keo, O. (2008) Ecology and conservation of the Giant Ibis *Thaumatibis gigantea* in Cambodia. *BirdingASIA*, 9, 100-106. URL: <http://www.orientalbirdclub.org/publications/birdingasiasia/9.html>
- [347]. Khorozyan, I. (2008) *Research and Conservation of the Persian Leopard (Panthera Pardus Saxicolor) in Bamu National Park, Fars Province, Iran*. Yerevan, Armenia. URL: http://plan4land.org/english/projects/biodiversity_conservation_of_persian_leopard_in_bamu_national_park/igor_khorozyan_trip_report_iran_may_2008.pdf
- [348]. Khorozyan, I., Malkhasyan, A. & Abramov, A.V. (2008) Presence-absence surveys of prey and their use in predicting leopard (*Panthera pardus*) densities: a case study from Armenia. *Integrative Zoology*, 3, 322-332. <http://dx.doi.org/10.1111/j.1749-4877.2008.00111.x>
- [349]. Khorozyan, I., Malkhasyan, A. & Asmaryan, S. (2005) The Persian Leopard Prowls Its Way to Survival. *Endangered Species Update*, 22, 51. URL: http://www.carnivoreconservation.org/files/issues/leopard_persian_survival.pdf
- [350]. Kierulff, M.C.M., dos Santos, G.R., Canale, G., Guidorizzi, C.E. & Cassano, C. (2004) The Use of Camera-Traps in a Survey of the Buff-Headed Capuchin Monkey, *Cebus*. *Neotropical Primates*, 12, 56-59. URL: <http://www.primatesg.org/np.htm>
- [351]. King, C.M., McDonald, R.M., Martin, R.D., Tempero, G.W. & Holmes, S.J. (2007) Long-term automated monitoring of the distribution of small carnivores. *Wildlife Research*, 34, 140-148. <http://dx.doi.org/10.1071/WR05091>
- [352]. Kinnaird, M.F., Sanderson, E.W., O'Brien, T.G., Wibisono, H.T. & Woolmer, G. (2003) Deforestation Trends in a Tropical Landscape and Implications for Endangered Large Mammals. *Conservation Biology*, 17, 245-257. <http://dx.doi.org/10.1046/j.1523-1739.2003.02040.x>
- [353]. Kirby, R.B., Roberts, S.B., Jordan, J.D. & Warren, R.J. (2003) Infrared-Triggered Cameras for Population Estimates of White-Tailed Deer on Kiawah Island, South Carolina
- [354]. Kitamura, S., Suzuki, S., Yumoto, T., Poonswad, P., Chuailua, P., Plongmai, K. et al. (2006) Dispersal of *Canarium Euphyllum* (Burseraceae), a Large-Seeded Tree Species, in a Moist Evergreen Forest in Thailand. *Journal of Tropical Ecology*, 22, 137-146. <http://dx.doi.org/10.1017/S0266467405002889>
- [355]. Kitchener, A.C., Beaumont, M.A. & Richardson, D. (2006) Geographical Variation in the Clouded Leopard, *Neofelis nebulosa*, Reveals Two Species. *Current Biology*, 16, 2377-2383. <http://dx.doi.org/10.1016/j.cub.2006.10.066>
- [356]. Kleintjes, P.K. & Dahlsten, D.L. (1994) Foraging Behavior and Nestling Diet of Chestnut-Backed Chickadees in Monterey Pine. *The Condor*, 96, 647-653. URL: <http://www.jstor.org/stable/1369468>

- [357]. Kleintjes, P.K. & Dahlsten, D.L. (1992) A Comparison of Three Techniques for Analyzing the Arthropod Diet of Plain Titmouse and Chestnut-Backed Chickadee Nestlings. *Journal of Field Ornithology*, 63, 276-285. URL: <http://www.jstor.org/stable/4513708>
- [358]. Knorr, L. (2004) *Black Bear Mark-Recapture Study Using Remote Cameras*. MSc Thesis. Central Connecticut State University. URL: <http://eprints.ccsu.edu/archive/00000177/>
- [359]. Knudsen, M.E. (1963) A summer waterhole study at Carrizo Spring, Santa Rosa Mountains of Southern California. *Desert Bighorn Council Transactions*, 7, 185-192. URL: http://www.desertbighorncouncil.org/transactions_old.html
- [360]. Koen, E.L., Ray, J.C., Bowman, J., Dawson, F.N. & Magoun, A.J. (2008) *Surveying and monitoring wolverines in Ontario and other lowland, boreal forest habitats: recommendations and protocols*. NWSI Field Guide No. FG-06. Wildlife Conservation Society
- [361]. Koerth, B.H. (2002) Deer Response to Traditional and Non-Traditional Scents in Mock Scrapes. In p. 5. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [362]. Koerth, B.H. & Kroll, J.C. (2000) Bait Type and Timing for Deer Counts Using Cameras Triggered by Infrared Monitors. *Wildlife Society Bulletin*, 28, 630-635. URL: <http://www.jstor.org/stable/3783613>
- [363]. Koerth, B.H., McKown, C.D. & Kroll, J.C. (1997) Infrared-Triggered Camera versus Helicopter Counts of White-Tailed Deer. *Wildlife Society Bulletin*, 25, 557-562. URL: <http://www.jstor.org/stable/3783491>
- [364]. Koester, A.D., Azevedo, C.R., Vogliotti, A. & Duarte, J.M. (2008) Ocorrência de *Atelocynus microtis* (Sclater, 1882) na Floresta Nacional do Jamari, estado de Rondônia [Occurrence of *Atelocynus microtis* (Sclater, 1882) in the Jamari National Forest, Rondonia state]. *Biota Neotropica*, 8, 231-234. URL: <http://www.biotaneotropica.org.br/v8n4/en/abstract?short-communication+bn03108042008>
- [365]. Kolowski, J. & Alonso, A. (2010) Density and activity patterns of ocelots (*Leopardus pardalis*) in northern Peru and the impact of oil exploration activities. *Biological Conservation*, 143, 917-925. <http://dx.doi.org/10.1016/j.biocon.2009.12.039>
- [366]. Kostyria, A.V., Skorodelov, A.S., Miquelle, D.G., Aramilev, V.V. & McCullough, D.R. (2003) *Results of Camera Trap Survey of Far Eastern Leopard Population in Southwest Primorski Krai, Winter 2002-2003*. Vladivostok. URL: http://www.tigrisfoundation.nl/cms/publish/content/downloaddocument.asp?document_id=20
- [367]. Kotaka, N., Kudaka, M., Takehara, K. & Sato, H. (2009) Ground use pattern by forest animals and vulnerability toward invasion by *Herpestes javanicus* to Yambaru, northern Okinawa Island, southern Japan [In Japanese]. *Japanese Journal of Ornithology*, 58, 28-45. <http://dx.doi.org/10.3838/jjo.58.28>
- [368]. Kristan, D.M., Golightly, R.T. & Tomkiewicz, S.M. (1996) A Solar-Powered Transmitting Video Camera for Monitoring Raptor Nests. *Wildlife Society Bulletin*, 24, 284-290. URL: <http://www.jstor.org/stable/3783119>
- [369]. Kroll, J.C. (2002) Infrared-Triggered Cameras: A Valuable Tool for Patterning Whitetails. In p. 4. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [370]. Kucera, T.E. & Barrett, R.H. (1993) The California cooperative wolverine survey: A progress report. *Transactions of the Western Section of the Wildlife Society*, 29, 49-53. URL: <http://www.tws-west.org/transactions/Kucera%20Barrett.pdf>
- [371]. Kucera, T.E. & Barrett, R.H. (1993) In My Experience: The Trailmaster Camera System for Detecting Wildlife. *Wildlife Society Bulletin*, 21, 505-508. URL: <http://www.jstor.org/stable/3783427>
- [372]. Kucera, T.E. & Barrett, R.H. (1995) Trailmaster® Camera System: Response. *Wildlife Society Bulletin*, 23, 110-113. URL: <http://www.jstor.org/stable/3783207>
- [373]. Kucera, T.E., Soukkala, A.M. & Zielinski, W.J. (1995) Photographic Bait Stations. In *American Marten, Fisher, Lynx, and Wolverine: Survey Methods for Their Detection* (eds W.J. Zielinski & T.E. Kucera), USDA Forest Service. URL: http://www.fs.fed.us/psw/publications/documents/gtr-157/Chapter_3/Chapter_3.html#Chapter3
- [374]. Laass, J. (2001) *Zustand der Luchspopulation im westlichen Berner Oberland im Winter 2000*. KORA Reports No. 6. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>
- [375]. Laass, J. (2002) *Fotofallen-Monitoring im westlichen Berner Oberland 2001*. KORA Reports No. 14. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>
- [376]. Lai, Y., Pei, J., Hsu, L. & Chiang, P. (2003) A Preliminary Study on Integrating Geographic Information System and Multivariate Statistical Method to Model Muntjacs Habitat Use in Mountain Area of Southern Taiwan. *Journal of Photogrammetry and Remote Sensing*, 8, 1-8. URL: <http://jprs.geomatics.ncku.edu.tw/articlePDF/200312-8-4-1-8.pdf>
- [377]. Lanszki, J. (2006) Automata képkészítés alkalmazási lehetőségei emlőstani vizsgálatokban [Application possibilities of remote sensing cameras in examination of mammals]. *Somogyi Múzeumok Közleményei*, 17, 207-214. URL: <http://www.smmi.hu/publikaciok/2006/termtud/15%20LANSZKI%20AUTOMATA.pdf>
- [378]. Larrucea, E.S. & Brussard, P.F. (2008) Habitat selection and current distribution of the pygmy rabbit in Nevada and California, USA. *Journal of Mammalogy*, 89, 691-699. <http://dx.doi.org/10.1644/07-MAMM-A-199R.1>
- [379]. Larrucea, E.S., Brussard, P.F., Jaeger, M.M. & Barrett, R.H. (2007) Cameras, coyotes, and the assumption of equal detectability. *Journal of Wildlife Management*, 71, 1682-1689. <http://dx.doi.org/10.2193/2006-407>
- [380]. Larrucea, E.S., Serra, G., Jaeger, M.M. & Barrett, R.H. (2007) Censusing bobcats using remote cameras. *Western North American Naturalist*, 67, 538-548. [http://dx.doi.org/10.3398/1527-0904\(2007\)67\[538:CBURC\]2.0.CO;2](http://dx.doi.org/10.3398/1527-0904(2007)67[538:CBURC]2.0.CO;2)
- [381]. Laurance, W. & Grant, J. (1994) Photographic identification of ground-nest predators in Australian tropical rainforest. *Wildlife Research*, 21, 241-247. <http://dx.doi.org/10.1071/WR9940657>
- [382]. Lavers, C., Franks, K., Floyd, M. & Plowman, A. (2005) Application of remote thermal imaging and night vision technology to improve endangered wildlife resource management with minimal animal distress and hazard to humans. *Journal of Physics: Conference Series*, 15, 207-212. <http://dx.doi.org/10.1088/1742-6596/15/1/035>
- [383]. Law, B.S. & Lean, M. (1999) Common blossom bats (*Syconycteris australis*) as pollinators in fragmented Australian tropical rainforest. *Biological Conservation*, 91, 201-212. [http://dx.doi.org/10.1016/S0006-3207\(99\)00078-6](http://dx.doi.org/10.1016/S0006-3207(99)00078-6)

- [384]. Lee, J.E. (2008) *Pygmy Rabbit (Brachylagus idahoensis) Habitat Use, Activity Patterns and Conservation in Relationship to Habitat Treatments*. MSc Thesis. Brigham Young University. URL: <http://contentdm.lib.byu.edu/ETD/image/etd2440.pdf>
- [385]. Leimgruber, P., McShea, W.J. & Rappole, J.H. (1994) Predation on Artificial Nests in Large Forest Blocks. *Journal of Wildlife Management*, 58, 254-260. URL: <http://www.jstor.org/stable/3809388>
- [386]. Li, S., McShea, W.J., Wang, D., Shao, L. & Shi, X. (2009) The use of infrared-triggered cameras for surveying phasianids in Sichuan Province, China. *Ibis*, 152, 299-309. <http://dx.doi.org/10.1111/j.1474-919X.2009.00989.x>
- [387]. Lim, N. & Ng, P. (2008) Home range, activity cycle and natal den usage of a female Sunda pangolin *Manis javanica* (Mammalia: Pholidota) in Singapore. *Endangered Species Research*, 4, 233-240. <http://dx.doi.org/10.3354/esr00032>
- [388]. Linkie, M. & Sadikin, L. (2003) The bearded pig in Kerinci Seblat National Park, Sumatra. *Asian Wild Pig News*, 3, 3-9. URL: <http://data.iucn.org/themes/ssc/sgs/pphsg/Suiform%20soundings/Newsletter.htm>
- [389]. Linkie, M., Chapron, G., Martyr, D.J., Holden, J. & Leader-Williams, N. (2006) Assessing the viability of tiger subpopulations in a fragmented landscape. *Journal of Applied Ecology*, 43, 576-586. <http://dx.doi.org/10.1111/j.1365-2664.2006.01153.x>
- [390]. Linkie, M. & Dinata, Y. (2007) Sumatran ground cuckoo recorded near Kerinci Seblat National Park, Sumatra. *Oryx*, 41, 13. <http://dx.doi.org/10.1017/S0030605307001627>
- [391]. Linkie, M., Dinata, Y., Nugroho, A. & Haidir, I.A. (2007) Estimating occupancy of a data deficient mammalian species living in tropical rainforests: Sun bears in the Kerinci Seblat region, Sumatra. *Biological Conservation*, 137, 20-27. <http://dx.doi.org/10.1016/j.biocon.2007.01.016>
- [392]. Linkie, M., Haidir, I.A., Nugroho, A. & Dinata, Y. (2008) Conserving tigers *Panthera tigris* in selectively logged Sumatran forests. *Biological Conservation*, 141, 2410-2415. <http://dx.doi.org/10.1016/j.biocon.2008.07.002>
- [393]. Linkie, M., Martyr, D.J., Holden, J., Yanuar, A., Hartana, A.T., Sugardjito, J. & Leader-Williams, N. (2003) Habitat destruction and poaching threaten the Sumatran tiger in Kerinci Seblat National Park, Sumatra. *Oryx*, 37, 41-48. <http://dx.doi.org/10.1017/S0030605303000103>
- [394]. Lizzano, D.J. & Cavelier, J. (2000) Daily and seasonal activity of the mountain tapir (*Tapirus pinchaque*) in the Central Andes of Colombia. *Journal of Zoology (London)*, 252, 429-435. <http://dx.doi.org/10.1111/j.1469-7998.2000.tb01225.x>
- [395]. Locke, S.L., Cline, M.D., Wetzel, D.L., Pittman, M.T., Brewer, C.E. & Harveson, L.A. (2005) A Web-Based Digital Camera for Monitoring Remote Wildlife. *Wildlife Society Bulletin*, 33, 761-765. URL: <http://www.jstor.org/stable/3785108>
- [396]. Lockwood, S.T., Knox, L.I., Bjornlie, D.D. & Thompson, D.J. (2008) *2008 Wind River Indian Reservation Grizzly Bear Camera Study*. In p. 8. Wyoming Game & Fish Department Trophy Game Section - Management/Research Branch. URL: <http://gf.state.wy.us/downloads/pdf/RegionalNews/dh-camera%20res.pdf>
- [397]. Lodge, R.B. (1903) *Pictures of bird life: on woodland meadow, mountain and marsh*. S. H. Bousfield, London. URL: <http://www.archive.org/details/picturesofbirdlii00lodge>
- [398]. Long, B. & Hoang, M. (2006) Recent records of and notes on the conservation of small carnivores in Quang Nam province, central Vietnam. *Small Carnivore Conservation*, 34-35, 39-46. URL: http://strayfeathers.in/scc/Old-issues#2006_28Vols_34_26_35.29
- [399]. Long, E.S., Fecske, D.M., Sweitzer, R.A., Jenks, J.A., Pierce, B.M. & Bleich, V.C. (2003) Efficacy of photographic scent stations to detect mountain lions. *Western North American Naturalist*, 63, 529-532. URL: <https://ojs.lib.byu.edu/wnan/index.php/wnan/issue/view/25>
- [400]. Long, R., Donovan, T., Mackay, P., Zielinski, W.J. & Buzas, J. (2007) Comparing scat detection dogs, cameras, and hair snares for surveying carnivores. *Journal of Wildlife Management*, 71, 2018-2025. <http://dx.doi.org/10.2193/2006-292>
- [401]. Longland, W.S., Aten, M., Swartz, M. & Kulpa, S. (2009) Who's Eating the Flowers of a Rare Western Nevada Range Plant? *Rangelands*, 31, 26-30. <http://dx.doi.org/10.2111/1551-501X-31.2.26>
- [402]. Lorenzana Piña, G.P., Castillo Gamez, R.A. & López González, C.A. (2004) Distribution, habitat association, and activity patterns of medium and large-sized mammals of Sonora, Mexico. *Natural Areas Journal*, 24, 354-357. URL: <http://www.naturalarea.org/journaltoc.aspx?p=55>
- [403]. Lu, X., Jiang, Z., Tang, J., Wang, X., Xiang, D.Q. & Zhang, J.P. (2005) Auto-trigger camera traps for studying giant panda and its sympatric wildlife species. *Acta Zoologica Sinica*, 51, 495-500. URL: <http://www.actazool.org/paperdetail.asp?id=1613>
- [404]. Lucherini, M. & Manfredi, C. (2009) Ecology and Conservation of Four Sympatric Cat Species in the Argentinean Monte. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [405]. Lucherini, M., Reppucci, J.I., Walker, R.S., Villalba, M.L., Wursten, A., Gallardo, G. et al. (2009) Activity Pattern Segregation of Carnivores in the High Andes. *Journal of Mammalogy*, 90, 1404-1409. <http://dx.doi.org/10.1644/09-MAMM-A-002R.1>
- [406]. Lynam, A.J., Maung, M., Po, S.H.T. & Duckworth, J. (2005) Recent records of Large-spotted Civet *Viverra megaspila* from Thailand and Myanmar. *Small Carnivore Conservation*, 32, 8-11. URL: http://strayfeathers.in/sccwiki/images/1/1f/Number_32.PDF
- [407]. Lynam, A.J., Rabinowitz, A., Myint, T., Maung, M., Latt, K. & Po, S. (2009) Estimating abundance with sparse data: tigers in northern Myanmar. *Population Ecology*, 51, 115-121. <http://dx.doi.org/10.1007/s10144-008-0093-5>
- [408]. Lynam, A.J., Laidlaw, R., Wan Noordin, W.S., Elagupillay, S. & Bennett, E.L. (2007) Assessing the conservation status of the tiger *Panthera tigris* at priority sites in Peninsular Malaysia. *Oryx*, 41, 454-462. <http://dx.doi.org/10.1017/S0030605307001019>
- [409]. Lyra-Jorge, M., Ciocheti, G. & Pivello, V. (2008) Carnivore mammals in a fragmented landscape in northeast of São Paulo State, Brazil. *Biodiversity and Conservation*, 17, 1573-1580. <http://dx.doi.org/10.1007/s10531-008-9366-8>

- [410]. Lyra-Jorge, M., Ciochetti, G., Pivello, V. & Meirelles, S. (2008) Comparing methods for sampling large- and medium-sized mammals: camera traps and track plots. *European Journal of Wildlife Research*, 54, 739-744. <http://dx.doi.org/10.1007/s10344-008-0205-8>
- [411]. Ma, M., Xu, F., Chundawat, R.S., Jumabay, K., Wu, Y., Aizezi & Zhu, M. (2006) Camera trapping of snow leopards for the photo capture rate and population size in the Muzat Valley of Tianshan Mountains. *Acta Zoologica Sinica*, 52, 788-793. URL: <http://www.actazool.org/paperdetail.asp?id=4926>
- [412]. Mace, R.D., Manley, T.L. & Aune, K.E. (1994) Factors Affecting the Photographic Detection Rate of Grizzly Bears in the Swan Mountains, Montana. In *Bears: Their Biology and Management* pp. 245-251. URL: <http://www.jstor.org.ezproxy1.library.usyd.edu.au/stable/3872708>
- [413]. Mace, R.D., Minta, S.C., Manley, T.L. & Aune, K.E. (1994) Estimating Grizzly Bear Population Size Using Camera Sightings. *Wildlife Society Bulletin*, 22, 74-83. URL: <http://www.jstor.org/stable/3783226>
- [414]. MacKay, P., Zielinski, W.J., Long, R.A. & Ray, J.C. (2008) Noninvasive research and carnivore conservation. In *Noninvasive Survey Methods for Carnivores* (eds R.A. Long, P. MacKay, W.J. Zielinski & J.C. Ray), pp. 1-7. Island Press, Washington, DC
- [415]. Maddox, T., Priatna, D., Gemita, E. & Salampessy, A. (2007) *The conservation of tigers and other wildlife in oil palm plantations. Jambi Province, Sumatra, Indonesia*. ZSL Conservation Report No. 7. In p. 66. The Zoological Society of London, London. URL: <http://static.zsl.org/files/the-conservation-of-tigers-and-other-wildlife-in-oil-palm-plantations-zsl-no-7-b-409.pdf>
- [416]. Maffei, L., Cuéllar, E. & Noss, A. (2004) One Thousand Jaguars (*Panthera Onca*) in Bolivia's Chaco? Camera Trapping in the Kaa-Iya National Park. *Journal of Zoology (London)*, 262, 295-304. <http://dx.doi.org/10.1017/S0952836903004655>
- [417]. Maffei, L., Cuéllar, E. & Noss, A.J. (2002) Uso De Trampas-Cámara Para La Evaluacion De Mamíferos En El Entorno Chaco-Chiquitania [Using Camera-Traps to Assess Mammals in the Chaco-Chiquitano Ecotone]. *Revista Boliviana de Ecología*, 11, 55-65. URL: <http://www.cedsip.org/cons11.html>
- [418]. Maffei, L. & Kelly, M.J. (2009) Small Carnivore Study with Camera Traps Across an Ecological Gradient in the Bolivian Chaco. In p. 65. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [419]. Maffei, L. & Noss, A.J. (2008) How Small is too Small? Camera Trap Survey Areas and Density Estimates for Ocelots in the Bolivian Chaco. *Biotropica*, 40, 71-75. <http://dx.doi.org/10.1111/j.1744-7429.2007.00341.x>
- [420]. Maffei, L., Noss, A.J., Cuéllar, E. & Rumiz, D.I. (2005) Ocelot (*Felis Pardalis*) Population Densities, Activity, and Ranging Behaviour in the Dry Forests of Eastern Bolivia: Data from Camera Trapping. *Journal of Tropical Ecology*, 21, 349-353. <http://dx.doi.org/10.1017/S0266467405002397>
- [421]. Maffei, L., Paredes, R., Segundo, A. & Noss, A.J. (2007) Home range and activity of two sympatric fox species in the Bolivian Dry Chaco. *Canid News*, 10, 4. URL: http://www.canids.org/canidnews/10/Sympatric_foxes_in_Bolivia.pdf
- [422]. Magoun, A.J., Dawson, N., Klafki, R., Bowman, J. & Ray, J. (2005) A method of identifying individual wolverines using remote cameras. In *1st International Symposium on Wolverine Research and Management* p. 38. Swedish University of Agricultural Sciences, Jokkmokk, Sweden. URL: <http://www.lcie.org/Docs/Wolverine/Jokkmokk%20abstracts.pdf>
- [423]. Maier, T.J., Marchand, M.N., DeGraaf, R.M. & Litvaitis, J.A. (2002) A subterranean camera trigger for identifying predators excavating turtle nests. *Herpetological Review*, 33, 284-287. URL: <http://www.treesearch.fs.fed.us/pubs/14345>
- [424]. Maier, T.J. & DeGraaf, R.M. (2000) Rhodamine-Injected Eggs to Photographically Identify Small Nest-Predators. *Journal of Field Ornithology*, 71, 694-701. URL: <http://www.jstor.org/stable/4514540>
- [425]. Maier, T.J. & DeGraaf, R.M. (2000) Predation on Japanese Quail vs. House Sparrow Eggs in Artificial Nests: Small Eggs Reveal Small Predators. *The Condor*, 102, 325-332. URL: <http://www.jstor.org.ezproxy1.library.usyd.edu.au/stable/1369644>
- [426]. Main, M.B. & Richardson, L.W. (2002) Response of Wildlife to Prescribed Fire in Southwest Florida Pine Flatwoods. *Wildlife Society Bulletin*, 30, 213-221. URL: <http://www.jstor.org/stable/3784656>
- [427]. Major, R.E. & Gowing, G. (1994) An inexpensive photographic technique for identifying nest predators at active nests of birds. *Wildlife Research*, 21, 657-665. <http://dx.doi.org/10.1071/WR9940241>
- [428]. Major, R.E. (1991) Identification of Nest Predators by Photography, Dummy Eggs, and Adhesive Tape. *The Auk*, 108, 190-195. URL: <http://www.jstor.org/stable/4088069>
- [429]. Mankin, P.C. & Warner, R.E. (1992) Vulnerability of Ground Nests to Predation on an Agricultural Habitat Island in East-Central Illinois. *American Midland Naturalist*, 128, 281-291. URL: <http://www.jstor.org/stable/2426462>
- [430]. Manzo, A., Theimer, T., Delph, R., Hall, J., Hernandez, N., Holt, B. et al. (2006) A preliminary field trial of bait stations for the delivery of oral rabies vaccine: can varying diameter exclude non-target species? In *Proceedings of the 22nd Vertebrate Pest Conference* pp. 351-353. University of California, Davis, CA. URL: <http://ddr.nal.usda.gov/dspace/bitstream/10113/38975/1/IND44319005.pdf>
- [431]. Marboutin, E., Laurent, A., Regazzi, C., Léger, F., Moisson, P., Lambrech, M. et al. (2004) *Tests de nouvelles méthodes pour le suivi des populations de Lynx en France : le piégeage photographique en coulées et les pièges à poils [Some insight into the new tools to monitor the French lynx population]*. Rapport scientifique. In pp. 18-21. Office National de la Chasse et de la Faune Sauvage. URL: http://www.oncfs.gouv.fr/events/point_faune/rapport_scientifique/marboutin_rs04.pdf
- [432]. Marchand, M.N., Litvaitis, J.A., Maier, T.J. & DeGraaf, R.M. (2002) Use of Artificial Nests to Investigate Predation on Freshwater Turtle Nests. *Wildlife Society Bulletin*, 30, 1092-1098. URL: <http://www.jstor.org/stable/3784278>
- [433]. Margalida, A., Ecolan, S., Boudet, J., Bertran, J., Martinez, J. & Heredia, R. (2008) A solar-powered transmitting video camera for monitoring cliff-nesting raptors. *Journal of Field Ornithology*, 79, 7-12. <http://dx.doi.org/10.1111/j.1557-9263.2006.00007.x>
- [434]. Marker, L.L., Fabiano, E. & Nghikembua, M. (2006) The feasibility using of remote camera traps at marking trees to estimate density of free-ranging cheetahs in north-central Namibia. Cheetah Conservation Fund, Otjimarongo, Namibia

- [435]. Marker, L.L., Fabiano, E. & Nghikembua, M. (2008) The Use of Remote Camera Traps to Estimate Density of Freeranging Cheetahs in North-Central Namibia. *Cat News*, 49, 22-24. URL: http://www.cheetah.org/ama/orig/Marker_et_al_2008_Camera_trapping_of_cheetahs_in_Namibia.pdf
- [436]. Marks, C.A., Busana, F., Gigliotti, F. & Lindeman, M. (2003) Practical infra-red illumination and observation techniques for wildlife studies using ICI-962 perspex. *Australian Mammalogy*, 25, 201-203. URL: <http://www.publish.csiro.au.ezproxy1.library.usyd.edu.au/paper/AM03201>
- [437]. Marnewick, K.A., Funston, P.J. & Karanth, K.U. (2008) Evaluating camera trapping as a method for estimating cheetah abundance in ranching areas. *South African Journal of Wildlife Research*, 38, 59-65. <http://dx.doi.org/10.3957/0379-4369-38.1.59>
- [438]. Marnewick, K.A., Bothma, J.P. & Verdoorn, G.H. (2006) Using camera-trapping to investigate the use of a tree as a scent-marking post by cheetahs in the Thabazimbi district. *South African Journal of Wildlife Research*, 36, 139-145. URL: <http://www.dewildt.org.za/TreeCameraTrapSAJWR.pdf>
- [439]. Marshal, J.P., Lesicka, L.M., Bleich, V.C., Krausman, P.R., Mulcahy, G.P. & Andrew, N.G. (2006) Demography of Desert Mule Deer in Southeastern California. *California Fish and Game*, 92, 55
- [440]. Marshal, J.P., Krausman, P.R. & Bleich, V.C. (2008) Body Condition Of Mule Deer In The Sonoran Desert Is Related To Rainfall. *The Southwestern Naturalist*, 53, 311-318. <http://dx.doi.org/10.1894/CJ-143.1>
- [441]. Martins, Q. & Martins, N. (2006) Leopards of the Cape: conservation and conservation concerns. *International Journal of Environmental Studies*, 63, 579-585. <http://dx.doi.org/10.1080/00207230600963486>
- [442]. Martins, S.D.S., Sanderson, J.G. & e Silva-Júnior, J.D.S. (2007) Monitoring mammals in the Caxiuanã National Forest, Brazil – First results from the Tropical Ecology, Assessment and Monitoring (TEAM) program. *Biodiversity and Conservation*, 16, 857-870. <http://dx.doi.org/10.1007/s10531-006-9094-x>
- [443]. Martorello, D.A., Eason, T.H. & Pelton, M.R. (2001) A Sighting Technique Using Cameras to Estimate Population Size of Black Bears. *Wildlife Society Bulletin*, 29, 560-567. URL: <http://www.jstor.org/stable/3784181>
- [444]. Martyr, D. (1997) Important findings by FFI team in Kerinci Seblat, Sumatra, Indonesia. *Oryx*, 31, 80-82. <http://dx.doi.org/10.1017/S0030605300021979>
- [445]. Matsubayashi, H., Lagan, P., Majalap, N., Tangah, J., Sukor, J. & Kitayama, K. (2007) Importance of natural licks for the mammals in Bornean inland tropical rain forests. *Ecological Research*, 22, 742-748. <http://dx.doi.org/10.1007/s11284-006-0313-4>
- [446]. Matthews, S.M., Higley, J.M., Goddard, C.A. & Golightly, R.T. (2007) *Development and Implementation of Long-term Population Monitoring Using Genetic Tagging for Fisher on the Hoopa Valley Indian Reservation, CA*. Final Report No. Project # 2006-FISHER-04; Agreement # 813335G024. URL: http://www.fws.gov/yreka/Fisher/Literature/Matthews_et_al_2007.pdf
- [447]. Mazurek, M.J. & Zielinski, W.J. (2004) Individual legacy trees influence vertebrate wildlife diversity in commercial forests. *Forest Ecology and Management*, 193, 321-334. <http://dx.doi.org/10.1016/j.foreco.2004.01.013>
- [448]. McBride, R.T.J. & McBride, R.T. (2007) Safe and selective capture technique for Jaguars in the Paraguayan Chaco. *The Southwestern Naturalist*, 52, 570-577. [http://dx.doi.org/10.1894/0038-4909\(2007\)52\[570:SASCTF\]2.0.CO;2](http://dx.doi.org/10.1894/0038-4909(2007)52[570:SASCTF]2.0.CO;2)
- [449]. McCain, E.B. & Childs, J.L. (2008) Evidence of Resident Jaguars (*Panthera onca*) in the Southwestern United States and the Implications for Conservation. *Journal of Mammalogy*, 89, 1-10. <http://dx.doi.org/10.1644/07-MAMM-F-268.1>
- [450]. McCullough, D.R., Pei, K.C.J. & Wang, Y. (2000) Home Range, Activity Patterns, and Habitat Relations of Reeves' Muntjacs in Taiwan. *Journal of Wildlife Management*, 64, 430-441. URL: <http://www.jstor.org/stable/3803241>
- [451]. McShea, W.J., Koy, K., Clements, T., Johnson, A., Vongkhamheng, C. & Aung, M. (2005) Finding a needle in the haystack: Regional analysis of suitable Eld's deer (*Cervus eldi*) forest in Southeast Asia. *Biological Conservation*, 125, 101-111. <http://dx.doi.org/10.1016/j.biocon.2005.03.013>
- [452]. Meijaard, E., Kitchener, A.C. & Smeenk, C. (2006) 'New Bornean carnivore' is most likely a little known flying squirrel. *Mammal Review*, 36, 318-324. <http://dx.doi.org/10.1111/j.1365-2907.2006.00089.x>
- [453]. Meijaard, E. & Walston, J. (2003) Cambodian Sus scrofa (2). *Asian Wild Pig News*, 3, 17-19
- [454]. Melovski, D., Ivanov, G., Stojanov, A., Trajce, A., Zimmermann, F. & von Arx, M. (2008) First Camera-Trap Survey in the National Park Mavrovo, Macedonia. In pp. 312-315. Tirana, Albania. URL: http://www.catsg.org/balkanlynx/01_recovery-programme/1_0_news/news.htm
- [455]. Millsaugh, J.J., Sartwell, J., Gitzen, R.A., Moll, R.J. & Beringer, J. (2008) A pragmatic view of animal-borne video technology. *Trends in Ecology & Evolution*, 23, 294-295. <http://dx.doi.org/10.1016/j.tree.2008.03.002>
- [456]. Mitchell, B. & Balogh, S. (2007) *Monitoring techniques for vertebrate pests : wild dogs*. NSW DPI ; Bureau of Rural Sciences, Orange, N.S.W. URL: http://www.dpi.nsw.gov.au/_data/assets/pdf_file/0008/218537/Monitoring-techniques-for-vertebrate-pests---dogs.pdf
- [457]. Miura, S., Yasuda, M. & Ratnam, L.C. (1997) Who steals the fruits? Monitoring frugivory of mammals in a tropical rain-forest. *Malayan Nature Journal*, 50, 183-193
- [458]. Modesto, T.C., Pessôa, F.S., Enrici, M.C., Attias, N., Jordão-Nogueira, T., Costa, L.M. et al. (2008) Mamíferos do Parque Estadual do Desengano, Rio de Janeiro, Brasil [Mammals of Desengano State Park, Rio de Janeiro, Brazil]. *Biota Neotropica*, 8, 153-159. URL: <http://www.biotaneotropica.org.br/v8n4/en/abstract?inventory+bn01408042008>
- [459]. Moen, R. & Lindquist, E.L. (2006) *Testing a remote camera protocol to detect animals in the Superior National Forest*. NRRI Technical Report No. NRRI/TR-2006-28. University of Minnesota, Duluth, Minnesota. URL: http://www.nrri.umn.edu/lynx/publications/NRRI_TR-2006-28.pdf
- [460]. Mohamad, S.W. & Rayan, D.M. (2009) *A General Guide to Camera-trapping Large Mammals in Tropical Rainforests, with Particular Reference to Tigers*. Unpublished report. WWF, Petaling Jaya, Malaysia
- [461]. Mohd. Azlan, J. & Lading, E. (2006) Camera trapping and conservation in Lambir Hills National Park, Sarawak. *The Raffles Bulletin of Zoology*, 54, 469-475. URL: <http://rmbr.nus.edu.sg/rbz/journal542.php>
- [462]. Mohd. Azlan, J. & Sanderson, J. (2007) Geographic distribution and conservation status of the bay cat *Catopuma badia*, a Bornean endemic. *Oryx*, 41, 394-397. <http://dx.doi.org/10.1017/S0030605307000516>

- [463]. Mohd. Azlan, J. & Sharma, D. (2003) Camera trapping the indochinese tiger, *Panthera tigris corbetti*, in a secondary forest in Peninsular Malaysia. *The Raffles Bulletin of Zoology*, 51, 421-427. URL: <http://rmbr.nus.edu.sg/rbz/journal512.php>
- [464]. Mohd. Azlan, J. & Sharma, D. (2006) The diversity and activity patterns of wild felids in a secondary forest in Peninsular Malaysia. *Oryx*, 40, 36-41. <http://dx.doi.org/10.1017/S00030605306000147>
- [465]. Mohd. Azlan, J. (2003) The diversity and conservation of mustelids, viverrids, and herpestids in a disturbed forest in Peninsular Malaysia. *Small Carnivore Conservation*, 29, 8-9. URL: http://strayfeathers.in/sccwiki/images/9/90/Number_29.PDF
- [466]. Mohd. Azlan, J. (2006) Mammal Diversity and Conservation in a Secondary Forest in Peninsular Malaysia. *Biodiversity and Conservation*, 15, 1013-1025. <http://dx.doi.org/10.1007/s10531-004-3953-0>
- [467]. Molinari-Jobin, A. & Breitenmoser, U. (2007) *Systematisches Fotofallen-Monitoring im Kompartiment III und VI-Ost (Kt. BE, OW, NW, UR) im Winter 2006/07*. KORA Reports No. 38. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>
- [468]. Molinari-Jobin, A., Zimmermann, F., Angst Ch, B.W.C., Capt, S. & Breitenmoser, U. (2006) Status and distribution of the lynx in the Swiss Alps 2000-2004. *Acta Biologica Slovenica*, 49, 3-11. URL: <http://www.kora.ch/en/proj/scalp/publications.html>
- [469]. Molinari-Jobin, A., Zimmermann, F., Breitenmoser-Würsten, C., Capt, S. & Breitenmoser, U. (2001) Present status and distribution of the lynx in the Swiss Alps. *Hystrix, the Italian Journal of Mammalogy*, 12, 17-27. URL: <http://www.italian-journal-of-mammalogy.it/viewissue.php?id=19>
- [470]. Moll, R.J., Millsaugh, J.J., Beringer, J., Sartwell, J. & He, Z. (2007) A new 'view' of ecology and conservation through animal-borne video systems. *Trends in Ecology & Evolution*, 22, 660-668. <http://dx.doi.org/10.1016/j.tree.2007.09.007>
- [471]. Mondol, S., Karanth, K.U., Kumar, N.S., Gopalaswamy, A.M., Andheria, A. & Ramakrishnan, U. (2009) Evaluation of non-invasive genetic sampling methods for estimating tiger population size. *Biological Conservation*, 142, 2350-2360. <http://dx.doi.org/10.1016/j.biocon.2009.05.014>
- [472]. Monroy-Vilchis, O., Rodríguez-Soto, C., Zarco-González, M. & Urios, V. (2009) Cougar and jaguar habitat use and activity patterns in central Mexico. *Animal Biology*, 59, 145-157. <http://dx.doi.org/10.1163/157075609X437673>
- [473]. Montalbano, F., Glanz, P.W., Olinde, M.W. & Perrin, L.S. (1985) A Solar-Powered Time-Lapse Camera to Record Wildlife Activity. *Wildlife Society Bulletin*, 13, 178-182. URL: <http://www.jstor.org/stable/3781437>
- [474]. Monte Verde, M.J. (2006) Conservation and ecology of the huíña cat (*Oncifelis guigna*) in northwestern Patagonia (Argentina). *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [475]. Moreno, J., Cowie, R.J., Sanz, J.J. & Williams, R.S.R. (1995) Differential Response by Males and Females to Brood Manipulations in the Pied Flycatcher: Energy Expenditure and Nestling Diet. *Journal of Animal Ecology*, 64, 721-732. URL: <http://www.jstor.org/stable/5851>
- [476]. Morgart, J.R., Hervet, J.J., Krausman, P.R., Bright, J.L. & Henry, R.S. (2005) Sonoran pronghorn use of anthropogenic and natural water sources. *Wildlife Society Bulletin*, 33, 51-60. [http://dx.doi.org/10.2193/0091-7648\(2005\)33\[51:SPUOAA\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2005)33[51:SPUOAA]2.0.CO;2)
- [477]. Morrow, G. & Nicol, S.C. (2009) Cool Sex? Hibernation and Reproduction Overlap in the Echidna. *PLoS ONE*, 4, e6070. <http://dx.doi.org/10.1371/journal.pone.0006070>
- [478]. Mortelliti, A. & Boitani, L. (2008) Evaluation of scent-station surveys to monitor the distribution of three European carnivore species (*Martes foina*, *Meles meles*, *Vulpes vulpes*) in a fragmented landscape. *Mammalian Biology - Zeitschrift für Säugetierkunde*, 73, 287-292. <http://dx.doi.org/10.1016/j.mambio.2007.03.001>
- [479]. Moruzzi, T.L., Fuller, T.K., DeGraaf, R.M., Brooks, R.T. & Li, W. (2002) Assessing Remotely Triggered Cameras for Surveying Carnivore Distribution. *Wildlife Society Bulletin*, 30, 380-386. URL: <http://www.jstor.org/stable/3784494>
- [480]. Mudappa, D. (2002) Observation of small carnivores in the Kalakad-Mundanthurai Tiger Reserve, Western Ghats, south India. *Small Carnivore Conservation*, 27, 4-5. URL: <http://www.ncf-india.org/publication.php?type=Journal+Article&title=131>
- [481]. Mudappa, D., Noon, B., Kumar, A. & Chellam, R. (2007) Responses of small carnivores to rainforest fragmentation in the southern Western Ghats, India. *Small Carnivore Conservation*, 36, 18-26. URL: <http://www.ncf-india.org/publication.php?type=Journal+Article&title=131>
- [482]. Mudappa, D. (1998) Use of camera-traps to survey small carnivores in the tropical rain forest of Kalakad-Mundanthurai Tiger Reserve, India. *Small Carnivore Conservation*, 18, 9-11. URL: [http://strayfeathers.in/sccwiki/images/1/14/Number_18_\(Apr_1998\).PDF](http://strayfeathers.in/sccwiki/images/1/14/Number_18_(Apr_1998).PDF)
- [483]. Murkin, H.R. & Kadlec, J.A. (1986) Relationships between Waterfowl and Macroinvertebrate Densities in a Northern Prairie Marsh. *Journal of Wildlife Management*, 50, 212-217. URL: <http://www.jstor.org/stable/3801899>
- [484]. Muybridge, E. (1882) The Attitudes of Animals in Motion, illustrated with the Zoopraxiscope. *Proceedings of the Royal Institution of Great Britain*, 10, 44-56. URL: <http://www.archive.org/details/proceedings10roya>
- [485]. Nascimento, V.L., Ferreira, J.A., de Freitas, D.M., de Souza, L.L., Borges, P.A.L. & Tomas, W.M. (2004) Período de atividade de alguns vertebrados do Pantanal, estimado por fotografia remota. In *Anais do IV Simpósio sobre Recursos Naturais e Sócio-econômicos do Pantanal* (eds B.M.A. Soriano, S.M. Salis, G.M. Mourão & L.A. Pellegri), Corumbá, Brazil. URL: <http://www.cpap.embrapa.br/agencia/simpan/sumario/artigos/asperctos/pdf/bioticos/690atividade%20bichos%20pant%20OK.pdf>
- [486]. Nath, L. (1999) *Camera Traps in Conservation*. In p. 31. Wildlife Conservation Research Unit, University of Oxford, Oxford. URL: <http://www.nfwf.org/AM/Template.cfm?Section=Home&TEMPLATE=/CM/ContentDisplay.cfm&CONTENTID=8749>
- [487]. National Geographic (undated) First Digital Camera Trap Photos. URL: <http://photography.nationalgeographic.com/photography/photographers/digital-camera-trap-article.html>
- [488]. National Geographic (undated) First National Geographic Wildlife Photos. URL: <http://photography.nationalgeographic.com/photography/photographers/first-wildlife-photos.html>

- [489]. Nelson, J.L. (2007) *The use of remote cameras as broad-scale survey tools for detecting spotted-tailed quolls and other cryptic carnivores*. Arthur Rylah Institute for Environmental Research unpublished report. Department of Sustainability and Environment, Heidelberg, Victoria
- [490]. Nelson, J.L. & Scroggie, M.P. (2009) *Remote cameras as a mammal survey tool – survey design and practical considerations*. Arthur Rylah Institute for Environmental Research unpublished report No. Number 2009/36. Department of Sustainability and Environment, Heidelberg, Victoria
- [491]. Nesbit, W. (1926) *How to Hunt with the Camera*. E.P. Dutton & Company, New York. URL: http://openlibrary.org/b/OL6692026M/How_to_hunt_with_the_camera
- [492]. Newbery, K.B. & Southwell, C. (2009) An automated camera system for remote monitoring in polar environments. *Cold Regions Science and Technology*, 55, 47-51. <http://dx.doi.org/10.1016/j.coldregions.2008.06.001>
- [493]. Newbold, H.G. (2007) *Infra-Red Vision in Ferrets (Mustela furo)*. MSc Thesis. University of Waikato. URL: <http://researchcommons.waikato.ac.nz/handle/10289/2357>
- [494]. Newbold, H.G. & King, C.M. (2009) Can a predator see 'invisible' light? Infrared vision in ferrets (*Mustela furo*). *Wildlife Research*, 36, 309-318. <http://dx.doi.org/10.1071/WR08083>
- [495]. Ng, S.J., Dole, J.W., Sauvajot, R.M., Riley, S.P.D. & Valone, T.J. (2004) Use of highway undercrossings by wildlife in southern California. *Biological Conservation*, 115, 499-507. [http://dx.doi.org/10.1016/S0006-3207\(03\)00166-6](http://dx.doi.org/10.1016/S0006-3207(03)00166-6)
- [496]. Ngoprasert, D., Lynam, A.J. & Gale, G.A. (2007) Human disturbance affects habitat use and behaviour of Asiatic leopard *Panthera pardus* in Kaeng Krachan National Park, Thailand. *Oryx*, 41, 343-351. <http://dx.doi.org/10.1017/S0030605307001102>
- [497]. Nichols, J.D., Bailey, L.L., O'Connell, A.F., Talancy, N.W., Grant, E.H.C., Gilbert, A.T. et al. (2008) Multi-scale occupancy estimation and modelling using multiple detection methods. *Journal of Applied Ecology*, 45, 1321-1329. <http://dx.doi.org/10.1111/j.1365-2664.2008.01509.x>
- [498]. Nielsen, C.K. & McCollough, M.A. (2009) Considerations on the Use of Remote Cameras to Detect Canada Lynx in Northern Maine. *Northeastern Naturalist*, 16, 153-157. <http://dx.doi.org/10.1656/045.016.0114>
- [499]. Noss, A.J., Cuéllar, R.L., Barrientos, J., Maffei, L., Cuéllar, E., Arispe, R. et al. (2003) A camera trapping and radio telemetry study of lowland tapir (*Tapirus terrestris*) in Bolivian dry forests. *Tapir Conservation*, 12, 24-32. URL: <http://tapirs.org/Downloads/tsg-newsletter.html>
- [500]. Noss, A., Maffei, L., Silver, S.C. & Kelly, M.J. (2009) Camera Trapping Jaguars *Panthera Onca* to Estimate Population Density. In p. 64. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [501]. Noss, A.J., Kelly, M.J., Camblos, H.B. & Rumiz, D.I. (2004) Pumas y Jaguares Simpátricos: Datos de Trampas-Cámara en Bolivia y Belize. In *Memorias: Manejo de Fauna Silvestre en la Amazonia y Latinoamérica* pp. 229-237. Iquitos, Peru. URL: <http://www.revistafauna.com.pe/memo.htm>
- [502]. Noss, A.J., Kelly, M.J., Camblos, H.B. & Rumiz, D.I. (2006) Pumas y Jaguares Simpátricos: Datos de Trampas-Cámara en Bolivia y Belize. In *MEMORIAS: Manejo de Fauna silvestre en Amazonia y Latinoamérica* pp. 229-235. URL: <http://www.mjkelly.info/Noss06Cats.pdf>
- [503]. Noss, A.J., Peña, R. & Rumiz, D.I. (2004) Camera trapping *Priodontes maximus* in the dry forests of Santa Cruz, Bolivia. *Endangered Species Update*, 21, 43-52. URL: <http://www.umich.edu/~esupdate/aprjune2004/noss.htm>
- [504]. Novarino, W., Kamilah, S.N., Nugroho, A., Janra, M.N., Silmi, M. & Syafri, M. (2005) Habitat Use and Density of the Malayan Tapir (*Tapirus indicus*) in the Taratak Forest Reserve, Sumatra, Indonesia. *Tapir Conservation*, 14, 28-30. URL: http://www.tapirs.org/Downloads/newsletters/tcn_18_low.pdf
- [505]. Novey, L. (2008) How Hidden Cameras Aid Conservation Efforts for Jaguars and Other Rare Animals : EcoWorldly. URL: <http://ecoworldly.com/2008/06/01/how-hidden-cameras-aid-conservation-efforts-for-jaguars-and-other-rare-animals/>
- [506]. Noyce, K.V., Garshelis, D.L. & Coy, P.L. (2001) Differential Vulnerability of Black Bears to Trap and Camera Sampling and Resulting Biases in Mark-Recapture Estimates. *Ursus*, 12, 211-225. URL: <http://www.jstor.org/stable/3873251>
- [507]. Numata, S., Okuda, T., Sugimoto, T., Nishimura, S., Yoshida, K., EngSeng, Q. et al. (2005) Camera trapping: a non-invasive approach as an additional tool in the study of mammals in Pasoh Forest Reserve and adjacent fragmented areas in Peninsular Malaysia. *Malayan Nature Journal*, 57, 29-45. URL: <http://cse.ffpri.affrc.go.jp/myasuda/pdf/Numata2005.pdf>
- [508]. Nyhus, P.J., Tilson, R., Franklin, N., Sriyanto, M., Yunus, M. & Sumianto (2000) Proceedings of the ESRI user conference. URL: <http://proceedings.esri.com/library/userconf/proc00/professional/papers/PAP869/p869.htm>
- [509]. O'Brien, T.G. (2008) On the use of automated cameras to estimate species richness for large and medium-sized rainforest mammals. *Animal Conservation*, 11, 179-181. <http://dx.doi.org/10.1111/j.1469-1795.2008.00178.x>
- [510]. O'Brien, T.G. & Kinnaird, M.F. (2008) A Picture Is Worth a Thousand Words: The Application of Camera Trapping to the Study of Birds. *Bird Conservation International*, 18, S144-S162. <http://dx.doi.org/10.1017/S0959270908000348>
- [511]. O'Brien, T.G., Kinnaird, M.F. & Wibisono, H.T. (2003) Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation*, 6, 131-139. <http://dx.doi.org/10.1017/S1367943003003172>
- [512]. O'Connell, A.F., Nichols, J.D. & Karanth, U.K. *Camera Traps in Animal Ecology: Methods and Analyses*. Springer
- [513]. O'Connell, A.F., Talancy, N.W., Bailey, L.L., Sauer, J.R., Cook, R. & Gilbert, A.T. (2006) Estimating Site Occupancy and Detection Probability Parameters for Meso- And Large Mammals in a Coastal Ecosystem. *Journal of Wildlife Management*, 70, 1625-1633. [http://dx.doi.org/10.2193/0022-541X\(2006\)70\[1625:ESOADP\]2.0.CO;2](http://dx.doi.org/10.2193/0022-541X(2006)70[1625:ESOADP]2.0.CO;2)
- [514]. O'Connor, P.J. & Bond, A.J. (2007) Maximizing the effectiveness of photopoint monitoring for ecological management and restoration. *Ecological Management & Restoration*, 8, 228-234. <http://dx.doi.org/10.1111/j.1442-8903.2007.00373.x>
- [515]. O'Hanlon, E. (2004) 'Lost' leopard reappears. *BBC Wildlife*, July, 18
- [516]. Oliveira, T.G.D. (2009) Wild Cats of Brazil Project / Projeto Gatos do Mato - Brasil. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm

- [517]. Oliveira-Santos, L.G.R., Machado-Filho, L.C.P., Tortato, M.A. & Brusius, L. (2009) Influence of extrinsic variables on activity and habitat selection of lowland tapirs (*Tapirus terrestris*) in the coastal sand plain shrub, southern Brazil. *Mammalian Biology - Zeitschrift für Säugetierkunde*, In Press. <http://dx.doi.org/10.1016/j.mambio.2009.05.006>
- [518]. Oliveira-Santos, L.G.R., Tortato, M.A. & Graipel, M.E. (2008) Activity pattern of Atlantic Forest small arboreal mammals as revealed by camera traps. *Journal of Tropical Ecology*, 24, 563-567. <http://dx.doi.org/10.1017/S0266467408005324>
- [519]. Oliveira-Santos, L.G.R., Zucco, C.A., Antunes, P.C. & Crawshaw Jr, P.G. (2009) Is it possible to individually identify mammals with no natural markings using camera-traps? A controlled case-study with lowland tapirs. *Mammalian Biology*, In Press. <http://dx.doi.org/10.1016/j.mambio.2009.08.005>
- [520]. Olsson, M.P., Widén, P. & Larkin, J.L. (2008) Effectiveness of a highway overpass to promote landscape connectivity and movement of moose and roe deer in Sweden. *Landscape and Urban Planning*, 85, 133-139. <http://dx.doi.org/10.1016/j.landurbplan.2007.10.006>
- [521]. Osterberg, D.M. (1962) Activity of Small Mammals as Recorded by a Photographic Device. *Journal of Mammalogy*, 43, 219-229. <http://dx.doi.org/10.2307/1377093>
- [522]. Otani, T. (2001) Measuring fig foraging frequency of the Yakushima macaque by using automatic cameras. *Ecological Research*, 16, 49-54. <http://dx.doi.org/10.1046/j.1440-1703.2001.00370.x>
- [523]. Page, L.K., Swihart, R.K. & Kazacos, K.R. (2001) Seed preferences and foraging by granivores at raccoon latrines in the transmission dynamics of the raccoon roundworm (*Baylisascaris procyonis*). *Canadian Journal of Zoology*, 79, 616-622. <http://dx.doi.org/10.1139/cjz-79-4-616>
- [524]. Palmeira, F.B.L. (2007) Jaguar Juruena. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [525]. Pangau-Adam, M., Waltert, M. & Mühlenberg, M. (2006) Nest Predation Risk on Ground and Shrub Nests in Forest Margin Areas of Sulawesi, Indonesia. *Biodiversity and Conservation*, 15, 4143-4158. DOI:10.1007/s10531-005-3370-z
- [526]. Parker, I.D., Watts, D.E., McCleery, R.A., Lopez, R.R., Silvy, N.J. & Davis, D.S. (2008) Digital Versus Film-Based Remote Camera Systems in the Florida Keys. *Wildlife Biology in Practice*, 4, 1-7. <http://dx.doi.org/10.2461/wbp.2008.4.1>
- [527]. Paviolo, A., De Angelo, C.D., Di Blanco, Y.E. & Di Bitetti, M.S. (2008) Jaguar *Panthera onca* population decline in the Upper Paraná Atlantic Forest of Argentina and Brazil. *Oryx*, 42, 554-561. <http://dx.doi.org/10.1017/S0030605308000641>
- [528]. Pearson, O.P. (1959) A Traffic Survey of *Microtus-Reithrodontomys* Runways. *Journal of Mammalogy*, 40, 169-180. <http://dx.doi.org/10.2307/1376431>
- [529]. Pearson, O.P. (1960) Habits of Harvest Mice Revealed by Automatic Photographic Recorders. *Journal of Mammalogy*, 41, 58-74. URL: <http://www.jstor.org/stable/1376518>
- [530]. Pearson, O.P. (1960) Habits of *Microtus californicus* Revealed by Automatic Photographic Recorders. *Ecological Monographs*, 30, 232-250. URL: <http://www.jstor.org/stable/1943561>
- [531]. Pei, J. (2004) Present status of larger mammals in Kenting National Park and their conservation concerns. *Taiwan Journal of Forest Science*, 19, 199-214. URL: <http://www.ceps.com.tw/cepsdo/10264469-200409-19-3-199-214-a.pdf>
- [532]. Pei, K. (1995) Activity rhythm of the spinous country rat (*Niviventer coxingi*) in Taiwan. *Zoological Studies*, 34, 55-58. URL: <http://zoolstud.sinica.edu.tw/>
- [533]. Pei, K. (1998) An Evaluation of Using Auto Trigger Camera to Record Activity Patterns of Wild Animals. *Taiwan Journal of Forest Science*, 13, 317-324. URL: <http://wildmic.npust.edu.tw/iwc/english/index.htm>
- [534]. Pei, K., Chen, C., Wu, S. & Teng, M. (1997) Use of auto-trigger camera and Geographic Information System to study spatial distribution of forest wildlife. *Quarterly Journal of Chinese Forestry*, 30, 279-289
- [535]. Pei, K. (2009) The Present Status of the Re-introduced Sika Deer in Kenting National Park, Southern Taiwan. In *Sika Deer* pp. 561-570. URL: http://dx.doi.org/10.1007/978-4-431-09429-6_38
- [536]. Pei, K., Lai, Y., Corlett, R.T. & Suen, K. (2009) The Larger Mammal Fauna of Hong Kong: Species Survival in a Highly Degraded Landscape. *Zoological Studies*, In press. URL: <http://zoolstud.sinica.edu.tw/>
- [537]. Pelletier, S.K., Carlson, L., Nein, D. & Roy, R.D. (2005) Railroad crossing structures for spotted turtles: Massachusetts Bay Transportation Authority- Greenbush rail line wildlife crossing demonstration project. In (eds C.L. Irwin, P. Garrett & K.P. McDermott), pp. 414-425. Center for Transportation and the Environment, North Carolina State University, Raleigh, North Carolina. URL: <http://repositories.cdlib.org/jmie/roadeco/Pelletier2005a>
- [538]. Pereira, J. & Uhart, M. (2007) Natural history and conservation of Geoffroy's cat in Argentina. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [539]. Perrine, J.D. (2005) *Ecology of red fox (Vulpes vulpes) in the Lassen Peak region of California, USA*. PhD Thesis. University of California, Berkeley. URL: http://www.carnivoreconservation.org/files/thesis/perrine_2005_phd.pdf
- [540]. Persian Leopard Conservation Society (2009) *2009 Second set of capturing Persian leopard by camera trap pictures of in Kiamaky protected area*. Persian Leopard Conservation Society
- [541]. Peterson, L.M. & Thomas, J.A. (1998) Performance of TrailMaster® Infrared Sensors in Monitoring Captive Coyotes. *Wildlife Society Bulletin*, 26, 592-596. URL: <http://www.jstor.org/stable/3783774>
- [542]. Pettingill, O.S. (1976) The Prey of Six Species of Hawks in Northern Lower Michigan. *Jack-Pine Warbler*, 54, 70-74
- [543]. Picman, J. (1987) An Inexpensive Camera Setup for the Study of Egg Predation at Artificial Nests. *Journal of Field Ornithology*, 58, 372-382. URL: <http://www.jstor.org/stable/4513253>
- [544]. Picman, J. (1992) Egg Destruction by Eastern Meadowlarks. *The Wilson Bulletin*, 104, 520-525. URL: <http://www.jstor.org/stable/4163191>
- [545]. Picman, J. & Belles-Isles, J. (1988) Interspecific Egg Pecking by the Black-Capped Chickadee. *The Wilson Bulletin*, 100, 664-665. URL: <http://www.jstor.org/stable/4162655>
- [546]. Picman, J., Milks, M.L. & Leptich, M. (1993) Patterns of Predation on Passerine Nests in Marshes: Effects of Water Depth and Distance from Edge. *The Auk*, 110, 89-94. URL: <http://www.jstor.org/stable/4088234>

- [547]. Picman, J. & Schriml, L.M. (1994) A Camera Study of Temporal Patterns of Nest Predation in Different Habitats. *The Wilson Bulletin*, 106, 456-465. URL: <http://www.jstor.org/stable/4163445>
- [548]. Pierce, A.J. & Pobprasert, K. (2007) A portable system for continuous monitoring of bird nests using digital video recorders. *Journal of Field Ornithology*, 78, 322-328. <http://dx.doi.org/10.1111/j.1557-9263.2007.00119.x>
- [549]. Pierce, B.M., Vernon C. Bleich, Chetkiewicz, C.B. & Wehausen, J.D. (1998) Timing of Feeding Bouts of Mountain Lions. *Journal of Mammalogy*, 79, 222-226. URL: <http://www.jstor.org/stable/1382857>
- [550]. Pike, D.A. & Grosse, A. (2006) Daily activity of immature gopher tortoises (*Gopherus polyphemus*) with notes on commensal species. *Florida Scientist*, 69, 92-98. URL: <http://apt.allenpress.com/perlserv/?request=get-abstract&issn=0098-4590&volume=069&issue=02&page=0092>
- [551]. Pittaway, R. (1983) Fisher and red fox interactions over food. *Ontario Field Biologist*, 37, 88-90
- [552]. Plage, D. & Plage, M. (1985) In the shadow of Krakatau: return of Java's wildlife. *National Geographic Magazine*, 167, 750-771
- [553]. Poole, K.G. & Bromley, R.G. (1988) Natural history of the gyrfalcon in the central Canadian Arctic. *Arctic*, 41, 31-38
- [554]. Poole, K.G. & Boag, D. (1988) Ecology of gyrfalcons, *Falco rusticolus*, in the central Canadian Arctic: diet and feeding behaviour. *Canadian Journal of Zoology*, 66, 334-344. <http://dx.doi.org/10.1139/z88-050>
- [555]. Portnoy, J.W. & Dodge, W.E. (1979) Red-Shouldered Hawk Nesting Ecology and Behavior. *The Wilson Bulletin*, 91, 104-117. URL: <http://www.jstor.org/stable/4161171>
- [556]. Posa, M.R.C., Sodhi, N.S. & Koh, L.P. (2007) Predation on artificial nests and caterpillar models across a disturbance gradient in Subic Bay, Philippines. *Journal of Tropical Ecology*, 23, 27-33. <http://dx.doi.org/10.1017/S0266467406003671>
- [557]. Poszig, D., Apps, C.D. & Dibb, A. (2004) Predation on two mule deer, *Odocoileus hemionus*, by a Canada lynx, *Lynx canadensis*, in the southern Canadian Rocky Mountains. *Canadian Field-Naturalist*, 118, 191-194
- [558]. Prasad, S., Pittet, A. & Sukumar, R. (2009) Who really ate the fruit? A novel approach to camera trapping for quantifying frugivory by ruminants. *Ecological Research*, In press. <http://dx.doi.org/10.1007/s11284-009-0650-1>
- [559]. Rabinowitz, A. (2009) Letter to the editors. *Cat News*, 50, 1. URL: http://www.catsg.org/catnews/01_current-issue/news-nr50-2009/forum-nr50-2009.htm
- [560]. Raloff, J. (1999) Rarest of the Rare. *Science News*, 156, 153-155. URL: <http://www.jstor.org/stable/4011765>
- [561]. Rao, M., Myint, T., Zaw, T. & Htun, S. (2005) Hunting Patterns in Tropical Forests Adjoining the Hkakaborazi National Park, North Myanmar. *Oryx*, 39, 292-300. <http://dx.doi.org/10.1017/S0030605305000724>
- [562]. Rappole, J.H., Lopez, D.N., Tewes, M. & Everett, D. (1985) Remote Trip Cameras as a means for Surveying for Nocturnal Felids. In *Nocturnal Mammals: Techniques for Study Proceedings of a workshop held at the fourth International Theriological Congress* pp. 45-49. School of Forest Resources, Pennsylvania State University, Edmonton, Alberta, Canada
- [563]. Rayan, D.M. & Shariff, W.M. (2008) New locality records of the Crab-eating Mongoose (*Herpestes urva*) in Peninsular Malaysia as revealed by camera-trapping. *Small Carnivore Conservation*, 39, 26-29. URL: <http://strayfeathers.in/scc/Volume39>
- [564]. Rayan, D.M. & Shariff, W.M. (2009) The importance of selectively logged forests for tiger *Panthera tigris* conservation: a population density estimate in Peninsular Malaysia. *Oryx*, 43, 48. <http://dx.doi.org/10.1017/S0030605308001890>
- [565]. Reconyx Inc. (2009) *MapView*. Reconyx Inc., Holmen, Wisconsin, USA. URL: <http://www.reconyx.com/>
- [566]. Reif, V. & Tornberg, R. (2006) Using time-lapse digital video recording for a nesting study of birds of prey. *European Journal of Wildlife Research*, 52, 251-258. <http://dx.doi.org/10.1007/s10344-006-0039-1>
- [567]. Reitsma, L. (1992) Is nest predation density dependent? A test using artificial nests. *Canadian Journal of Zoology*, 70, 2498-2500. <http://dx.doi.org/10.1139/z92-336>
- [568]. Reitsma, L.R., Holmes, R.T. & Sherry, T.W. (1990) Effects of Removal of Red Squirrels, *Tamiasciurus hudsonicus*, and Eastern Chipmunks, *Tamias striatus*, on Nest Predation in a Northern Hardwood Forest: An Artificial Nest Experiment. *Oikos*, 57, 375-380. URL: <http://www.jstor.org/stable/3565967>
- [569]. Rémy, E. (2006) Méthode indiciaire et prise photographique. Le cas du suivi de la loutre [Camera trap photography and indices method. A sociologist's approach to otter monitoring systems]. *Natures Sciences Sociétés*, 14, 144-153. <http://dx.doi.org/10.1051/nss:2006019>
- [570]. Reppucci, J., Gardner, B., Lucherini, M. & Royle, J.A. (2009) First Density Estimates fo Small Andean Felids: Which is Really the Rarest? Mendoza, Argentina. URL: <http://www.gatoandino.org/archivos/2AbstractsPresenta2009.pdf>
- [571]. Revkin, A.C. (2001) Hidden Cameras Capture World of the Rare and Wild. *New York Times*. URL: <http://www.nytimes.com/2001/07/31/science/hidden-cameras-capture-world-of-the-rare-and-wild.html>
- [572]. Reyes, M.A., Bennett, D. & Oliveros, C. (2008) The Monitor Lizards of Camiguin Island, Northern Philippines. *Biawak*, 2, 28-36. URL: http://varanidae.org/Vol_2_No_1_Reyes_et_al.pdf
- [573]. Rice, C.G. (1995) Trailmaster® Camera System: The Dark Side. *Wildlife Society Bulletin*, 23, 110-113. URL: <http://www.jstor.org/stable/3783207>
- [574]. Richardson, T.W., Gardali, T. & Jenkins, S.H. (2009) Review and Meta-Analysis of Camera Effects on Avian Nest Success. *Journal of Wildlife Management*, 73, 287-293. <http://dx.doi.org/10.2193/2007-566>
- [575]. Ridout, M.S. & Linkie, M. (2009) Estimating Overlap of Daily Activity Patterns From Camera Trap Data. *Journal of Agricultural, Biological, and Environmental Statistics*, 14, 322-337. <http://dx.doi.org/10.1198/jabes.2009.08038>
- [576]. Ríos-Uzeda, B., Gómez, H. & Wallace, R.B. (2007) A preliminary density estimate for Andean bear using camera-trapping methods. *Ursus*, 18, 124-128. [http://dx.doi.org/10.2192/1537-6176\(2007\)18\[124:APDEFA\]2.0.CO;2](http://dx.doi.org/10.2192/1537-6176(2007)18[124:APDEFA]2.0.CO;2)
- [577]. Rivero, K., Rumiz, D.I. & Taber, A.B. (2005) Differential habitat use by two sympatric brocket deer species (*Mazama americana* and *M. gouazoubira*) in a seasonal Chiquitano forest of Bolivia. *Mammalia*, 69, 169-183. <http://dx.doi.org/10.1515/mamm.2005.015>
- [578]. Rizzo, W. (2005) Return of the Jaguar? URL: http://www.smithsonianmag.com/science-nature/Return_of_the_Jaguar.html

- [579]. Roberts, C.W., Pierce, B.L., Braden, A.W., Lopez, R.R., Silvy, N.J., Frank, P.A. & Ransom, D. (2006) Comparison of Camera and Road Survey Estimates for White-Tailed Deer. *Journal of Wildlife Management*, 70, 263-267. URL: <http://www.jstor.org/stable/3803569>
- [580]. Robley, A., Ramsey, D., Woodford, L., Lindeman, M., Johnston, M. & Forsyth, D. (2008) *Evaluation of detection methods and sampling designs used to determine the abundance of feral cats*. Arthur Rylah Institute for Environmental Research Technical Report Series No. 181. In p. 28. Department of Sustainability and Environment, Heidelberg, Victoria. URL: <http://www.dse.vic.gov.au/DSE/nrenari.nsf/LinkView/089F22002F814F50CA25714C001E0C6A3AF490E88E101C764A256A40002697A2>
- [581]. Robley, A., Woodford, L., Gormley, A., Albert, R., Bowd, M., Smith, A. & Main, M. (2010) *Assessing the success of a fox and feral cat control operation in the Lower Glenelg National Park using digital cameras*. Arthur Rylah Institute for Environmental Research Technical Report Series. Department of Sustainability and Environment, Heidelberg, Victoria. URL: <http://www.dse.vic.gov.au/DSE/nrenari.nsf/LinkView/089F22002F814F50CA25714C001E0C6A3AF490E88E101C764A256A40002697A2>
- [582]. Rollins, D. (2002) Using Remote Cameras to Study Quail Nesting. In p. 9. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [583]. Rollins, D. (2002) Using Remote Cameras to Monitor Species Visitation at Feeder Stations. In p. 6. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [584]. Romero-Muñoz, A., Noss, A.J., Maffei, L. & Montañó, R.M. (2007) Binational Population of Jaguars Confirmed by Camera-Trapping in the American Gran Chaco. *Cat News*, 46, 24-25. URL: http://www.catsg.org/catnews/02_webarchive/news-nr46-2007/content-nr46-2007.htm#Article%2010
- [585]. van Rompaey, H. & Duckworth, J. (2004) Editorial: The scope of Small Carnivore Conservation. *Small Carnivore Conservation*, 31, 1-2. URL: http://strayfeathers.in/scc/Old-issues#2004_.28Vols_30_.26_31.29
- [586]. Rosellini, S., Osorio, E., Ruiz-González, A., Piñeiro, A. & Barja, I. (2008) Monitoring the small-scale distribution of sympatric European pine martens (*Martes martes*) and stone martens (*Martes foina*): a multievidence approach using faecal DNA analysis and camera-traps. *Wildlife Research*, 35, 434-440. <http://dx.doi.org/10.1071/WR07030>
- [587]. Rovero, F., Jones, T. & Sanderson, J. (2005) Notes on Abbott's duiker (*Cephalophus spadix* True 1890) and other forest antelopes of Mwanihana Forest, Udzungwa Mountains, Tanzania, as revealed by camera-trapping and direct observations. *Tropical Zoology*, 18, 13. URL: <http://ejour-fup.unifi.it/index.php/tropicalzoology/article/view/116>
- [588]. Rovero, F., Rathbun, G.B., Perkin, A., Jones, T., Ribble, D.O., Leonard, C. et al. (2008) A new species of giant sengi or elephant-shrew (genus *Rhynchocyon*) highlights the exceptional biodiversity of the Udzungwa Mountains of Tanzania. *Journal of Zoology (London)*, 274, 126-133. <http://dx.doi.org/10.1111/j.1469-7998.2007.00363.x>
- [589]. Rovero, F. & De Luca, D.W. (2007) Checklist of mammals of the Udzungwa Mountains of Tanzania. *Mammalia*, 71, 47-55. <http://dx.doi.org/10.1515/MAMM.2007.015>
- [590]. Rovero, F., Doggart, N., Bowkett, A.E. & Burgess, N. (2006) New records for Lowe's servaline genet from the Eastern Arc Mountains of Tanzania. *Oryx*, 40, 139. <http://dx.doi.org/10.1017/S0030605306000688>
- [591]. Rovero, F. & Marshall, A.R. (2004) Estimating the abundance of forest antelopes by line transect techniques: a case from the Udzungwa Mountains of Tanzania. *Tropical Zoology*, 17, 267-277. URL: <http://ejour-fup.unifi.it/index.php/tropicalzoology/article/view/114>
- [592]. Rovero, F. & Marshall, A.R. (2009) Camera trapping photographic rate as an index of density in forest ungulates. *Journal of Applied Ecology*, 46, 1011-1017. <http://dx.doi.org/10.1111/j.1365-2664.2009.01705.x>
- [593]. Rovero, F. & Rathbun, G.B. (2006) A potentially new giant sengi (elephant-shrew) from the Udzungwa mountains, Tanzania. *Journal of East African Natural History*, 95, 111-115. URL: http://research.calacademy.org/research/bmammals/Rathbun/PDFs/Rovero_Rathbun_JEANH_2006.pdf
- [594]. Rowcliffe, J.M. & Carbone, C. (2008) Surveys using camera traps: are we looking to a brighter future? *Animal Conservation*, 11, 185-186. <http://dx.doi.org/10.1111/j.1469-1795.2008.00180.x>
- [595]. Rowcliffe, J.M., Field, J., Turvey, S.T. & Carbone, C. (2008) Estimating animal density using camera traps without the need for individual recognition. *Journal of Applied Ecology*, 45, 1228-1236. <http://dx.doi.org/10.1111/j.1365-2664.2008.01473.x>
- [596]. Royama, T. (1970) Factors Governing the Hunting Behaviour and Selection of Food by the Great Tit (*Parus major* L.). *Journal of Animal Ecology*, 39, 619-668. URL: <http://www.jstor.org/stable/2858>
- [597]. Royama, T. (1956) A device of an auto-cinematic food-recorder. *Tori: Bulletin of the Ornithological Society of Japan*, 15, 172-176. URL: http://www.journalarchive.jst.go.jp/english/jnlabstract_en.php?cdjournal=jjo1915&cdvol=15&noissue=74&startpage=172
- [598]. Royle, J.A., Karanth, K.U., Gopalaswamy, A.M. & Kumar, N.S. (2009) Bayesian inference in camera trapping studies for a class of spatial capture-recapture models. *Ecology*, 90, 3233-3244. <http://dx.doi.org/10.1890/08-1481.1>
- [599]. Royle, J.A., Nichols, J.D., Karanth, K.U. & Gopalaswamy, A.M. (2009) A hierarchical model for estimating density in camera-trap studies. *Journal of Applied Ecology*, 46, 118-127. <http://dx.doi.org/10.1111/j.1365-2664.2008.01578.x>
- [600]. Rozelle, H.W. (1954) Animals Take Self-Portraits. *Mechanix Illustrated*, 50, 180-181
- [601]. Rutnagur, R.S., Burns, M.D. & Hansell, M.H. (1989) A simple electronic timing device for triggering time-lapse cameras and its use in the instantaneous time sampling of rookery attendance. *Animal Behaviour*, 38, 899-900. [http://dx.doi.org/10.1016/S0003-3472\(89\)80122-8](http://dx.doi.org/10.1016/S0003-3472(89)80122-8)
- [602]. Rutz, C. & Bluff, L.A. (2008) Animal-borne imaging takes wing, or the dawn of 'wildlife video-tracking'. *Trends in Ecology & Evolution*, 23, 292-294. <http://dx.doi.org/10.1016/j.tree.2008.01.011>
- [603]. de Sá Alves, L.C.P. & Andriolo, A. (2005) Camera traps used on the mastofaunal survey of Araras Biological Reserve, IEF-RJ. *Revista Brasileira de Zoociencias*, 7, 231-245. URL: http://www.zoociencias.ufjf.br/artigo/artigo4_v7n2.pdf
- [604]. Sadighi, K.R.M. (1995) Experimental use of remotely-triggered cameras to monitor occurrence of timber rattle snakes (*crotalus horridus*). *Herpetological Review*, 26, 189-190

- [605]. Sadlier, L.M.J., Webbon, C.C., Baker, P.J. & Harris, S. (2004) Methods of monitoring red foxes *Vulpes vulpes* and badgers *Meles meles*: are field signs the answer? *Mammal Review*, 34, 75-98. <http://dx.doi.org/10.1046/j.0305-1838.2003.00029.x>
- [606]. Salom-Pérez, R., Carrillo, E., Sáenz, J.C. & Mora, J.M. (2007) Critical condition of the jaguar *Panthera onca* population in Corcovado National Park, Costa Rica. *Oryx*, 41, 51-56. <http://dx.doi.org/10.1017/S0030605307001615>
- [607]. Sanderson, J.G. & Trolle, M. (2005) Monitoring elusive mammals: unattended cameras reveal secrets of some of the world's wildest places. *American Scientist*, 93, 148-155. <http://dx.doi.org/10.1511/2005.2.148>
- [608]. Sanderson, J. (2005) The Nitty Gritty. *Africa Geographic*, 13, 43. URL: <http://www.africageographic.com/archives/ShowArticle.asp?ArticleID=804>
- [609]. Sanderson, J. (2007) The Art and Zen of Camera Trapping. In *Conservation in the 21st Century: Gorillas as a Case Study* (eds T. Stoinski, H.D. Steklis & P. Mehlman), pp. 160-169. Springer, New York. URL: http://dx.doi.org/10.1007/978-0-387-70721-1_7
- [610]. Sarmiento, P., Cruz, J., Monterroso, P., Tarroso, P., Ferreira, C. & Negroes, N. (2005) Iberian lynx conservation in Portugal: dilemmas and solutions. *Wildlife Biology in Practice*, 1, 156-162. <http://dx.doi.org/10.2461/wbp.2005.1.19>
- [611]. Sarmiento, P., Cruz, J., Eira, C. & Fonseca, C. (2009) Habitat selection and abundance of common genet *Genetta genetta* using camera capture-mark-recapture data. *European Journal of Wildlife Research*, In press. <http://dx.doi.org/10.1007/s10344-009-0294-z>
- [612]. Sarmiento, P., Cruz, J., Eira, C. & Fonseca, C. (2009) Spatial colonization by feral domestic cats *Felis catus* of former wildcat *Felis silvestris silvestris* home ranges. *Acta Theriologica*, 54, 31-38. URL: <http://acta.zbs.bialowieza.pl/contents/index.php?art=2009-054-001-0031>
- [613]. Sarmiento, P., Cruz, J., Eira, C. & Fonseca, C. (2009) Evaluation of Camera Trapping for Estimating Red Fox Abundance. *Journal of Wildlife Management*, 73, 1207-1212. <http://dx.doi.org/10.2193/2008-288>
- [614]. Sautner, S. (2003) First-ever photo of wild Siberian tiger taken in China. URL: <http://news.bio-medicine.org/biology-news-2/First-ever-photo-of-wild-Siberian-tiger-taken-in-China-5695-1/>
- [615]. Savidge, J.A. & Seibert, T.F. (1988) An Infrared Trigger and Camera to Identify Predators at Artificial Nests. *Journal of Wildlife Management*, 52, 291-294. URL: <http://www.jstor.org/stable/3801236>
- [616]. Saw, H. (2006) The Status and Conservation of Bears in Myanmar. In *Understanding Asian Bears to Secure Their Future* (ed. Japan Bear Network), pp. 45-49. Japan Bear Network, Ibaraki, Japan. URL: <http://www.japanbear.org/uab/pdf/chapter5.pdf>
- [617]. Sawin, R.S., Lutman, M.W., Linz, G.M. & Bleier, W.J. (2003) Predators on Red-winged Blackbird nests in eastern North Dakota. *Journal of Field Ornithology*, 74, 288-292. [http://dx.doi.org/10.1648/0273-8570\(2003\)074\[0288:PORBNI\]2.0.CO;2](http://dx.doi.org/10.1648/0273-8570(2003)074[0288:PORBNI]2.0.CO;2)
- [618]. Schaeff, C. & Picman, J. (1988) Destruction of Eggs by Western Meadowlarks. *The Condor*, 90, 935-937. URL: <http://www.jstor.org/stable/1368852>
- [619]. van Schaik, C.P. & Griffiths, M. (1996) Activity Periods of Indonesian Rain Forest Mammals. *Biotropica*, 28, 105-112. <http://dx.doi.org/10.2307/2388775>
- [620]. Scheibe, K., Eichhorn, K., Wiesmayr, M., Schonert, B. & Krone, O. (2008) Long-term automatic video recording as a tool for analysing the time patterns of utilisation of predefined locations by wild animals. *European Journal of Wildlife Research*, 54, 53-59. <http://dx.doi.org/10.1007/s10344-007-0108-0>
- [621]. Scheick, B.K. & Jones, M.D. (1999) Locating Wildlife Underpasses Prior to Expansion of Highway 64 in North Carolina. URL: http://ntl.bts.gov/DOCS/ICOWET_III/LOCATING_WILDLIFE.pdf
- [622]. Schillings, C.G. (1905) *Mit Blitzlicht und Büchse [With flashlight and rifle]*. R Voigtländer Verlag, Leipzig. URL: <http://www.archive.org/details/withflashlightri00schirich>
- [623]. Schipper, J. (2007) Camera-trap avoidance by Kinkajous *Potos flavus*: rethinking the "non-invasive" paradigm. *Small Carnivore Conservation*, 36, 38-41. URL: http://strayfeathers.in/sccwiki/images/5/5b/SCC36_Schipper.pdf
- [624]. Scorza, D. & Larsen, W. (2008) *Spies In The Deer Woods: How to Hunt Game and Monitor Wildlife With a Scouting Camera*. Stackpole Books, Mechanicsburg, PA. URL: <http://www.spiesinthedeerwoods.com/>
- [625]. Scroggie, M.P. (2008) *An evaluation of occupancy methods for monitoring of Southern Brown Bandicoots in Gippsland, Victoria*. Arthur Rylah Institute for Environmental Research, Unpublished report. Department of Sustainability and Environment, Heidelberg, Victoria
- [626]. Séquin, E., Jaeger, M., Brussard, P. & Barrett, R. (2003) Wariness of coyotes to camera traps relative to social status and territory boundaries. *Canadian Journal of Zoology*, 81, 2015-2025. <http://dx.doi.org/10.1139/Z03-204>
- [627]. Serra, G., Abdallah, M.S. & Al Quaim, G. (2007) Occurrence of Ruppells Fox, *Vulpes rueppelli*, and Sand Cat, *Felis margarita*, in Syria. *Zoology in the Middle East*, 42, 99-101. URL: <http://www.kasperek-verlag.de/ZME%20Abstracts/ZME-Abstracts42.html>
- [628]. Servheen, C., Shoemaker, R. & Lawrence, L. (2003) A sampling of wildlife use in relation to structure variables for bridges and culverts under I-90 between Alberton and St. Regis, Montana. In pp. 331-341. URL: <http://escholarship.org/uc/item/4tt86932>
- [629]. Seydack, A. (1984) Application of a photo-recording device in the census of larger rain-forest mammals. *South African Journal of Wildlife Research*, 14, 10-14
- [630]. Sharma, R.K., Jhala, Y., Qureshi, Q., Vattakaven, J., Gopal, R. & Nayak, K. (2010) Evaluating capture-recapture population and density estimation of tigers in a population with known parameters. *Animal Conservation*, Online early. <http://dx.doi.org/10.1111/j.1469-1795.2009.00305.x>
- [631]. Shaw, H.G., Beier, P., Culver, M. & Grigione, M. (2007) *Puma Field Guide*. In p. 129. The Cougar Network. URL: <http://www.cougarnet.org/Assets/pumafieldguide.pdf>
- [632]. Shek, C. (2003) Survey of Hong Kong Non-flying Terrestrial Mammals by Camera Trapping in 2002. *Hong Kong Biodiversity*, 5, 10-11. URL: <http://www.hkbiodiversity.net>
- [633]. Shek, C., Chan, C.S.M. & Wan, Y. (2007) Camera Trap Survey of Hong Kong Terrestrial Mammals in 2002-06. *Hong Kong Biodiversity*, 15, 1-11. URL: <http://www.hkbiodiversity.net>

- [634]. Shek, C. & Wan, Y. (2006) Effectiveness of Animal Crossing at Route 3 by Camera Trapping. *Hong Kong Biodiversity*, 12, 8-10. URL: <http://www.hkbiodiversity.net>
- [635]. Shepherd, S. (1953) How I Hunt with a Camera. *Popular Science*, June 1953, 182-186
- [636]. Shinn, K.J. (2002) *Ocelot Distribution in the Lower Rio Grande Valley, National Wildlife Refuge*. MSc Thesis. University of Texas-Pan American. URL: http://www2.for.nau.edu/research/pb1/Service/ocelot/Shinn_2002_Thesis_Ocelot_Habitat_use.pdf
- [637]. Shiras, G.I. (1906) Photographing wild game with flashlight and camera. *National Geographic Magazine*, 17, 366-423
- [638]. Shiras, G.I. (1913) Wild Animals that Took Their Own Pictures by Day and by Night. *National Geographic Magazine*, 24, 763-834
- [639]. Shiras, G.I. (1915) Nature's Transformation at Panama. *National Geographic Magazine*, 28, 763-834
- [640]. Shiras, G.I. (1936) *Hunting Wild Life With Camera and Flashlight*. National Geographic Society, Washington DC
- [641]. Shortis, M., Harvey, E. & Seager, J. (2007) A Review of the Status and Trends in Underwater Videometric Measurement. IS&T/SPIE Electronic Imaging, San Jose, California. URL: http://www.geomsoft.com/markss/papers/Shortis_etal_paper_Vid_IX.pdf
- [642]. Shukla, N. (2009) Smaller numbers for big cats. *Times of India*. URL: <http://timesofindia.indiatimes.com/Smaller-numbers-for-big-cats/articleshow/4949697.cms>
- [643]. Silva-Rodríguez, E.A., Verdugo, C., Aleuy, O.A., Sanderson, J.G., Ortega-Solís, G.R., Osorio-Zúñiga, F. & González-Acuña, D. (2010) Evaluating Mortality Sources for the Vulnerable Pudu Pudu Puda in Chile: Implications for the Conservation of a Threatened Deer. *Oryx*, 44, 97-103. <http://dx.doi.org/10.1017/S0030605309990445>
- [644]. Silveira, L. (2004) *Ecologia Comparada e Conservação da Onça-Pintada (Panthera onca) e Onça-Parda (Puma concolor), no Cerrado e Pantanal*. PhD Thesis. University of Brasília. URL: http://www.procarvivos.org.br/pdfs/Doutorado_Leandro.pdf
- [645]. Silveira, L., Jácomo, A.T.A. & Diniz-Filho, J.A.F. (2003) Camera trap, line transect census and track surveys: a comparative evaluation. *Biological Conservation*, 114, 351-355. [http://dx.doi.org/10.1016/S0006-3207\(03\)00063-6](http://dx.doi.org/10.1016/S0006-3207(03)00063-6)
- [646]. Silveira, L., Jácomo, A.T.D.A. & Furtado, M.M. (2005) Pampas cat ecology and conservation in the Brazilian grasslands. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-month/02_webarchive/webarchive.htm
- [647]. Silver, S.C. (2004) *Assessing jaguar abundance using remotely triggered cameras*. Wildlife Conservation Society, New York. URL: [http://savethejaguar.com/media/file/CameraTrapProtocolEnglishSSilver\(revised\)03.05FINAL.pdf](http://savethejaguar.com/media/file/CameraTrapProtocolEnglishSSilver(revised)03.05FINAL.pdf)
- [648]. Silver, S.C., Ostro, L.E., Marsh, L.K., Maffei, L., Noss, A.J., Kelly, M.J. et al. (2004) The use of camera traps for estimating jaguar *Panthera onca* abundance and density using capture/recapture analysis. *Oryx*, 38, 148-154. <http://dx.doi.org/10.1017/S0030605303000000>
- [649]. Simcharoen, S., Pattanavibool, A., Karanth, K.U., Nichols, J.D. & Kumar, N.S. (2007) How Many Tigers *Panthera tigris* Are There in Huai Kha Khaeng Wildlife Sanctuary, Thailand? An Estimate Using Photographic Capture-Recapture Sampling. *Oryx*, 41, 447-453. <http://dx.doi.org/10.1017/S0030605307414107>
- [650]. Singleton, P.H. & Lehmkühl, J.F. (1999) Assessing wildlife habitat connectivity in the Interstate 90 Snoqualmie Pass corridor, Washington. In pp. 75-83. URL: http://ntl.bts.gov/DOCS/ICOWET_III/text.pdf
- [651]. Sinha, N. (2009) Tracking the tiger. URL: <http://www.indianexpress.com/news/tracking-the-tiger/514267/0>
- [652]. Skipnes, K. (1983) Incubation behaviour of the arctic tern *Sterna paradisae*, in relation to time of day and stage of incubation. *Ardea*, 71, 211-215. URL: http://nou.natuurinfo.nl/website/ardea/ardea_show_abstract.php?lang=uk&n r=1662
- [653]. Small, S.L. (2005) Mortality Factors and Predators of Spotted Towhee Nests in the Sacramento Valley, California. *Journal of Field Ornithology*, 76, 252-258. URL: <http://www.jstor.org.au/stable/4151205>
- [654]. Smith, M.L. (2004) Edge effects on nest predators in two forested landscapes. *Canadian Journal of Zoology*, 82, 1943-1953. <http://dx.doi.org/10.1139/Z05-003>
- [655]. Soisalo, M.K. & Cavalcanti, S.M. (2006) Estimating the density of a jaguar population in the Brazilian Pantanal using camera-traps and capture-recapture sampling in combination with GPS radio-telemetry. *Biological Conservation*, 129, 487-496. <http://dx.doi.org/10.1016/j.biocon.2005.11.023>
- [656]. Sollmann, R. (2009) Response. *Cat News*, 50, 2. URL: http://www.catsg.org/catnews/01_current-issue/news-nr50-2009/forum-nr50-2009.htm
- [657]. Sorelle, J. (2002) Information Management: Storage and Retrieval. In p. 11. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [658]. Sorenson, M.D. (1991) The functional significance of parasitic egg laying and typical nesting in redhead ducks: an analysis of individual behaviour. *Animal Behaviour*, 42, 771-796. [http://dx.doi.org/10.1016/S0003-3472\(05\)80122-8](http://dx.doi.org/10.1016/S0003-3472(05)80122-8)
- [659]. Sorenson, M.D. (1993) Parasitic Egg Laying in Canvasbacks: Frequency, Success, and Individual Behavior. *The Auk*, 110, 57-69. URL: <http://www.jstor.org/stable/4088231>
- [660]. Spalton, A. (2002) Canidae in the Sultanate of Oman. *Canid News*, 5, 1. URL: http://www.canids.org/canidnews/5/canids_in_oman.pdf
- [661]. Spalton, A. (2002) Chasing the leopard's tail. *BBC Wildlife*, 20, 28-34
- [662]. Spalton, J.A., al Hikmani, H.M., Willis, D. & Said, A.S.B. (2006) Critically Endangered Arabian Leopards *Panthera Pardus Nimr* Persist in the Jabal Samhan Nature Reserve, Oman. *Oryx*, 40, 287-294. <http://dx.doi.org/10.1017/S0030605306000743>
- [663]. Sparklin, B.D., Mitchell, M.S., Hanson, L.B., Jolley, D.B. & Ditchkoff, S.S. (2009) Territoriality of Feral Pigs in a Highly Persecuted Population on Fort Benning, Georgia. *Journal of Wildlife Management*, 73, 497-502. <http://dx.doi.org/10.2193/2007-585>
- [664]. Speed, C., Meekan, M. & Bradshaw, C. (2007) Spot the match - wildlife photo-identification using information theory. *Frontiers in Zoology*, 4, 2. <http://dx.doi.org/10.1186/1742-9994-4-2>

- [665]. Spray, C.J., Crick, H.Q.P. & Hart, A.D.M. (1987) Effects of Aerial Applications of Fenitrothion on Bird Populations of a Scottish Pine Plantation. *Journal of Applied Ecology*, 24, 29-47. URL: <http://www.jstor.org/stable/2403785>
- [666]. Srbeek-Araujo, A.C. & Chiarello, A.G. (2005) Is Camera-Trapping an Efficient Method for Surveying Mammals in Neotropical Forests? A Case Study in South-Eastern Brazil. *Journal of Tropical Ecology*, 21, 121-125. <http://dx.doi.org/10.1017/S0266467404001956>
- [667]. Srbeek-Araujo, A.C. & Chiarello, A.G. (2007) Armadilhas fotográficas na amostragem de mamíferos: considerações metodológicas e comparação de equipamentos [Use of camera traps in mammal sampling: methodological considerations and comparison of equipments]. *Revista Brasileira de Zoologia*, 24, 647-656. <http://dx.doi.org/10.1590/S0101-81752007000300016>
- [668]. Srbeek-Araujo, A.C. & Chiarello, A.G. (2008) Domestic dogs in Atlantic forest preserves of south-eastern Brazil: a camera-trapping study on patterns of entrance and site occupancy rates. *Brazilian Journal of Biology*, 68, 771-779. <http://dx.doi.org/10.1590/S1519-69842008000400011>
- [669]. Stake, M.M. & Cimprich, D.A. (2003) Using Video to Monitor Predation at Black-Capped Vireo Nests. *The Condor*, 105, 348-357. URL: <http://www.jstor.org/stable/1370553>
- [670]. Steelman, H.G., Henke, S.E. & Moore, G.M. (2000) Bait delivery for oral rabies vaccine to gray foxes. *Journal of Wildlife Diseases*, 36, 744-751. URL: <http://www.jwildlifedis.org/cgi/content/abstract/36/4/744>
- [671]. Steidl, R.J., Griffin, C.R. & Niles, L.J. (1991) Differential Reproductive Success of Ospreys in New Jersey. *Journal of Wildlife Management*, 55, 266-272. URL: <http://www.jstor.org/stable/3809149>
- [672]. Stein, A., Fuller, T. & Marker, L. (2008) Opportunistic use of camera traps to assess habitat-specific mammal and bird diversity in northcentral Namibia. *Biodiversity and Conservation*, 17, 3579-3587. DOI:10.1007/s10531-008-9442-0
- [673]. Steinmetz, R. & Simcharoen, S. (2006) Observations of Banded Linsang Prionodon linsang at the northern edge of its range, with a review of recent northerly records. *Small Carnivore Conservation*, 29-31, 35-38. URL: http://strayfeathers.in/scc/Old-issues#2006_28Vols_34_26_35.29
- [674]. Stephens, P.A., Zaumyslova, O.Y., Hayward, G.D. & Miquelle, D.G. (2006) *Analysis of the long-term dynamics of ungulates in Sikhote-Alin Zapovednik, Russian Far East*. Report to the Sikhote-Alin Zapovednik and USDA Forest Service. URL: http://www.stats.bris.ac.uk/~mapas/SAZ_stuff/Report%20to%20SAZ.pdf
- [675]. Stewart, P.D., Ellwood, S.A. & MacDonald, D.W. (1997) Remote video-surveillance of wildlife -- an introduction from experience with the European badger *Meles meles*. *Mammal Review*, 27, 185-204. <http://dx.doi.org/10.1111/j.1365-2907.1997.tb00448.x>
- [676]. Stone, R. (2006) The Saola's Last Stand. *Science*, 314, 1380-1383. <http://dx.doi.org/10.1126/science.314.5804.1380>
- [677]. Stone, R. (2008) A Wildlife Mystery in Vietnam. URL: <http://www.smithsonianmag.com/science-nature/phenom-vietnam.html>
- [678]. Stuart, C. & Stuart, T. (1991) A Leopard in the Wilderness. *African Wildlife*, 45, 251-254
- [679]. Sullivan, B.D. & Dinsmore, J.J. (1990) Factors Affecting Egg Predation by American Crows. *Journal of Wildlife Management*, 54, 433-437. URL: <http://www.jstor.org/stable/3809654>
- [680]. Sunarto, S. (2008) Repaint the Stripes: Research-based Sumatran Tiger Conservation in a Multi-use Landscape. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [681]. Surridge, A.K., Timmins, R.J., Hewitt, G.M. & Bell, D.J. (1999) Striped rabbits in Southeast Asia. *Nature*, 400, 726. <http://dx.doi.org/10.1038/23393>
- [682]. Swann, D.E., Hass, C.C., Dalton, D.C. & Wolf, S.A. (2004) Infrared-Triggered Cameras for Detecting Wildlife: An Evaluation and Review. *Wildlife Society Bulletin*, 32, 357-365. URL: <http://www.jstor.org/stable/3784976>
- [683]. Sweitzer, R.A., Vuren, D.V., Gardner, I.A., Boyce, W.M. & Waithman, J.D. (2000) Estimating Sizes of Wild Pig Populations in the North and Central Coast Regions of California. *Journal of Wildlife Management*, 64, 531-543. URL: <http://www.jstor.org/stable/3803251>
- [684]. Takeuchi, Y. & Nakashizuka, T. (2007) Effect of distance and density on seed/seedling fate of two dipterocarp species. *Forest Ecology and Management*, 247, 167-174. <http://dx.doi.org/10.1016/j.foreco.2007.04.028>
- [685]. Talja, S. & Maula, H. (2003) Reasons for the use and non-use of electronic journals and databases: A domain analytic study in four scholarly disciplines. *Journal of Documentation*, 59, 673-691. <http://dx.doi.org/10.1108/00220410310506312>
- [686]. Tarpy, C. (1997) Self-portraits in the wild. *National Geographic Magazine*, 192, 46-47
- [687]. Taylor, B.D. (2002) Evaluating Feed Preference Using Low-End Video Surveillance. In p. 8. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [688]. Taylor, J.M. & Jean, H. (1964) Rechargeable Battery Power for a Portable Photographic Recorder. *Journal of Wildlife Management*, 28, 406-408. URL: <http://www.jstor.org/stable/3798107>
- [689]. Taylor-Ide, J.O. (2000) In Search of the Clouded Leopard. *National Geographic Magazine*, 114-123. URL: <http://ngm.nationalgeographic.com/ngm/0009/feature6/index.html>
- [690]. Te Wong, S. (2002) *The Ecology of Malayan Sun Bears (Helarctos Malayanus) in the Lowland Tropical Rainforest of Sabah, Malaysian Borneo*. MSc Thesis. University of Montana. URL: <http://carnivoreecology.free.fr/pdf/MalayanBear.pdf>
- [691]. Te Wong, S., Servheen, C., Ambu, L. & Norhayati, A. (2005) Impacts of fruit production cycles on Malayan sun bears and bearded pigs in lowland tropical forest of Sabah, Malaysian Borneo. *Journal of Tropical Ecology*, 21, 627-639. <http://dx.doi.org/10.1017/S0266467405002622>
- [692]. Te Wong, S., Servheen, C.W. & Ambu, L. (2004) Home range, movement and activity patterns, and bedding sites of Malayan sun bears *Helarctos malayanus* in the Rainforest of Borneo. *Biological Conservation*, 119, 169-181. <http://dx.doi.org/10.1016/j.biocon.2003.10.029>
- [693]. TEAM Network (2008) *Terrestrial Vertebrate Protocol Implementation Manual*, v. 3.0. Tropical Ecology, Assessment and Monitoring Network, Center for Applied Biodiversity Science, Conservation International, Arlington, VA, USA. URL: <http://www.teamnetwork.org/en/protocols/bio/terrestrial-vertebrate>
- [694]. Temple, S.A. (1972) A Portable Time-Lapse Camera for Recording Wildlife Activity. *Journal of Wildlife Management*, 36, 944-947. URL: <http://www.jstor.org/stable/3799452>

- [695]. Thibault, M. & McNeil, R. (1995) Day- and night-time parental investment by incubating Wilson's Plovers in a tropical environment. *Canadian Journal of Zoology*, 73, 879-886. <http://dx.doi.org/10.1139/z95-103>
- [696]. Thomas, R. (2004) Cat Count. *plus magazine - magazine of the Millennium Mathematics Project*. URL: <http://plus.maths.org/latestnews/may-aug04/jaguar/2pdf/index.html/op.pdf>
- [697]. Thorn, M., Scott, D.M., Green, M., Bateman, P.W. & Cameron, E.Z. (2009) Estimating brown hyaena occupancy using baited camera traps. *South African Journal of Wildlife Research*, 39, 1-10. URL: [http://www.up.ac.za/dspace/bitstream/2263/10952/1/Thorn_Estimating\(2009\).pdf](http://www.up.ac.za/dspace/bitstream/2263/10952/1/Thorn_Estimating(2009).pdf)
- [698]. Tigas, L.A., Van Vuren, D.H. & Sauvajot, R.M. (2003) Carnivore persistence in fragmented habitats in urban southern California. *Pacific Conservation Biology*, 9, 144-151
- [699]. Tilson, R., Defu, H., Muntifer, J. & Nyhus, P.J. (2004) Dramatic decline of wild South China tigers *Panthera tigris amoyensis*: field survey of priority tiger reserves. *Oryx*, 38, 40-47. <http://dx.doi.org/10.1017/S0030605304000079>
- [700]. Tilson, R., Siswomartono, D., Manansang, J., Brady, G., Armstrong, D., Traylor-Holzer, K. et al. (1997) International co-operative efforts to save the Sumatran tiger (*Panthera tigris sumatrae*). *International Zoo Yearbook*, 35, 129-138. <http://dx.doi.org/10.1111/j.1748-1090.1997.tb01202.x>
- [701]. Tobler, M.W., Carrillo-Percegue, S.E., Pitman, R.L., Mares, R. & Powell, G. (2008) An evaluation of camera traps for inventorying large- and medium-sized terrestrial rainforest mammals. *Animal Conservation*, 11, 169-178. <http://dx.doi.org/10.1111/j.1469-1795.2008.00169.x>
- [702]. Tobler, M.W., Carrillo-Percegue, S.E., Pitman, R.L., Mares, R. & Powell, G. (2008) An evaluation of camera traps for inventorying large- and medium-sized terrestrial rainforest mammals. *Animal Conservation*, 11, 169-178. <http://dx.doi.org/10.1111/j.1469-1795.2008.00169.x>
- [703]. Tobler, M.W., Carrillo-Percegue, S.E., Pitman, R.L., Mares, R. & Powell, G. (2008) Further Notes on the Analysis of Mammal Inventory Data Collected with Camera Traps. *Animal Conservation*, 11, 187-189. <http://dx.doi.org/10.1111/j.1469-1795.2008.00181.x>
- [704]. Tobler, M.W. (2007) *Camera Base*. URL: <http://www.atrium-biodiversity.org/tools/camerabase/>
- [705]. Tobler, M.W., Carrillo-Percegue, S.E. & Powell, G. (2009) Habitat use, activity patterns and use of mineral licks by five species of ungulate in south-eastern Peru. *Journal of Tropical Ecology*, 25, 261-270. <http://dx.doi.org/10.1017/S0266467409005896>
- [706]. Torre, I., Peris, A. & Tena, L. (2005) Estimating the relative abundance and temporal activity patterns of wood mice (*Apodemus sylvaticus*) by remote photography in Mediterranean post-fire habitats. *Galemys*, 17, 41-52. URL: <http://www.secem.es/GALEMYS/PDF%20de%20Galemys/17%20%28NE%29.%20pdf/004%20Torre%20et%20al.%2041-52.pdf>
- [707]. Torre, I. (2004) *Distribution, population dynamics and habitat selection of small mammals in Mediterranean environments: the role of climate, vegetation structure, and predation risk*. PhD Thesis. University of Barcelona, Barcelona, Spain. URL: http://www.tesisenxarxa.net/TDX-0208105-092832/index_cs.html
- [708]. Towerton, A.L., Penman, T.D., Blake, M.E., Deane, A.T., Kavanagh, R.P. & Dickman, C.R. (2008) The potential for remote cameras to monitor visitation by birds and predators at Malleefowl mounds. *Ecological Management & Restoration*, 9, 64-67. <http://dx.doi.org/10.1111/j.1442-8903.2008.00389.x>
- [709]. Traehold, C. & Sanusi bin Mohamed, M. (2009) Population Estimates of Malay Tapir, *Tapirus indicus*, by Camera Trapping in Krau Wildlife Reserve, Malaysia. *Tapir Conservation*, 18, 12-20. URL: [http://www.tapirs.org/Downloads/newsletters/TC_Vol_18\(1\)_Jun2009.pdf](http://www.tapirs.org/Downloads/newsletters/TC_Vol_18(1)_Jun2009.pdf)
- [710]. Trajce, A., Shumka, S., Mersini, K., Gjorgji, I., Dime, M., Aleksandar, S. & von Arx, M. (2008) Conservation of the Critically Endangered Balkan Lynx – Achievements and Aspirations. In pp. 384-390. Tirana, Albania. URL: http://www.catsg.org/balkanlynx/01_recovery-programme/1_0_news/news.htm
- [711]. Trolle, M. (2003) Mammal survey in the Rio Jauaperi region, Rio Negro Basin, the Amazon, Brazil. *Mammalia*, 67, 75-83. <http://dx.doi.org/10.1515/mamm.2003.67.1.75>
- [712]. Trolle, M. (2003) Mammal survey in the southeastern Pantanal, Brazil. *Biodiversity and Conservation*, 12, 823-836. <http://dx.doi.org/10.1023/A:1022489426920>
- [713]. Trolle, M., Bissaro, M. & Prado, H. (2007) Mammal survey at a ranch of the Brazilian Cerrado. *Biodiversity and Conservation*, 16, 1205-1211. <http://dx.doi.org/10.1007/s10531-006-9106-x>
- [714]. Trolle, M. & Kéry, M. (2003) Estimation of Ocelot Density in the Pantanal Using Capture-Recapture Analysis of Camera-Trapping Data. *Journal of Mammalogy*, 84, 607-614. URL: <http://www.jstor.org/stable/1383906>
- [715]. Trolle, M. & Kéry, M. (2005) Camera-trap study of ocelot and other secretive mammals in the northern Pantanal. *Mammalia*, 69, 409-416. <http://dx.doi.org/10.1515/mamm.2005.032>
- [716]. Trolle, M., Noss, A.J., Cordeiro, J.L.P. & Oliveira, L.F.B. (2008) Brazilian Tapir Density in the Pantanal: A Comparison of Systematic Camera-Trapping and Line-Transect Surveys. *Biotropica*, 40, 211-217. <http://dx.doi.org/10.1111/j.1744-7429.2007.00350.x>
- [717]. Trolle, M., Noss, A.J., Lima, E. & Dalponte, J. (2007) Camera-trap studies of maned wolf density in the Cerrado and the Pantanal of Brazil. *Biodiversity and Conservation*, 16, 1197-1204. <http://dx.doi.org/10.1007/s10531-006-9105-y>
- [718]. Trolle, M. (2004) Flashed in the forest. *BBC Wildlife*, July, 30-37
- [719]. Tsukada, H., Fukasawa, M., Kosako, T., Sutoh, M., Imura, T. & Hirakawa, H. (2006) Photo-trapping application to mammal fauna survey on public pastures in northern Tochigi, Japan. *Honyurui Kagaku (Mammalian Science)*, 46, 5-19. URL: http://www.jstage.jst.go.jp/article/mammalian-science/46/1/46_5/_article
- [720]. Tuberville, T.D. & Burke, V.J. (1994) Do Flag Markers Attract Turtle Nest Predators? *Journal of Herpetology*, 28, 514-516. URL: <http://www.jstor.org/stable/1564971>
- [721]. Ueda, H., Takeuchi, M. & Nakatani, J. (2005) Estimating population size of wild boar (*Sus Scrofa*) using camera-trap data. *Suiform Soundings*, 5, 9-10. URL: <http://data.iucn.org/themes/ssc/sgs/pphsg/Suiform%20soundings/Newsletter.htm>

- [722]. Utreras, V. & Pinos, L. (2003) Camera Trap Use for Studying Giant Otters (*pteronura Brasiliensis*) in the Yasuní Biosphere Reserve, Ecuadorian Amazon. *IUCN Otter Species Group Bulletin*, 20, 12-13. URL: http://www.otterspecialistgroup.org/Bulletin/Volume20/Volume20_Issue2.pdf
- [723]. Van Manen, F.T., Jones, M.D., Kindall, J.L., Thompson, L.M. & Scheick, B.K. (2001) Determining the potential mitigation effects of wildlife passageways on black bears. URL: <http://repositories.cdlib.org/cgi/viewcontent.cgi?article=1073&context=jmie/roadeco>
- [724]. Vanak, A.T. & Gompper, M.E. (2007) Effectiveness of non-invasive techniques for surveying activity and habitat use of the Indian fox *Vulpes bengalensis* in southern India. *Wildlife Biology*, 13, 219-224. [http://dx.doi.org/10.2981/0909-6396\(2007\)13\[219:EONTFS\]2.0.CO;2](http://dx.doi.org/10.2981/0909-6396(2007)13[219:EONTFS]2.0.CO;2)
- [725]. Vander Haegen, W.M. & Degraaf, R.M. (1996) Predation on artificial nests in forested riparian buffer strips. *Journal of Wildlife Management*, 60, 542-550. URL: <http://www.jstor.org/stable/3802071>
- [726]. Varma, S., Pittet, A. & Jamadagni, H. (2006) Experimenting usage of camera-traps-for population dynamics study of the Asian elephant *Elephas maximus* in southern India. *Current Science*, 91, 324-331. URL: <http://portal.isiknowledge.com/portal.cgi?DestApp=WOS&Func=Frame&DestParams=%3F%26Func%3DLinks%26PointOfEntry%3DFullRecord%26ServiceName%3DTransferToWos%26UT%3D000239880100021>
- [727]. Velho, N., Datta, A. & Isvaran, K. (2009) Effect of rodents on seed fate of five hornbill-dispersed tree species in a tropical forest in north-east India. *Journal of Tropical Ecology*, 25, 507-514. <http://dx.doi.org/10.1017/S0266467409990083>
- [728]. Viana, L.R., Vasconcelos, M.F. & da Fonseca, G.A. (2007) Primeiro registro documentado de *Formicarius colma* Boddaert, 1783 (Aves: Formicariidae) para o Parque Estadual do Rio Doce, Minas Gerais, com o uso de armadilha fotográfica [First documented record of *Formicarius colma* Boddaert, 1783 (Aves: Formicariidae) for Rio Doce State Park, Minas Gerais, with camera trapping]. *Lundiana*, 8, 155-156. URL: <http://www.icb.ufmg.br/~lundiana/full/vol822007/10.pdf>
- [729]. Villalba, L. (2002) Andean Cat Photographed in Southwest Bolivia. *Cat News*, 36, 19-20, 25. URL: http://www.catsg.org/catnews/20_cat-news-website/home/index_en.htm
- [730]. Villalba, L. & Delgado, E. (2005) Pampas Cat Photographed in High Southwest Bolivia. *Cat News*, 42, 31. URL: http://www.catsg.org/catnews/02_webarchive/news-nr42-2005/content-nr42-2005.htm#Article%2014
- [731]. Villalba, L. (2006) Ecology and behaviour of two sympatric felids, the Andean cat (*Oreailurus jacobita*) and pampas cat (*Oncifelis colocolo*) in Khastor (Southern Bolivia). *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [732]. Vine, S., Crowther, M.S., Lapidge, S.J., Dickman, C., Mooney, N., Piggott, M. & English, A. (2009) Comparison of methods to detect rare and cryptic species: a case study using the red fox (*Vulpes vulpes*). *Wildlife Research*, 36, 436-446. <http://dx.doi.org/10.1071/WR08069>
- [733]. Wachter, T. & Attum, O. (2005) Preliminary investigation into the presence and distribution of small carnivores in the Empty Quarter of Saudi Arabia through the use of a camera trap. *Mammalia*, 69, 81-84. <http://dx.doi.org/10.1515/mamm.2005.007>
- [734]. Wakefield, S., Attum, O., Robinson, E.R. & Sandoka, M.A. (2008) Seasonal use of a waterhole by Nubian ibex *Capra nubiana* (Artiodactyla: Bovidae). *Mammalia*, 72, 123-125. <http://dx.doi.org/10.1515/MAMM.2008.014>
- [735]. Waldstein, A.H., Simons, T.R., O'Connell, A.F. & Pollock, K.H. (2003) Camera Traps and Mark-resight Sampling of a Coastal Raccoon (*Procyon lotor*) Population: Evaluating Estimates of Abundance, Density, Survival, and Sources of Bias. Mendoza, Argentina. URL: <http://www.cricyt.edu.ar/imc10/Abstracts.pdf>
- [736]. Walker, J.W. (2002) Using Remote Camera Systems for Miscellaneous Surveillance. In p. 10. Texas A&M University, Kerrville, Texas. URL: http://texnat.tamu.edu/symposia/remote_sensing_cameras.pdf
- [737]. Walker, J.W. & Engdahl, B.S. (2002) *Survey of Wildlife Surveillance Cameras*. Texas Agricultural Experiment Station, San Angelo, Texas. URL: http://texnat.tamu.edu/symposia/survey_of_cameras.pdf
- [738]. Walker, M. (2009) Elusive golden cat caught on film. *BBC News*. URL: http://news.bbc.co.uk/earth/hi/earth_news/newsid_8259000/8259573.stm
- [739]. Wallace, R.B., Gomez, H., Ayala, G. & Espinoza, F. (2003) Camera trapping for jaguar (*Panthera onca*) in the Tuichi Valley, Bolivia. *Mastozoología Neotropical*, 10, 133-139. URL: <http://www.doaj.org/doi?func=abstract&id=155582&recNo=10&toC=1>
- [740]. Walock, S.C., Jacobson, H.A., Bowman, J.L. & Coggin, D.S. (1997) Comparison of the camera estimate to program CAPTURE to estimate antlered white-tailed deer populations. In *Proceeding of the Annual Conference of the Southeast Association of Fish and Wildlife Agencies* pp. 217-224. URL: <http://www.seafwa.org/proceedings.php?article=14515>
- [741]. Wang, S.W. (2007) A Rare Morph of the Asiatic Golden Cat in Bhutan's Jigme Singye Wangchuck National Park. *Cat News*, 47, 27-28. URL: http://www.catsg.org/catnews/02_webarchive/news-nr47-2007/content-nr47-2007.htm#Article%2013
- [742]. Wang, S.W. & Macdonald, D.W. (2009) The use of camera traps for estimating tiger and leopard populations in the high altitude mountains of Bhutan. *Biological Conservation*, 142, 606-613. <http://dx.doi.org/10.1016/j.biocon.2008.11.023>
- [743]. Ward, G.C. (1997) Making Room for Wild Tigers. *National Geographic Magazine*, 192, 2-45
- [744]. Watts, D.E. (2006) *Distribution and Abundance of Endangered Florida Key Deer on Outer Islands*. MSc Thesis. Texas A&M. URL: <http://txspace.tamu.edu/bitstream/handle/1969.1/4960/etd-tamu-2006C-WISC-Watts.pdf?sequence=1>
- [745]. Watts, D.E., Parker, I.D., Lopez, R.R., Silvy, N.J. & Davis, D.S. (2008) Distribution and Abundance of Endangered Florida Key Deer on Outer Islands. *Journal of Wildlife Management*, 72, 360-366. <http://dx.doi.org/10.2193/2007-166>
- [746]. Wawerla, J., Marshall, S., Mori, G., Rothley, K. & Sabzmeydani, P. (2009) BearCam: automated wildlife monitoring at the arctic circle. *Machin Vision and Applications*, 20, 303-317. <http://dx.doi.org/10.1007/s00138-008-0128-0>

- [747]. Weckel, M., Giuliano, W. & Silver, S. (2006) Jaguar (*Panthera onca*) feeding ecology: distribution of predator and prey through time and space. *Journal of Zoology (London)*, 270, 25-30. <http://dx.doi.org/10.1111/j.1469-7998.2006.00106.x>
- [748]. Wegge, P., Odden, M., Pokharel, C.P. & Storaas, T. (2009) Predator-prey relationships and responses of ungulates and their predators to the establishment of protected areas: A case study of tigers, leopards and their prey in Bardia National Park, Nepal. *Biological Conservation*, 142, 189-202. <http://dx.doi.org/10.1016/j.biocon.2008.10.020>
- [749]. Wegge, P., Pokharel, C.P. & Jnawali, S.R. (2004) Effects of Trapping Effort and Trap Shyness on Estimates of Tiger Abundance from Camera Trap Studies. *Animal Conservation*, 7, 251-256. <http://dx.doi.org/10.1017/S1367943004001441>
- [750]. Weller, M.W. & Derksen, D.V. (1972) Use of Time-Lapse photography to Study Nesting Activities of Birds. *The Auk*, 89, 196-200. URL: <http://www.jstor.org/stable/4084080>
- [751]. Wells, K., Biun, A. & Gabin, M. (2005) Viverrid and herpestid observations by camera and small mammal cage trapping in the lowland rainforests on Borneo including a record of the Hose's Civet, *Diplogale hosei*. *Small Carnivore Conservation*, 32, 12-14. URL: http://strayfeathers.in/sccwiki/images/1/1f/Number_32.PDF
- [752]. Wemmer, C. (2007) Camera trap pioneers: O.P. Pearson. URL: <http://cameratrappodger.blogspot.com/2007/02/camera-trap-pioneers-oppearson.html>
- [753]. Weston, N.G. (2003) *The provision of canopy bridges to reduce the effects of linear barriers on arboreal mammals in the Wet Tropics of northeastern Queensland*. MSc Thesis. James Cook University. URL: <http://eprints.jcu.edu.au/1358/>
- [754]. Whelan, C.J., Dilger, M.L., Robson, D., Hallyn, N. & Dilger, S. (1994) Effects of Olfactory Cues on Artificial-Nest Experiments. *The Auk*, 111, 945-952. URL: <http://www.jstor.org/stable/4088826>
- [755]. Whitfield, J. (1998) A saola poses for the camera. *Nature*, 396, 410. <http://dx.doi.org/10.1038/24726>
- [756]. Wibisono, H.T., Figel, J.J., Arif, S.M., Ario, A. & Lubis, A.H. (2009) Assessing the Sumatran tiger *Panthera tigris sumatrae* population in Batang Gadis National Park, a new protected area in Indonesia. *Oryx*, 43, 634-638. <http://dx.doi.org/10.1017/S003060530999055X>
- [757]. Williams, N. (2006) Rainforest mammal surprise. *Current Biology*, 16, R7-R8. <http://dx.doi.org/10.1016/j.cub.2005.12.022>
- [758]. Wilson, G.J. & Delahay, R.J. (2001) A review of methods to estimate the abundance of terrestrial carnivores using field signs and observation. *Wildlife Research*, 28, 151-164. <http://dx.doi.org/10.1071/WR00033>
- [759]. Wilting, A. (2009) Consequences of different forest management strategies for felids in Sabah, Malaysia. *Cat Project of the Month*. URL: http://www.catsg.org/catsgportal/project-o-month/02_webarchive/webarchive.htm
- [760]. Wilton, M.L., Garner, D.L. & Inglis, J.E. (1994) The use of infrared trail monitors to study moose movement patterns. *Alces*, 30, 153-157. URL: http://bolt.lakeheadu.ca/~alceswww/vol30_1994.html
- [761]. Winarni, N.L., Carroll, J.P. & O'Brien, T.G. (2005) The application of camera traps to the study of Galliformes in southern Sumatra, Indonesia. In (eds R.A. Fuller & S.J. Browne), pp. 109-121. World Pheasant Association, Fordingbridge, U.K. URL: <http://noonathome.files.wordpress.com/2007/03/15-paper05.pdf>
- [762]. Winarni, N.L., O'Brien, T.G., Carroll, J.P. & Kinnaird, M.F. (2009) Movements, Distribution, and Abundance of Great Argus Pheasants (*Argusianus argus*) in a Sumatran Rainforest. *The Auk*, 126, 341-350. <http://dx.doi.org/10.1525/auk.2009.07162>
- [763]. Winfrey, C. (2005) Making Tracks. URL: http://www.smithsonianmag.com/arts-culture/Making_Tracks.html
- [764]. Winkler, W.G. & Adams, D.B. (1968) An Automatic Movie Camera for Wildlife Photography. *Journal of Wildlife Management*, 32, 949-952. URL: <http://www.jstor.org/stable/3799572>
- [765]. Wolf, K.N., Elvinger, F. & Pilcicki, J.L. (2003) Infrared-triggered photography and tracking plates to monitor oral rabies vaccine bait contact by raccoons in culverts. *Wildlife Society Bulletin*, 31, 387-391. URL: <http://www.jstor.org/stable/3784317>
- [766]. Wright, A. & Gompper, M. (2005) Altered parasite assemblages in raccoons in response to manipulated resource availability. *Oecologia*, 144, 148-156. <http://dx.doi.org/10.1007/s00442-005-0018-3>
- [767]. Xu, A., Jiang, Z., Li, C., Guo, J., Da, S., Cui, Q. et al. (2008) Status and conservation of the snow leopard *Panthera uncia* in the Gouli Region, Kunlun Mountains, China. *Oryx*, 42, 460-463. <http://dx.doi.org/10.1017/S0030605308000252>
- [768]. Yasuda, M. (2004) Monitoring Diversity and Abundance of Mammals with Camera Traps: A Case Study on Mount Tsukuba, Central Japan. *Mammal Study*, 29, 37-46. <http://dx.doi.org/10.3106/mammalstudy.29.37>
- [769]. Yasuda, M. & Kawakami, K. (2002) New method of monitoring remote wildlife via the Internet. *Ecological Research*, 17, 119-124. <http://dx.doi.org/10.1046/j.1440-1703.2002.00467.x>
- [770]. Yasuda, M., Matsubayashi, H., Rustam, Numata, S., Sukor, J.R.A. & Bakar, S.A. (2007) Recent Cat Records by Camera Traps in Peninsular Malaysia and Borneo. *Cat News*, 47, 14-16. URL: http://www.catsg.org/catnews/02_webarchive/news-nr47-2007/content-nr47-2007.htm#Article%2006
- [771]. Yoon, C.K. (2002) Forces Are Joined to Track an Elusive, Endangered Cheetah. *New York Times*. URL: <http://www.nytimes.com/2002/01/08/science/forces-are-joined-to-track-an-elusive-endangered-cheetah.html>
- [772]. York, E.C., Moruzzi, T.L., Fuller, T.K., Organ, J.F., Sauvajot, R.M. & DeGraaf, R.M. (2001) Description and Evaluation of a Remote Camera and Triggering System to Monitor Carnivores. *Wildlife Society Bulletin*, 29, 1228-1237. URL: <http://www.jstor.org/stable/3784148>
- [773]. Yoshizaki, J. (2007) *Use of Natural Tags in Closed Population Capture-Recapture Studies: Modeling Misidentification*. PhD Thesis. North Carolina State University. URL: <http://www.lib.ncsu.edu/theses/available/etd-05012007-094413/>
- [774]. Yoshizaki, J., Pollock, K.H., Brownie, C. & Webster, R.A. (2009) Modeling misidentification errors in capture-recapture studies using photographic identification of evolving marks. *Ecology*, 90, 3-9. <http://dx.doi.org/10.1890/08-0304.1>

- [775]. Zapata-Ríos, G., Araguillin, E. & Jorgenson, J.P. (2006) Caracterización de la Comunidad de Mamíferos No Voladores en las Estribaciones Orientales de la cordillera del Kutukú, Amazonía Ecuatoriana [Non-Volant Mammal Community Characterization on the Eastern Slopes of Kutukú Mountain Range, Ecuadorian Amazon]. *Mastozoología Neotropical*, 13, 227-238. URL: http://www.sarem.org.ar/mediawiki/index.php/13_2
- [776]. Zielinski, W.J., Truex, R.L., Schlexer, F.V., Campbell, L.A. & Carroll, C. (2005) Historical and contemporary distributions of carnivores in forests of the Sierra Nevada, California, USA. *Journal of Biogeography*, 32, 1385-1407. <http://dx.doi.org/10.1111/j.1365-2699.2005.01234.x>
- [777]. Zimmermann, F., Fattebert, J., Caviezel, S., Breitenmoser-Würsten, C. & Breitenmoser, U. (2008) *Abondance et densité du lynx dans le Nord-Ouest des Alpes: estimation par capture-recapture photographique dans le C-VI durant l'hiver 2007/08*. KORA Reports No. 42. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>
- [778]. Zimmermann, F., Weber, J., Fattebert, J., Ryser, A., Caviezel, S., Hebeisen, C. et al. (2008) *Monitoring der Raubtiere in der Schweiz 2007*. KORA Reports No. 45. KORA, Muri, CH. URL: <http://www.kora.ch/en/publics/reports.htm>
- [779]. Zimmermann, F. (2005) *Monitoring methods: Recording, documentation, confirmation, analyzing and reporting of field signs*. URL: http://www.catsg.org/balkanlynx/01_recovery-programme/1_6_meetings/november-2005/november-2005.htm
- [780]. Zimmermann, F., Breitenmoser-Würsten, C. & Breitenmoser, U. (2005) Natal dispersal of Eurasian lynx (*Lynx lynx*) in Switzerland. *Journal of Zoology (London)*, 267, 381-395. <http://dx.doi.org/10.1017/S0952836905007545>
- [781]. Zimmermann, F., Breitenmoser-Würsten, C. & Breitenmoser, U. (2007) Importance of dispersal for the expansion of a Eurasian lynx *Lynx lynx* population in a fragmented landscape. *Oryx*, 41, 358-368. <http://dx.doi.org/10.1017/S0030605307000712>
- [782]. Zimmermann, F., Fattebert, J., Breitenmoser-Würsten, C. & Breitenmoser, U. (2007) *Abondance et densité du lynx: estimation par capture-recapture photographique dans le Nord du Jura suisse*. KORA Reports No. 37. KORA. URL: <http://www.kora.ch/en/publics/reports.htm>

