POSTER: Modeling Provenance and Understanding Reproducibility for OpenRefine Data Cleaning Workflows

Timothy McPhillips Lan Li Nikolaus Parulian Bertram Ludäscher School of Information Sciences, University of Illinois at Urbana-Champaign {tmcphill,lanl2,nnp2,ludaesch}@illinois.edu

1 INTRODUCTION

Preparation of data sets for analysis is a critical component of research in many disciplines. Recording the steps taken to clean data sets is equally crucial if such research is to be transparent and results reproducible. OpenRefine is a tool for interactively cleaning data sets via a spreadsheet-like interface and for recording the sequence of operations carried out by the user along with the details of all changes made to a data set [VDW13]. OpenRefine uses these records to provide an undo/redo capability that enables a user to revisit the state of the data set at any point in the data cleaning process. OpenRefine additionally allows the user to export sequences of recorded operations as *recipes* that can be applied later to different data sets. However, because such exported recipes do not include edits made manually to individual cells, a recipe in general cannot represent an entire, end-to-end data preparation workflow.

Here we report early results from an investigation into how the operation history recorded by OpenRefine can be used to (1) facilitate reproduction of complete, real-world data cleaning workflows; and (2) support queries and visualizations of the provenance of cleaned data sets.

2 RESEARCH AIMS

The results described here represent initial steps in our efforts to:

- Understand and describe the native data and history model of OpenRefine using the concepts and terminologies of the reproducibleresearch and provenance communities.
- Discover what provenance queries can be supported by the Open-Refine data model and operation history. Demonstrate queries that reveal key aspects of the provenance of cleaned data sets.
- Extend the YesWorkflow process, data, and provenance models as needed to represent the operations, transformations, data structures, data flows, and data dependencies that characterize data cleaning workflows.
- Employ YesWorkflow to represent end-to-end workflows carried out using OpenRefine so that they can be visualized readily and queried prospectively.
- Identify provenance queries important for achieving research transparency that apparently *cannot* be satisfied using just the information recorded by OpenRefine. Develop means to augment the operation history with additional information needed to support these critical queries.
- Employ computational environments that can be reproduced reliably across multiple computer systems maintained by different researchers. Enable other members of the community independently to repeat our experiments and demonstrations, and to review and reproduce our results on their own computers.

3 TOOLS

OpenRefine 3.1 distribution installed in a Linux environment. OpenRefine REST API and Python client library, with custom extensions, for automating operation of OpenRefine YesWorkflow toolkit for modeling data cleaning workflow and representing OR operation history in queryable form. XSB Prolog for expressing and performing Datalog-style graph and provenance queries. GraphViz for rendering visualizations of query results. GitHub for sharing research artifacts between co-authors and with research community. Ansible, Vagrant, and Docker for making research environment reproducible across coauthors' computers and for enabling other researchers to repeat our experiments on their own computers. Whole Tale and MyBinder for enabling others to reproduce our results without installing software on their own computers.

4 EXAMPLE PROVENANCE QUESTIONS

Let's do some *italics* and teletype and sans serif. Does it work? Here's a bit of code, very simple via some verbatim in line, or

 \ldots in some separate verbatim paragraphs \ldots Does it work?

Even indentation should work ..

5 RESULTS

We demonstrate that under certain conditions complete data cleaning workflows carried out within OR can be repeated fully automatically in a different instance of OR. We shown that this requires using information that is recorded by OR for its undo/redo feature, but that is not exportable from OR via recipes or its native HTTP API. We show that key queries of the provenance of cleaned data sets, and of particular columns, rows, and cells in the final data set, can be satisfied using the information captured by OR for its undo/redo feature. Will illustrate the usefulness of YesWorkflow-style workflow diagrams for making data cleaning workflows transparent and easy to review, and for rendering portions of the overall workflow to represent the result of provenance queries.

6 FUTURE WORK

REFERENCES

[VDW13] R. Verborgh and M. De Wilde. Using OpenRefine: The essential OpenRefine guide that takes you from data analysis and error fixing to linking your dataset to the Web. Community experience distilled. Packt Publishing, Birmingham Mumbai, 2013. OCLC: ocn892971028.