Name: Deepankar Sharma course: BCA-6th roll no: 2092014 Subject: Scripting Languages

Index							
S. No.	Objective	Date	Signature				
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							

Name: Deepankar Sharma

Course: BCA

University Roll No: 2092014 Subject: Scripting Languages

Date: 17-02-23

# Practical 01: To implement Lists in HTML

```
<!-- To implement List in HTMl -->
<!DOCTYPE html>
<head>
  <title>List</title>
</head>
<body>
  Coffee
     Tea
     Milk
  Coffee
     Tea
     Milk
  <dl>
     <dt>Coffee</dt>
     <dd>- black hot drink</dd>
     <dt>Milk</dt>
     <dd>- white cold drink</dd>
  </dl>
</body>
</html>
Output:
```

- Coffee
- Tea
- Milk
- 1. Coffee
- 2. Tea
- 3. Milk

## Coffee

- black hot drink

# Milk

- white cold drink

Name: Deepankar Sharma

Course: BCA

University Roll No: 2092014 Subject: Scripting Languages

Date: 3-03-2023

# Practical 02: To implement Tables in HTML

```
<!-- implement table in HTML -->
<html>
<head>
  <title> Table </title>
</head>
<body>
  <caption align="top"><b>Specification Table with Hoursand
Marks<caption>
         Unit No. 
           Unit Title 
           Teaching Hours 
           Distribution of Theory Marks
R Level 
      U Level 
      A Level 
      Total Marks 
    >
        <center>I
      Introduction to Internet Technology
      <center>2
      <center>4
      <center>4
      <center>0
```

```
<center>8
 <center>II
  Basic of HTML & CSS
  <center>6
  <center>0
 <center>2
  <center>6
  <center>8
  >
    <center>III
  Active Server Pages 3.0
  <center>6
  <center>4
  <center>8
 <center>0
  <center>12
  <center>IV
  Server Side Coding with VBScript and XML
  <center>8
  >
```

```
<center>2
 <center>4
 <center>8
 <center>14
 <center>V
 ASP Objects & Components
   <center>10
 <center>4
 <center>4
 <center>6
 <center>14
 <center>VI
 Accessing database with ASP & ADO
  <center>10
 <center>4
 <center>4
  <center>6
 <center>14
```

```
<center>Total
     <center>42
     <center>18
     <center>26
     <center>26
     <center>70
     </body>
</html>
```

# Output:

Specification Table with Hoursand Marks

Unit No.	Unit Title	Teaching Hours	Distribution of Theory Marks			
			R Level	U Level	A Level	Total Marks
I	Introduction to Internet Technology	2	4	4	0	8
II	Basic of HTML & CSS	6	0	2	6	8
III	Active Server Pages 3.0	6	4	8	0	12
IV	Server Side Coding with VBScript and XML	8	2	4	8	14
V	ASP Objects & Components	10	4	4	6	14
VI	Accessing database with ASP & ADO	10	4	4	6	14
	Total	42	18	26	26	70

Name: Deepankar Sharma

Course: BCA

University Roll No: 2092014 Subject: Scripting Languages


Date: 17-03-2023

## Practical 03: Implementation of popup of alert and confirm.

```
<!-- Implementation of popup of alert and confirm. --> <!DOCTYPE html> <html>
```

```
<head>
    <title>Popup Box Example</title>
</head>
<body>
    <h1>Popup Box Example</h1>
    <button onclick="showAlert()">Show Alert</button>
    <button onclick="showConfirm()">Show Confirm</button>
    <script>
       function showAlert() {
           alert("This is an alert message!");
       function showConfirm() {
           var result = confirm("Are you sure you want to delete
this item?");
           if (result == true) {
               alert("You clicked OK!");
           } else {
               alert("You clicked Cancel!");
       }
    </script>
</body>
</html>
```

#### Output:



```
Name: Deepankar Sharma
```

Course: BCA

University Roll No: 2092014 Subject: Scripting Languages


Date: 24-03-2023

# Practical 04: Implementation of the CSS Box Model.

```
border: 10px solid black;
           padding: 20px;
           margin: 50px;
       }
       /* Define styles for the inner box */
       .inner-box {
           width: 100%;
           height: 100%;
           background-color: white;
           border: 10px solid red;
           padding: 20px;
           box-sizing: border-box;
   </style>
</head>
<body>
   <div class="outer-box">
       <div class="inner-box">
           This is an example of the CSS box model.
       </div>
    </div>
</body>
</html>
```

<!-- The CSS box model is a container that contains multiple properties including borders, margin, padding, and the content itself. It is used to create the design and layout of web pages. It can be used as a toolkit for customizing the layout of different elements. -->

#### Output:



Name: Deepankar Sharma

Course: BCA

University Roll No: 2092014 Subject: Scripting Languages

Date: 24-03-2023

# <u>Practical 05: Design the webpage by applying the different style</u> using inline, internal and external style sheet.

```
<!-- Design the webpage by applying the different style using inline,
internal and external style sheet. -->
<!DOCTYPE html>
<html>
<head>
   <title>Styles Example</title>
   <!-- Internal Styles -->
   <style>
       h1 {
           color: blue;
           font-size: 36px;
           text-align: center;
       }
       p {
           font-size: 20px;
           line-height: 1.5;
       }
   </style>
   <!-- External Styles -->
   <link rel="stylesheet" type="text/css" href="practical05.css">
</head>
<body>
   <!-- Inline Styles -->
   <div style="background-color: yellow; padding: 20px;">
       <h1 style="color: red;">Styles Example</h1>
       This is an example of
applying styles using inline, internal and external style
           sheets. The heading is styled with inline styles, the
paragraph is styled with internal styles, and the
           background color and padding of this div are styled with
inline styles.
   </div>
   <!-- External Styles -->
   <div class="external-styles">
       <h2>External Styles</h2>
       This div is styled using an external style sheet.
       <button class="btn">Click me</button>
   </div>
</body>
</html>
```

```
/* External Styles */
.external-styles {
background-color: lightblue;
padding: 20px;
.external-styles h2 {
color: white;
font-size: 24px;
}
.external-styles p {
font-size: 16px;
line-height: 1.5;
}
.external-styles .btn {
background-color: green;
color: white;
border: none;
padding: 10px;
border-radius: 5px;
cursor: pointer;
.external-styles .btn:hover {
background-color: darkgreen;
}
```

# Output:

# **Styles Example**

This is an example of applying styles using inline, internal and external style sheets. The heading is styled with inline styles, the paragraph is styled with internal styles, and the background color and padding of this div are styled with inline styles.

External Styles

This div is styled using an external style sheet.

Click me