

ShopAssist AI 2.0

System Design & Implementation Report

Submitted by: Deven Kalra


Executive Summary

ShopAssist AI 2.0 is a specialized conversational commerce agent designed to assist users in selecting laptops based on their specific needs. Unlike standard chatbots, ShopAssist 2.0 employs a deterministic **Function Calling** architecture that retrieves real-time product data from a CSV database. This hybrid approach combines the natural language understanding of GPT-4 with the factual accuracy of a structured search engine, eliminating hallucinations regarding product specifications and prices.

1. System Architecture

The system utilizes a **Modular Agentic Architecture** orchestrated by a central Dialogue Management System. The conversation flow is linear but guarded by multiple validation layers to ensure safety and data integrity.

1.1 High-Level Data Flow



2. Module Documentation

Dialogue Management System:

The central loop (dialogue_mgmt_system) that captures user input and routes it through the various layers. It maintains the conversation history and manages the exit conditions.

Moderation Layer:

Implemented in moderation_check. Every user input is passed to the OpenAI Moderation API to detect harassment, violence, or self-harm before processing.

Intent & Slot Filling Layer:

Implemented in `intent_confirmation_layer`. This agent acts as a gatekeeper. It analyzes the conversation to ensure 6 key 'slots' are filled: GPU Intensity, Display Quality, Portability, Multitasking, Processing Speed, and Budget.

Function Execution Engine:

Implemented in `get_chat_completions_using_function_calling`. This specialized agent constructs a structured JSON payload to call the Python function `compare_laptops_with_user`.

Data Layer (Product Map):

The `product_map_layer` preprocesses the raw laptop descriptions from the CSV, converting unstructured text into structured 'High/Medium/Low' tags to allow for mathematical comparison.

3. Technical Implementation

3.1 Function Calling & JSON Handling

The core innovation of ShopAssist 2.0 is the integration of OpenAI's Function Calling API. The system defines a strict schema for the `compare_laptops_with_user` tool. Crucially, the implementation handles the variability of LLM outputs by using robust parsing logic (`json.loads` and `ast.literal_eval`) to convert string responses into executable Python dictionaries.

3.2 Reliability (Tenacity)

To mitigate API instability, the system wraps API calls with the `tenacity` library. The `@retry` decorator implements exponential backoff strategies, ensuring the system gracefully handles timeouts or rate limits without crashing.

4. Evaluation & Challenges

The notebook includes a custom evaluation metric `evaluate_model_response` which compares the LLM's extracted profile against a ground-truth tag set.

- **Integrating Functional Calling:** Enhancing the customer experience by crafting a superior and more intelligent chatbot by integrating functional calling
- **Refining Conversation Flow::** Challenges were over comed by

5. Conclusion

ShopAssist AI 2.0 successfully demonstrates a robust implementation of Retrieval Augmented Generation (RAG) concepts using Function Calling. Enforcing strict intent validation, making conversation more dynamic the system provides accurate, safe, and context-aware product recommendations.