

Health Search @ WSDM 2019

From Consumers to Clinicians

Slides available at

<https://github.com/ielab/health-search-tutorial>

Bevan Koopman
Commonwealth Scientific and
Industrial Research Organisation

 @bevan_koopman



Guido Zuccon
The University of Queensland

 @guidozuc



Who we are



Bevan Koopman

Research Scientist
CSIRO



@bevan_koopman

Research interests:

- Semantic Search
- Health Informatics
- User Understanding



Guido Zuccon

Senior Lecturer
The University of Queensland



@guidozuc

Research interests:

- Formal models of search
- Retrieval models & evaluation for health search



Why health search?

- Large societal impact
 - Advances in health search, could potential translate in better health/society/economy
 - Good field for attracting research funding
- Fundamental problems are the same/similar to other area of IR, just exacerbated
 - Semantic gap
 - Query formulation
 - Result understanding
 - Cognitive biases, incorrect information fake news, etc

Course Objectives

1. **Summarise the basics** of search in health domain;
2. Present different **end user** requirements for multiple user groups in health search, including **tasks**;
3. Provide an **overview** of the current use of **IR techniques** in the health domain;
4. Provide a **hands-on** introduction to **domain-specific tools** which can be exploited in health search;
5. Present **resources** and campaigns for **evaluation** in health search, including novel evaluation approaches;
6. Present **challenges** and **opportunities** for further research in the health domain and discuss how these could be met.

Outline

<https://github.com/ielab/health-search-tutorial>


- **Session 1:** Health Information, End Users & Tasks
- **Session 2:** Techniques and methods + hands on demo
(part 1)
- **Session 3:** Techniques and methods + hands on demo
(part 2)
- **Session 4:** Evaluation, open challenges and future directions

We separately discuss tasks and methods because:

- Some methods have been applied across tasks
- Some tasks are affected by the underlying same problems


Session 1: Health Information, End Users & Tasks

The myriad of health information



Health Records:

Clinical Notes




- Main **purpose** of health records: to communicate information between clinicians
- Often notes contain instructions from one person to another; e.g. from doctor to nurse
 - written by both physicians and nurses
- **record events** during a patient's care
 - to compare past status to current status,
 - to communicate findings, opinions and plans between physicians/nurses
 - for retrospective review of case details

Health Records: Clinical Notes

Samuel J. Smith

1234567-8

4/5/2006



health specific terms

acronyms

negated terms

temporal

quantities/measurements

ALLERGIES: Sulfa caused a rash.

SOCIAL HISTORY: Smokes as above.

REVIEW OF SYSTEMS: CONSTITUTIONAL: Weight stable. GI: No abdominal pain or change in bowel habits.

PHYSICAL EXAMINATION:


VITAL SIGNS: Weight is **217 lbs**, blood pressure **131/61**, pulse **63**.

HEENT: TMs clear bilaterally, mild maxillary sinus tenderness on the right, nasal mucosa boggy with moderate discharge, teeth in good repair with no erythema or swelling

LUNGS: Clear, even with forced expiration.

Health Records:

Clinical Notes




Clinical notes often noisy:

- **Acronyms** often cannot be told apart:
 - "ARF" could mean "Acute Renal Failure" or "Acute Rheumatic Fever"
- Not consistent **headings** among notes
 - HISTORY OF PRESENT ILLNESS vs HPI
 - MEDICATIONS vs CURRENT MEDICATIONS
- **Temporal** aspects: PAST MEDICATIONS, 2 weeks, etc
- **Negations**: No fever, denies pain, etc...

Health Records:


Clinical Notes



Clinical notes often noisy:

- **Quantities & measurements** require specific parser and interpretation:
 - blood pressure 131/61: is it high? low?
- **Brand name vs medication**: requires domain knowledge
 - Atorvastatin [medication] vs Lipitor [brand name] vs Statins [medication class]
- **Health specific terms & synonyms**, requires understanding of relations
 - High blood pressure VS hypertension

Health Records: Laboratory Reports



SURGICAL PATHOLOGY REPORT


Diagnosis	Skin, left axilla, punch biopsy- axillary granular parakeratosis.	
Test, Pathologist Pathologist	(Electronic Signature)	
PT 02/29/2008		
Microscopic Examination Sections show parakeratotic confluent scale containing an abundance of prominent keratohyalin granules. The underlying epidermis shows psoriasiform hyperplasia without acantholysis. The histology defines axillary granular parakeratosis.		
Gross Examination Punch biopsy of skin: left axillary Size: 0.4 x 0.4 cm Excision depth: 0.5 cm Specimen is bisected and entirely submitted in 1 cassette for microscopic examination.		
PT /PT		
Specimen From left axillary		
Pertinent History Hailey Hailey		

Client Order ID:		Patient Information Used In Risk Calculations:		Marker	Measurement	MoM
Maternal Age at Delivery:	36.5 yrs	AFP	20 ng/mL	0.59		
Estimated Due Date	June 30, 2010	hCG	30000 IU/L	1.13		
Gestational Age at Draw:	16 Weeks 1 Day(s)	uE3	0.50 ng/mL	0.53		
Maternal Weight:	145 lbs	Inhibin A	300 pg/mL	1.69		
Maternal Race:	White	PAPP-A	800 mIU/L	0.54		
Number of Fetuses:	Singleton	NT	4.00 mm	3.51		
Family History of neural tube defects:	No					
Patient is medication-dependent diabetic:	No					
Crown Rump Length:	5.00 cm					
		Sonographer Name:	Amie Healy			
		Sonographer Cert #:	P00943			
		Ultrasound Date:	December 14, 20			
Interpretation:		AFP MoM Cutoff for Single Fetus				
Open Neural Tube Defects	Normal					
	Risk Before Test: 1 in 900					
	Risk After Test: <1 in 10000					
Down Syndrome	Abnormal					
	Risk Before Test: 1 in 210					
	Risk After Test: 1 in 80 *					
Trisomy 18	Normal					
	Risk Before Test: 1 in 2100					
	Risk After Test: 1 in 180					
Comments:						
Assuming the patient information listed is correct, this maternal screen is ABNORMAL. Other possible outcomes of abnormal screens include: normal pregnancy, intrauterine fetal demise or missed abortion. If you have questions regarding this screen, please call Genetics at 800-242-2787 ext. 2020.						
This is a screening test for Down syndrome, trisomy 18 and open neural tube defects. It will not detect all cases of these disorders, and its ability to identify other chromosome disorders has not been established.						
The PAPP-A test uses a kit designated by the manufacturer as "for research use, not for clinical use." The performance characteristics of this test were validated by ARUP Laboratories. The U.S. Food and Drug Administration (FDA) has not approved or cleared this test. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. ARUP is authorized under Clinical Laboratory Improvement Amendments (CLIA) and by all states to perform high-complexity testing.						

Often comes with
comments/observations

Often reports quantities,
in tabular form




Health Records: Laboratory Reports




- Purpose is to communicate to clinicians the results of a test
- Often contain interpretation for the clinician
- Affected by most of the observations done for clinical notes
- Often difficult to machine-read because data is reported tabulated (and the layout is often lost)

Health Records: Images

- Part of laboratory testing
- X-ray images, CT scans, MRIs, ultrasound imaging
- Sometimes images come along with textual comments/interpretations: e.g. x-ray reports
 - Interesting for many multimodal information access tasks
- We do not discuss problems in medical image retrieval here. Plenty of work done from the community, both TBIR and CBIR. Have a look at relevant ImageCLEF tasks




Health Records: Registries & Certificates



- Authorities collect medical data for surveillance and statistical purposes (more on these tasks later)
- Records that are collected are usually:
 - Laboratory tests and reports
 - Death certificates
 - Entries completed through forms
- Collected at population level, into purpose-built databases

Health Records: Death Certificates



DEATH CERTIFICATE EXAMPLE

Name of deceased **Samuel Clock**

Date of death as stated to me **4th** day of **July** **2018** Age as stated to me **75**

Place of death **Elizabeth Infirmary, Newtown, NE3 4SA**

Last seen alive by me **3rd** day of **July** **2018**

1 The certified cause of death takes account of information obtained from post-mortem.

(a) Seen after death by me.

2 Information from post-mortem may be available later.

b Seen after death by another medical practitioner but not me.

3 Post-mortem not being held.

c Not seen after death by a medical practitioner.

④ I have reported this death to the Coroner for further action.

CAUSE OF DEATH

I (a) Disease or condition directly leading to death **COMMUNITY ACQUIRED PNEUMONIA**

(b) Other disease or condition, if any, leading to I(a) **PLEURAL MESOTHELIOMA**

(c) Other disease or condition, if any, leading to I(b)

II Other significant conditions

CONTRIBUTING TO THE DEATH but not related to the disease or condition causing it **ISCHAEMIC HEART DISEASE, TYPE 2 DIABETES MELLITUS**

Very structured: follow set template, with specific rules and meaning

Contain domain specific terminology

The death might have been due to or contributed to by the employment followed at some time by the deceased

Approximate interval between onset and death
14 days

I certify that this death certificate is accurate

Signature **M Smith** Dr Michael Smith


Qualifications **MBBS (Medicine & Surgery) - GMC 4939**

Residence **Ward 32, Elizabeth Infirmary, NE3 4SA**

Date **4/7/18**


Consultant responsible for the above-named patient **Dr Tyvand**

Medical Scientific Publications




- Classification of scientific publications
- **Primary** research:
 - **Published** in journals conference proceedings, technical reports, books, etc.
 - Includes **re-analysis**, e.g., meta-analysis and systematic reviews
- **Secondary** research:
 - reviews, condensations, synopses of primary literature
 - **textbooks** and **handbooks**
 - **Guidelines** important for normalising care and measuring quality

Medical Scientific Publications




- Publications form the basis for evidence-based medicine: this is why they are important
- Often available as abstracts (full-text freely available for open publications)
- **Primary Literature:** PubMed/Medline
 - Pubmed is an interface used to search Medline, as well as additional biomedical content.
- **Secondary Literature:** Guidelines, handbooks

Clinical Trial Descriptions



- Clinical trials are experiments/observations done in clinical research
- Designed to answer specific questions about biomedical or behavioral interventions, including treatments and interventions
- Clinical trial protocol (description): document used to define and manage the trial.
 - prepared by panel of experts
 - describes scientific rationale, objective(s), design, population, methodology, statistical considerations and organization of the trial
 - Contains inclusion/exclusion criteria of participants
- Clinical trials descriptions are also used to advertise and recruit participants for the trial



Clinical Trial Descriptions

Study Description

Go to ▾

Brief Summary:

Surgery to the shoulder may be performed with patients seated upright in a position known as the "Beach Chair Position (BCP)." This position has certain advantages compared to alternative surgical positions (e.g. side lying) in some situations. However, it has been found that surgery in the BCP can temporarily decrease the amount of oxygen in the brain as a result of the combined effects of gravity and anaesthesia. This can result in complications following surgery such as some memory loss and confusion. Rarely, more serious complications have been reported in the past including death and stroke.

Due to these reported complications the use of "cerebral oximetry" during shoulder surgery in the BCP has become more common. Before and during surgery monitor placed on the patients forehead measures the amount of oxygen present in the brain to help control this to an acceptable level. A number of monitors are now commercially available. Two monitors are commonly discussed in the literature; the INVOS™ 5100 and the FORE-SIGHT®. The actual relationship between the supply of oxygen to the brain during surgery and the chance of later developing "post operative cognitive decline" - POCD is not clear. It is also not known if one monitor is more accurate than another.

Therefore, the main aim of this study is to examine the relationship between cerebral oxygen levels during shoulder surgery (and any associated problems with memory and thinking). A second aim is to compare the INVOS™ 5100 and FORE-SIGHT® monitors to detect cerebral desaturation events (CDEs) as well as the importance of other key clinical variables (e.g. blood pressure,

Condition or disease 	Intervention/treatment 
Cognitive Dysfunction	Device: Dual-monitoring

Detailed Description:

PURPOSE OF THE INVESTIGATION The purpose of this investigation is to generate evidence about cerebral oxygen levels and the incidence of POCD. Currently, evidence relating to POCD following surgery is conflicting and relates mostly to outpatients. There is a strong need to explore this relationship in the specific context of shoulder surgery in the BCP.

INTERVENTION GROUPS This study will involve a single prospective cohort. Patients who meet the selection criteria will be randomised to receive either a device for dual monitoring of cerebral oxygen levels or a device for single monitoring of cerebral oxygen levels.

Eligibility Criteria

Go to ▾

Information from the National Library of Medicine



Choosing to participate in a study is an important personal decision. Talk with your doctor and family members or friends about deciding to join a study. To learn more about this study, you or your doctor may contact the study research staff using the contacts provided below. For general information, [Learn About Clinical Studies](#).

Ages Eligible for Study: 18 Years to 99 Years (Adult, Older Adult)

Sexes Eligible for Study: All

Accepts Healthy Volunteers: No

Criteria

Inclusion Criteria:


- Receiving treatment primarily by, but not restricted to, one of the Primary investigators for a shoulder condition that requires surgery in the BCP.
- Over 18 years of age
- Able to read and speak English

Exclusion Criteria:

- Under 18 years of age
- Pregnant women
- Pre-operative Mini-Mental State Examination (MMSE) < 24
- Pre-existing cerebrovascular disease as reported by the assessing medical consultant and recorded in patient charts
- Orthostatic hypotension
- American Society of Anaesthesiologists (ASA) physical status III, IV and V*
- History of drug and/or alcohol abuse


<https://clinicaltrials.gov/ct2/show/NCT03036345>

Websites




- Curated websites:
 - **Health portals:** webmd, mayoclinic, medlineplus, uptodate, medscape, everydayhealth, etc
 - Often from govt, company, edu
 - Generalist knowledge bases: **Wikipedia** (EN: 4.8 billion pageviews in 2013) and other wikis (https://en.wikipedia.org/wiki/List_of_medical_wikis)
 - **Symptom checkers:** provide diagnoses and triaging based on Q&A interaction
 - E.g. <https://symptoms.webmd.com>
- Provide carefully collated health information, reliable, clearly written
- Sometimes inconclusive, e.g. “consult a doctor”
- Symptom checkers often incorrect, or inconclusive
 - [Semigran et al, 2015]: 23 symptom checkers studied: 66% of cases misdiagnosis; 43% of mis-triaged

Websites




- Un-curated websites:
 - promotional: attempt to promote a service/treatment/etc
 - experiential: reporting on the experience with a disease/treatment/service provider
 - informational: provide info about a product/service
 - Often from company, individual (doctor, health advocate, patient), news
- Widely vary in quality, trustworthiness and ease of understanding
- Often forcefully driving to a specific choice/solution

Websites



- Un-curated:
 - **Forums:** reddit AskADoctor (et al), PatientsLikeMe, HealthTap, patient.info
 - Often connect patients with doctors
 - Of varying quality and control, e.g. Reddit VS HealthTap
 - **Social media:** increasing use of Facebook, Twitter for sharing health content [[Benetoli et al., 2017](#)]
 - Healthcare promotion, but also promotion of products/services
 - Asking/sharing health advice among personal network, personal experiences


Quality of health information online




[Zhang et al., 2015]: systematic review of literature on quality of online health information (N=165). Literature has measured

1. **substance** of content: **accuracy** and completeness
 2. **formality** of content: currency, **credibility (trustworthiness)**, **readability (understandability)**
 3. **design** of platforms: accessibility, aesthetics, navigability, interactivity, privacy, cultural sensitivity
- quality of health information **varied across medical domains and websites**
 - overall **quality is problematic** (55.2% negative, 6.1% positive)
 - most analysed work has not used “real” queries


Trustworthiness of health information online



- [Scullard et al., 2010]: evaluated first 100 search results for 5 paediatric web queries
- 39% gave correct information; 11% were incorrect and 49% failed to answer the question
- Correctness varied across topics, gov sites gave uniformly accurate advice






Trustworthiness of health information online



- [Rains et al., 2009]: studies what **influence credibility** of health web pages (N=86, students)
 - **structural features of pages** and **message characteristics** related to perceptions of credibility
 - **Credible** websites have: **navigation menus, links to external web sites, organisation's physical address, statistics, references"es, and identification of authorship**
- [Sbaffi&Rowley, 2017]: review of literature on health web pages trust (N=73)
 - Positive effect on trust: ease of use, content, website design, clear layout, interactive features, authority of owner/author
 - **Negative** effect on trust: **advertising**

Readability of health information online

- Many studies on readability/understandability of health web pages
- Based on **measures** of readability, e.g. [Hutchinson et al., 2016]:
 - Used Flesch Kincaid Grade Level, Gunning Fog Score, SMOG index, Coleman Liau Index, Automated Readability Index
 - Top Google results hard to understand for grade <9; NIH recommendation grade 6-7.
- Based on **assessments**:
 - [Palotti et al., 2015] analysis of CLEF 2015 CHS qrels: people trust they well understand only ~40%




High quality health webpages: HON Guidelines

- Health On the Net (HON): organisation that promotes transparent and reliable health information online
- HON **guidelines** for web pages: <https://www.hon.ch/HONcode/Guidelines/guidelines.html>
- This could be used as features to determine quality of page:
 - Indication of authorship (if collaborative platform: whether moderated)
 - Purpose of website
 - Confidentiality & privacy
 - Referencing and dating
 - Justification of claims, all brand names identified
 - Website contact details/contact form
 - Disclosure of funding sources
 - Advertising policy

Users and tasks

User Task

Users & Tasks



What do clinicians search for?

[Ely et al., 2000]: created a **taxonomy of clinical questions**

- Analysed ~1400 questions -> 64 generic question types. Top 10:
 - What is the drug of choice for condition x? (11%)
 - What is the cause of symptom x? (8%)
 - What test is indicated in situation x? (8%)
 - What is the dose of drug x? (7%)
 - How should I treat condition x (not limited to drug treatment)? (6%)
 - How should I manage condition x (not specifying diagnostic or therapeutic)? (5%)
 - What is the cause of physical finding x? (5%)
 - What is the cause of test finding x? (5%)
 - Can drug x cause (adverse) finding y? (4%)
 - Could this patient have condition x? (4%)
- These are questions asked by clinicians in primary care, **not queries** to a search system

What do clinicians search for?

[Del Fiol et al., 2014]: systematic review focusing on **clinicians questions**

- 0.57 questions per patient
- 34% of questions concerned **drug treatment**; 24% concerned potential **causes** of a symptom, physical finding, or diagnostic test finding
- Only **51% of questions are pursued**
 - Why not: (A) **lack of time** (B) doubt that a **useful answer exists**
 - Makes a case for **just-in-time access** to **high-quality evidence** in the context of patient care decision making
- Found **answers to 78% of those pursued** (not just through search)
 - Note answers may not be correct!

What do clinicians search for?

- [Magrabi et al, 2005]: studied **search sessions** from 193 GPs
 - most frequent searches: **diagnosis** (40%), **treatment** (35%).
- [Natarajan, et al., 2010]: **clinical queries** within a health records system
 - **85.1% informational searches** (predominantly for **laboratory** results and specific **diseases**)
 - 14.5% navigational searches (e.g., medical record number)
 - 0.4% Transactional searches (e.g., add drug)

How do Clinicians Search?

Queries:

- [Meats et al., 2007] analysed TRIP database queries:
 - most **single term**; ~12% **Boolean** operator (11% “AND” + 0.8% “OR”)
 - PICO elements: **population** was most commonly used; lesser use of intervention. Comparator and outcome rarely used
 - top 20 terms related to disease, condition, or problem; fewer terms related to treatment, intervention, or diagnostic test
 - users interested in conducting effective/efficient searches but **do not know how**
- [Tamine et al., 2015]: examined clinical queries from TREC (Genomics, Filtering, Medical Records) and imageCLEF
 - language **specificity level varies** significantly across **tasks** as well as **search difficulty**

How do Clinicians Search?

Queries:

- [Palotti et al., 2016]: analysed HON+TRIP+others logs
 - **2.91 terms** per query / 3.24 queries per session
 - Disease queries more prevalent than treatment
- [Koopman et al., 2017]: analysed query behaviour of a clinicians (N=4)
 - **Number** of queries a clinician would issue depend on: **topic** & **clinician**
 - **Verbose querier** (avg-len: 5.1-6.6 terms) vs **concise querier** (avg-len: 2.8-3.5 terms)
 - Verbose querier enters on average **less queries** per topic (1.37-1.59); concise querier enters on avg **more queries** (2.54-2.81)

How do Clinicians Search?

Time:

- [Hoogendam et al., 2008]: < 5 minutes
- [Westbrook et al., 2005]: ~8 minutes
- [McKibbon et al, 2006]: ~13 minutes
- [Palotti et al., 2016]: ~4.5 minutes
 - medical experts more persistent, interact longer with search engine than consumers

Clinicians' Search Tasks

- **Evidence based medicine:** searching **literature** to answer a clinical question (diagnosis/test/treatment) [Roberts et al., 2015]
 - Clinicians expected to seek and apply the best evidence to answer their clinical questions
 - Large reliance on secondary literature: guidelines, handbooks, synthesised information (57% of clinicians prefer secondary literature [Ellsworth et al., 2015])
 - Primary literature of interest: re-analyses

(Note, TREC CDS considers only primary literature)


- **Precision Medicine:** akin to EBM, but no “one size fits all”: proper treatment depends upon genetic, environmental, and lifestyle [Roberts et al., 2017]
 - use detailed patient information (genetic information) to identify the most effective treatments
 - huge space of treatment options: difficulty in keeping up-to-date & hard to determine the best possible treatment

(Note, TREC PM also considers clinical trials as a fall-back)


Medical Researchers' Search Tasks

- **Clinical Trials:**

- MR/Org: leverage health records to **identify** potential **participants** [Voorhees, 2013]



- Clinician: given a patient, **identify** clinical **trials** the patient could be eligible for [Koopman&Zuccon, 2016]



Different Users Search Differently for Clinical Trials

“A 51-year-old woman is seen in clinic for advice on osteoporosis. She has a past medical history of significant hypertension and diet-controlled diabetes mellitus. She currently smokes 1 pack of cigarettes per day. She was documented by previous LH and FSH levels to be in menopause within the last year. She is concerned about breaking her hip as she gets older and is seeking advice on osteoporosis prevention.”

Automatic system on GP computer thing to match health record with a trial

“51-year-old smoker with hypertension and diabetes, in menopause, needs recommendations for preventing osteoporosis.”

GP searching

- peripheral arterial disease
- cardiovascular disease
- peripheral vascular disease and possible therapies to prevent ischaemic limb
- calf Pain Exercise History of Myocardial infarct Hypertension polypharmacy
- peripheral vascular disease trial
- lower limb claudication trial
- peripheral arterial disease trial

Medical specialist performing ad-hoc search

Medical Researchers' Search Tasks

- **Systematic Reviews:** identify literature to screen for inclusion in a systematic review [[Scells et al., 2017](#); [Kanoulas et al., 2017](#)]
- Systematic review is a focused literature review
 - Synthesises all relevant documents for a particular research question; following protocol (which defines a boolean query)
 - Guide clinical decisions and inform policy
 - Cornerstone of evidence based medicine

RESEARCH QUESTION: ARE CARDIO SELECTIVE BETA-BLOCKERS...

Research question
created




QUERY FORMULATION

RETRIEVAL

SCREENING

SYNTHESIS



...



RECOMMENDATION: BETA-BLOCKER TREATMENT
REDUCES MORTALITY...

26 million citations in PubMed



4 million citations retrieved



278 citations screened
as potentially relevant



22 studies chosen
to be included




Studies synthesised to
produce recommendation

Queries in Systematic Reviews

THESE AREN'T YOUR NORMAL BOOLEAN QUERIES

1. (adrenergic* and antagonist*).tw.
2. (adrenergic* and block\$).tw.
3. (adrenergic* and beta-receptor*).tw.
4. (beta-adrenergic* and block*).tw.
5. (beta-blocker* and adrenergic*).tw.
6. (blockader*.tw. or Propranolol/ or Sotalol/)
7. or/1-6
8. Lung Diseases, Obstructive/
9. exp Pulmonary Disease, Chronic Obstructive/
10. emphysema*.tw.
11. (chronic* adj3 bronchiti*).tw.
12. (obstruct*.tw. adj3 (lung* or airway*).tw.)
13. COPD.tw.
14. COAD.tw.
15. COBD.tw.
16. AECB.tw.
17. or/8-16
18. 7 and 17

Anatomy of a Systematic Review Query



Why improving search within systematic reviews is important

- A majority of reviews require >1,000 hours to complete [Allen&Olkin, 1999]
- Can cost upwards of a quarter of a million USD [McGowan&Sampson, 2005]
- [McGowan&Sampson, 2005]: Most **expensive** and **laborious** phases **prior to eligibility**

Consumers searching for Health Advice on the Web

- **People seek health advice online**, often through search engines
 - 1/3 Americans [[Fox&Duggan, 2013](#)]
 - 65-95% of people across different countries [[McDaid&Park, 2010](#)]
- Many consumers reported being **unable to find** satisfactory information when performing a specific query [[Zeng et al., 2004](#)]
 - information found was **not new**
 - information found was too **general**
 - **confusing** interface or organization of website
 - information **overload** (too much information was retrieved)
- Vast differences in **comprehension, searching abilities, and levels of information needs**

The dark side of searching for health advice on the Web

- **Cyberchondria**: **unfounded escalation** of concerns about **common symptomatology**, based on the review of **search** results and literature on the Web [White&Horvitz, 2009]
 - log-based study + survey of 515 search experiences
 - escalation associated with
 - **amount** and **distribution** of medical content viewed by users,
 - presence of **escalatory terminology** in pages visited
 - user's **predisposition** to escalate versus to seek more reasonable explanations
- [Pogacar et al., 2017]: search engine results can significantly **influence people** taking **positive/negative** decisions based on **correct/incorrect** health information
 - User study (n=60) with biased search results towards correct or incorrect information regarding treatment
 - more incorrect decisions when interacting with results biased towards incorrect information

What do consumers search for?


- [Schwartz et al., 2006] surveyed ~1400 families
- Search topics: diseases/conditions (79%), medications (53%), nutrition&exercise (48%), providers (35%), prevention (34%), alternative therapies (25%)
- Subtasks in consumer health search:
 - Finding health **advice** (to support health decision)
 - **Understand** condition, treatments, etc
 - Find health **provider**

How do consumers search?

- [Eysenbach&Köhler, 2002]:
 - 65% of queries are **single keyword**; 3.5% contain a phrase.
 - **Rarely** look **beyond first** SERP
 - Spend about **6 minutes** searching
- [Zeng et al, 2006]: ~60-70% queries are one to two words
 - **difficulty in understanding and use medical terminology.**

How do consumers search?



- [Toms&Latter, 2007] examined search behaviour of 48 consumers on 4 health search tasks
 - Analysed transaction logs, video screen capture, retrospective verbal protocols, self-reported questionnaires
 - ~1.3 **queries** per search **task**.
 - query **length** ~ 4.2 keywords (3.2 stopwords)
 - ~ 5.4 **SERPs** examined
 - significant problems in **query formulation** and in making **efficient selections** from SERP



- 4.5–9 minutes per task.
- Time spent on SERP ~ time spent on webpage

Exploratory Behaviour in CHS

- [Cartright et al., 2011] argue that a portion of health-directed searches are **exploratory** in nature. These could be divided into **two iterative phases**
- **evidence-directed**: findings are fused to construct a list of potential explanatory diagnoses ranked by likelihood
- **hypothesis-directed**: list of diagnoses used to guide collection of additional evidence, to validate/choose hypotheses.



How do consumers search? Querying...



What would be your query
to Google if you have this
on your skin?

How do consumers search?

Querying...



What would be your query to Google if you have this on your skin?

q: “Crater type bite mark”

q: “Ring wound below wrinkled eyelid”

How do consumers search?

Querying...



What would be your query to Google if you have this on your skin?

q: “Crater type bite mark”

q: “Ring wound below wrinkled eyelid”

[What Bit Me? Mystery Bug Bites Solved | SafeBee](#)

www.safebee.com › Outdoors ▾

Jun 16, 2015 - What it's **like**: You may feel a sharp **sting** when you're **bitten** or nothing at all. ... The brown recluse has a violin-shaped **mark** on its back that isn't ... six weeks to go away, and the **bite** can leave a large **crater** and scarring.

[Zuccon et al., 2015]

Cognitive bias when search for health information

- **Web searchers** exhibit their **own biases** and are also subject to **bias from search engine** [White, 2013], e.g. favour positive information over negative
- [Lau&Coiera, 2007]: 75 clinicians + 227 students; studied influence on decision post-search of different biases:
 - prior belief (**anchoring**): p 0.001
 - documents **order effect**: clinicians p 0.76; students p 0.026
 - documents processed for different lengths of time (**exposure effect**): clinicians p 0.27; students p 0.0081
 - **reinforcement through repeated exposure** to a document: no significant impact (clinician p 0.31; students p 0.81)
- [Lau&Coiera, 2006] proposed bayesian model to predict the impact of search results on health decision, with cognitive biases
- [Lau&Coiera, 2009] proposed mechanisms to de-bias search (mostly to do with search result presentation)

Session 1 roundup

Summary of Problems in CHS

- **Query formulation**
 - Vocabulary mismatch b/w layman and professional language
 - Describing rather than naming (circumlocutory queries): use of medical terminology
- **Result appraisal** (both SERP and document)
 - Understanding medical language/resources
 - Ability to tell correct from incorrect advice (credibility)
 - Cognitive biases

Summary of Problems when Clinicians Search

- Mostly centred around the **semantic gap problem** [Koopman 2014]
 - the difference between the raw (medical) data/evidence and the way a human being might interpret it [Patel et al., 2007]
- **Vocabulary** mismatch
 - *hypertension* vs. *high blood pressure*
- **Granularity** mismatch
 - *Malaria* vs. *Plasmodium*
- Conceptual **implication**
 - *Dialysis Machine* → *Kidney Disease*
- **Inferences** of similarity
 - *Comorbidities (Anxiety and Depression)*
- Other problems: use of **negation**, **temporality** and **quantities**, age/gender, levels of evidence (e.g. discharge summary VS lab test; study VS systematic review)

Summary of Problems when Clinicians Search

- Mostly centred around the **semantic gap problem** [Koopman 2014]
 - the difference between the raw (medical) data/evidence and the way a human being might interpret it [Patel et al., 2007]
- **Vocabulary** mismatch
 - *hypertension* vs. *high blood pressure*
- **Granularity** mismatch
 - *Malaria* vs. *Plasmodium*
- Conceptual **implication**
 - *Dialysis Machine* → *Kidney Disease*
- **Inferences** of similarity
 - *Comorbidities (Anxiety and Depression)*
- Other problems: use of **negation**, **temporality** and **quantities**, age/gender, levels of evidence (e.g. discharge summary VS lab test; study VS systematic review)

Note semantic gap problems occur also for CHS, with vocabulary mismatch being the most prevalent

Make sure you have downloaded the Docker Image

- We will have some hands on activities after the coffee break. You can follow along and also attempt the activities. To do so:
 1. Install Docker
 2. Download Docker image
 - Instructions (including download via command line):
<https://github.com/ielab/health-search-tutorial/tree/wsdm2019>
 - Do the setup following instructions
 - Ignore hands-on activities instructions for now (apart setup) — we will do the activities together

Break!

Health Search @ WSDM 2019

From Consumers to Clinicians

Slides available at

<https://github.com/ielab/health-search-tutorial>

Bevan Koopman
Commonwealth Scientific and
Industrial Research Organisation

 @bevan_koopman



Guido Zuccon
The University of Queensland

 @guidozuc

