

System Specification

Smart Shopping List

| Project Name | Smart Shopping List |
|----------------|---------------------|
| Project Leader | A. Walliser |
| Document state | In process |
| Version | V. 1.0 |

Revisions

| Date | Author | Change |
|-------------------|-----------------------|---------------|
| November 29, 2018 | C. Wagner/A. Walliser | First version |

Contents

| 1 | Init | l Situation and Goal | 3 | |
|----------|---------------------------------------|--|-----|--|
| | 1.1 | nitial Situation | . 3 | |
| | | .1.1 Application Domain | . 5 | |
| | | .1.2 Glossary | . 5 | |
| | | .1.3 Model of the Application Domain | . 5 | |
| | | .1.4 Overview of the Business Processes | . 6 | |
| | | .1.5 Description of the Business Processes | . 6 | |
| | 1.2 | Goal Definition | . 6 | |
| 2 | Fun | cional Requirements | 7 | |
| | 2.1 | Jse-Case Diagrams | . 7 | |
| | 2.2 | Jse Case Store Recipe | . 7 | |
| | | 2.2.1 Characteristic Information | . 7 | |
| | 2.3 | Jse Case Create Group | . 8 | |
| | | 2.3.1 Characteristic Information | . 8 | |
| | 2.4 | Jse Case Create Shoppinglist | . 8 | |
| | | 2.4.1 Characteristic Information | . 9 | |
| | | 2.4.2 GUI to call the use case | . 9 | |
| | | 2.4.3 Scenario for the standard use | . 9 | |
| | | 2.4.4 GUIs for the standard use | . 9 | |
| | | 2.4.5 Scenarios for non-standard uses | . 9 | |
| | | 2.4.6 GUIs for the non-standard uses | . 9 | |
| | | 2.4.7 Workflow | . 9 | |
| | | 2.4.8 Open Points | . 9 | |
| 3 | Nor | functional Requirements | 10 | |
| 4 | Quantity Structure 1 | | | |
| 5 | System Architecture and Interfaces 12 | | | |
| 6 | Acc | otance Criteria | 13 | |
| 7 | 7 Acceptance Criteria 1 | | | |
| 8 | Ref | ences | 15 | |
| 9 | List | of Figures | 16 | |

1 Initial Situation and Goal

1.1 Initial Situation

Members of a typical household must go shopping for groceries at least once a week. A lot of households use grocery lists to organise that process. Problems that could occur are that the grocery list gets lost or if the list is in use nobody else can add shopping items to the list. It also could happen that multiple lists get written because of miscommunication between the members of a household.


Furthermore things get more complex when the combination of recipe books and grocery lists is considered. The items found in different recipe books have to be manually transferred to the shopping list.

These processes could be simplified by using a grocery list app.


1.1.1 Application Domain

1.1.2 Glossary

1.1.3 Model of the Application Domain



1.1.4 Overview of the Business Processes



1.1.5 Description of the Business Processes


| Triggering Event | |
|------------------|--|
| Result | |
| Contributors | |

1.2 Goal Definition

2 Functional Requirements

2.1 Use-Case Diagrams


2.2 Use Case Store Recipe



2.2.1 Characteristic Information

| Goal | Creates a recipe that is added to the users recipelist |
|------------------|--|
| Precondition | none |
| Postcondition | New recipe in the recipelist |
| Involved User | The user who wants to create a recipe |
| Triggering Event | Event is triggert by the user |


2.3 Use Case Create Group



2.3.1 Characteristic Information

| Goal | |
|------------------|--|
| Precondition | |
| Postcondition | |
| Involved User | |
| Triggering Event | |

2.4 Use Case Create Shoppinglist



2.4.1 Characteristic Information

| Goal | |
|------------------|--|
| Precondition | |
| Postcondition | |
| Involved User | |
| Triggering Event | |

2.4.2 GUI to call the use case

| Input field | Valid inputs |
|-------------|--------------|
| | |

2.4.3 Scenario for the standard use

| Step | User | Activity |
|------|------|----------|
| | | |

2.4.4 GUIs for the standard use

| Input field | Valid inputs |
|-------------|--------------|
| | |

2.4.5 Scenarios for non-standard uses

| Step | User | Activity |
|------|------|----------|
| | | |

2.4.6 GUIs for the non-standard uses

| Input field | Valid inputs |
|-------------|--------------|
| | |

2.4.7 Workflow

2.4.8 Open Points

3 Non-functional Requirements

4 Quantity Structure

5 System Architecture and Interfaces

6 Acceptance Criteria

7 Acceptance Criteria

8 References

9 List of Figures