

Stegamography for everyone!

Learn to hide password-protected data in JPEG image files!

Share info with your friends!





presented with PRACTICE

You should be able to communicate securely when you want to. Steganography is worth knowing about.

If you don't want other people to read your messages, you can use **cryptography** to scramble your message so that no one else can read it. If someone's looking over your shoulder, however, they'll be able to see that you're sending/receiving messages that look scrambled.

If you don't want your adversary to see your scrambled message and get wise to what you're doing, you can use **steganography** to conceal your secret message in something innocuous, like a photo of a sunset.

Here are some ways you could use steganography:

- Exchange off-the-record messages via ordinary email, hidden in vacation photos.
- Run a photo blog with the location of a secret rave embedded in every image, readable by folks with the password.
- Store something personal (like a private encryption key or your diary) in a photo of your cate.
- Create an elaborate alternate reality game with a series of riddles hidden in photos scattered across the web, taking players on a twisty path that leads to your Bandcamp page.

We're approaching this project with a spirit of old-school hacker curiosity. We like trying things out and seeing what's possible. But we're super ethical, super antifascist, and we don't have time for libertarian nonsense. If you're trying to do something creepy/right-wing with the knowledge in this zine, please fuck off and leave us alone. We don't want anything to do with you.

Now that the pleasantries are out of the way, let's get started!

Overview

In this workshop you'll use the command-line program **steghide** to hide secret, encrypted messages inside JPEG image files.

If you're using Linux, you should be able to install steghide with your package manager. Installing steghide on macOS & Windows is trickier, so we recommend running it via Docker.

You can find this zine on our website at the following URL: https://iffybooks.net/steganography

Source code and example files are on GitHub: https://github.com/iffybooks/steganography-for-everyone

How do you hide data in a photo?

Most digital photos you'll come across use RGB color, which means each pixel is made up of three values: a number for the degree of redness, a number for green, and a number for blue.

In the language of math & computer science, a **bit** is the smallest possible piece of information, equivalent to the choice between 0 and 1.

To hide a single bit of information in a pixel, we can simply overwrite the least significant bit in one of the color values. Let's say the pixel's red value is 224, which translates to 11100000 in binary. To store the bit 1 in the pixel, we'd change the value to 11100001. To store the bit 0, we'd leave it as-is. Encoding messages in a photo this way is equivalent to adding noise to the image.

The program steghide does something like the steps described above, as well as a lot more sophisticated math to cover its tracks.

Take a photo

You'll start by creating two files: a JPEG image and a smaller file you'll conceal inside it.

For the JPEG file, you'll want to use an image that isn't available elsewhere on the web. Here's why:

Let's say you grab a photo from a stock photo site, hide your secret message in it, and post the updated image file on your blog. If an adversary suspects you're using steganography, they can do a reverse image search and find the original file. If the images look similar but the JPEG on your site is slightly larger, that's a clue you may be using steganography.

☐ Take a photo using your phone or a digital camera.

Transfer the photo to your computer

🗕 Go to your desktop	and create a r	new directory called	data
----------------------	----------------	----------------------	------

- ☐ Transfer your new photo to your computer and put it in the data directory you just created.
- → You can transfer the file using cloud storage, but then you've made a copy of the original file that can hypothetically be compared to the version with a hidden message. Best to avoid cloud storage if possible, at least for this workshop.
- → If you're using iOS and macOS, transferring the file via AirDrop is a good option.
- → For both iOS and Android, you can get an adapter that lets you connect a USB thumb drive or microSD card to your phone. It's a handy trick for transferring files to a computer without using the internet.




Install ImageMagick (optional)

If the filename of the photo you just transferred to your computer ends with ".jpg" or ".jpeg", you can skip this step and the next one. If you're using a digital camera or Android phone, this probably includes you.

If you're using an iPhone your photo will be in HEIC format (High Efficiency Image File Format), which you'll need to convert to JPEG.

Debian-based Linux (Ubuntu etc.)



mac_{OS}

☐ Open the Terminal application. You	ou can search for it using
Spotlight or find it in this directory:	/Applications/Utilities/

☐ Go to the following URL and follow the instructions to install the Homebrew package manager. You'll need to copy a line of code, paste it into your terminal, and press enter. https://brew.sh

Warning: If you haven't used the command line much before, at this point you'll be prompted to install a bundle of tools and libraries from Apple that will take a long time to download (possibly 20 minutes or more). If you're at an in-person workshop, you may want to skip this step and finish at home.

□ Once Homebrew in installed, run the following command to install ImageMagick:		
brew install imagemagick		
Windows		
☐ Go to the URL below and follow the instructions to install the Chocolatey package manager: https://chocolatey.org/install		
☐ Open PowerShell. → Or, for a more Linux-like shell experience, install and launch Git Bash: https://git-scm.com/downloads		
☐ Run the following command to install ImageMagick.		
choco install imagemagick		
Convert your photo to JPEG with		
ImageMagick (optional)		
ImageMagick (optional) ☐ Open a terminal window and run the following command to cd (change directory) to the data directory on the desktop.		
☐ Open a terminal window and run the following command to		
☐ Open a terminal window and run the following command to cd (change directory) to the data directory on the desktop.		

ls

☐ Type out a command like the one below, swapping in the filename of your HEIC file. The second filename is the output filename, which can be anything as long as it ends with .jpg. Press enter to run the command.

```
convert IMG_5042.HEIC IMG_5042.jpg
```

- In your file explorer/Finder, go to the desktop and open the data directory. You should see the JPEG file you just created.
- ☐ To resize your photo to the size you want, you can add the resize option followed by the percentage you want, as in the command below:

```
convert -resize 50% IMG_5042.HEIC IMG_5042.jpg
```

→ If you have trouble installing ImageMagick, or if you prefer using a program with a GUI, another option is to install GIMP (Gnu Image Manipulation Program) and use it to convert HEIC files to JPEGs. You can download it here: https://www.gimp.org

Create your secret message

Next you'll create/choose your secret message file. You can embed any kind of file you want, as long as it's smaller (<10%-ish) than the JPEG you're hiding it in.

☐ Open a plaintext editor (such as Sublime Text) and write a secret message. Save it to the data directory on your desktop,

with a filename like secret.txt.

→ Alternately, find a small image or text file on the web and save it to your data directory.

Generate a strong passphrase


It's *very* important to use a strong passphrase that you haven't shared or used elsewhere.

One way to defeat password protection is to use a **brute force** attack, which involves guessing billions of possible passwords until one works. Brute force attacks aren't practical for online services like email, because the service provider will limit the number of guesses per second and shut off access after a certain number of attempts.


Password-protected files are different, because there's no service provider in the loop to limit the number of guesses allowed. If someone has a lot of computing power, they can try millions of guesses per second until they land on the right combination.

One option is to use a totally random password like 008&fLahAAv57L?bUjRt, which you can generate and store using a password manager.

If you need a passphrase you can remember, a good strategy is to use four ordinary words selected at random. This XKCD comic explains, in condensed form, why this approach is sound:









DIFFICULTY TO GUESS:

DIFFICULTY TO REMEMBER: HARD







THROUGH 20 YEARS OF EFFORT, WE'VE SUCCESSFULLY TRAINED EVERYONE TO USE PASSWORDS THAT ARE HARD FOR HUMANS TO REMEMBER, BUT EASY FOR COMPUTERS TO GUESS.

To generate a passphrase in this style, you'll need to choose words at random from a list. One way to do it is to use a **diceware list**, which maps sequences of dice rolls to words. Rolling dice is reliably random and not easily surveilled.

You can find a diceware list at the following URL: https://www.eff.org/dice

Or download a printable PDF from our website: https://iffybooks.net/Diceware_List.pdf

☐ To select a word from the diceware list, roll a 6-sided die five times and write down the outcomes (or roll 5 dice simultaneously). You'll end up with a sequence of numbers like 14636.

☐ In the diceware list, find the wo	ord that corresponds to the			
numbers you rolled. If you look u	p 14636 you'll find the word			
caravan.				
☐ Repeat the process and select three more words. Your final				
passphrase will look something	ike this:			
CaravanYenGraphFailing				

Steghide instructions for Linux

Install Steghide (Linux)

☐ Open a terminal window and run the commands below to update the apt package manager and install steghide:

sudo apt update
sudo apt install steghide

Embed data in a JPEG file (Linux)

☐ First, cd to the data directory on your desktop. (You can skip this step if you're already there.) cd ~/Desktop/data ☐ Type out the following command, replacing secret.txt with the name of your secret file and photo.jpg with the name of your JPEG file. In the example below, the output file will be called stego_file.jpg. steghide embed -ef secret.txt -cf photo.jpg -sf stego file.jpg ☐ At the prompt, enter the passphrase you generated earlier. ☐ In the file explorer/Finder, go to the data directory on the desktop. You should see a new JPEG file (stego file.jpg in the example) which contains your encrypted message. Compare the size of the altered file to the original JPEG. ☐ Open both JPEG files with an image viewer application and compare them. Do you see a difference? (Hint: You can probably see a difference.)

Extract secret data from a JPEG file (Linux)

☐ To extract the secret file from a JPEG file, run a command like the one below. You'll replace stego_file.jpg with the name of your altered JPEG file.

```
steghide extract -sf stego_file.jpg
```

Enter the passphrase at the prompt and your secret file will be written to the current directory.

Steghide instructions for macOS + Windows

Download and install Docker

☐ Go to the following URL and follow the instructions to install Docker Desktop: https://docs.docker.com/engine/install/

Download the project code

https://github.com/iffybooks/steganography-for-everyone
☐ To download the code, click Code and select Download ZIP from the dropdown menu.

☐ Find the ZIP file you just downloaded, steganography-for-everyone-main.zip. Double click the file to unzip it, which should create a directory called steganography-for-everyone-main.

Build the Docker image

In the directory steganography—for—everyone—main , there's another directory called steghide—docker . This contains a file called Dockerfile , which contains code that tells Docker what components to download.

 \Box To build the Docker image you'll use to run steghide , you'll need to cd into the directory steghide-docker .

Open a terminal window and type cd followed by a space.

Next, in your file explorer/Finder, find the steghide-docker directory and drag it onto the terminal window. You'll end up with a command like the one below, with the directory's full pathname. Press enter to run the command.

```
cd /Users/iffybooks/Downloads/steganography-for-
everyone/steghide-docker
```

□ Next, type out the command below and run it to build your docker image. The -t option specifies that the image will be called steghide-docker. The period (.) at the end means Docker should look for a Dockerfile in the current directory.

```
docker build -t steghide-docker .
```

Docker will take a few minutes to download the necessary components and build the image.

If you're curious, here's what the Dockerfile we're using looks like. It's short and to the point:

```
FROM debian
RUN apt-get update \
    && apt-get install -y steghide \
    && rm -rf /var/lib/apt/lists/*
WORKDIR /data
```

Embed data in a JPEG file (Docker)

☐ Run the command below to cd to the desktop. cd ~/Desktop ☐ Type (or copy and paste) the Docker command below into your terminal window and press enter. In the example, we have a directory called data on the desktop which contains a JPEG called photo.jpg and a secret message called secret.txt. The output file will be called stego_file.jpg. docker run -it --rm -v \$(pwd)/data:/data steghide-docker steghide embed -f -ef /data/secret.txt -cf /data/photo.jpg -sf /data/stego file.jpg ☐ At the prompt, enter the passphrase you generated earlier. ☐ In the file explorer/Finder, go to the data directory on the desktop. You should see a new JPEG file (stego file.jpg in the example) which contains your encrypted message. Compare the size of the altered file to the original JPEG. ☐ Open both JPEG files with an image viewer application and compare them. Do you see a difference? (Hint: You can probably see a difference.) **Extract data from a JPEG file (Docker)** ☐ Run the command below to cd to the desktop. cd ~/Desktop

☐ To extract the secret file from a JPEG file, run a command like the one below. You'll replace stego_file.jpg with the name of your altered JPEG file.

```
docker run -it --rm -v (pwd)/data:/data steghide-docker steghide extract -sf /data/stego_file.jpg
```

Enter the passphrase at the prompt and your secret file will be written to the data directory on your desktop.

Remove image metadata with exiftool

For good measure, you may want to remove all the metadata from your altered JPEG file before sharing it. To do this, you can use the program exifteel.

- ☐ You can install exiftool it with apt on Ubuntu, with brew on macOS, and with choco on Windows.
- ☐ To remove metadata from an image, first cd to the directory where it's located.

```
cd ~/Desktop/data/
```

☐ Run the command below to remove metadata, substituting your filename for stego_file.jpg

```
exiftool -all= stego_file.jpg
```

This technique removes most of the obvious metadata from an image file, such as unique identifier strings and GPS

Caveats

- Social media sites like Instagram and Facebook will recompress every image you upload, which will most likely destroy your hidden message. Just a heads-up.
- It's possible your hidden message will be able to be detected in the future if someone finds a flaw in the way steghide works.
- Writing down your password is a liability. Be thoughtful about it.
- Be careful who you share passwords with.
- Depending on your situation, having steghide installed on your computer may look suspicious. Uninstalling things when you're done is an option.

Further reading

- Steghide official quick start page: https://steghide.sourceforge.net/documentation.php
- Steghide man page (manual): https://steghide.sourceforge.net/documentation/manpage. php
- Steganography Toolkit (a Docker image with various steganography tools preinstalled) https://github.com/DominicBreuker/stego-toolkit

Run this command to download the image: docker pull dominicbreuker/stego-toolkit

 'Digital image steganography: Survey and analysis of current methods' (Cheddad, Condell, Curran, and McKevitt 2010) https://www.sciencedirect.com/science/article/abs/pii/S016 5168409003648



Anti-copyright 2023

iffybooks.net/steganography

Iffy Books

319 N. 11th St. #2I, PHL