

## **UNIT 3.1 GRADED ASSIGNMENT**

### **Group members**

Ifra Saleem (2303.khi.deg.003)

Umaina Siddiqui (2023.KHI.DEG.033)

## UNIT 3.1 GRADED ASSIGNMENT

### Task:

Implement a label encoder for categorical data using pure Python, Pandas and NumPy.

### Solution:

#### 1) Label Encoding on breast cancer dataset, on a single column (diagnosis):

```
[11]: import pandas as pd
df = pd.read_csv('data.csv')
df
```

```
[11]:
```

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	...	texture_worst	perimeter_worst	area_worst	smoothness_worst
0	842302	M	17.99	10.38	122.80	1001.0	0.11840	0.27760	0.30010	0.14710	...	17.33	184.60	2019.0	0.16013
1	842517	M	20.57	17.77	132.90	1326.0	0.08474	0.07864	0.08690	0.07017	...	23.41	158.80	1956.0	0.17536
2	84300903	M	19.69	21.25	130.00	1203.0	0.10960	0.15990	0.19740	0.12790	...	25.53	152.50	1709.0	0.17351
3	84348301	M	11.42	20.38	77.58	386.1	0.14250	0.28390	0.24140	0.10520	...	26.50	98.87	567.7	0.17756
4	84358402	M	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.19800	0.10430	...	16.67	152.20	1575.0	0.16896
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
564	926424	M	21.56	22.39	142.00	1479.0	0.11100	0.11590	0.24390	0.13890	...	26.40	166.10	2027.0	0.17091
565	926682	M	20.13	28.25	131.20	1261.0	0.09780	0.10340	0.14400	0.09791	...	38.25	155.00	1731.0	0.16341
566	926954	M	16.60	28.08	108.30	858.1	0.08455	0.10230	0.09251	0.05302	...	34.12	126.70	1124.0	0.17536
567	927241	M	20.60	29.33	140.10	1265.0	0.11780	0.27700	0.35140	0.15200	...	39.42	184.60	1821.0	0.16013
568	92751	B	7.76	24.54	47.92	181.0	0.05263	0.04362	0.00000	0.00000	...	30.37	59.16	268.6	0.17091

569 rows x 33 columns

```
[2]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 569 entries, 0 to 568
Data columns (total 33 columns):
#   Column                               Non-Null Count  Dtype
---  -
0   id                                    569 non-null    int64
1   diagnosis                            569 non-null    object
2   radius_mean                         569 non-null    float64
3   texture_mean                        569 non-null    float64
4   perimeter_mean                      569 non-null    float64
5   area_mean                           569 non-null    float64
6   smoothness_mean                     569 non-null    float64
7   compactness_mean                    569 non-null    float64
8   concavity_mean                      569 non-null    float64
9   concave points_mean                 569 non-null    float64
10  symmetry_mean                       569 non-null    float64
11  fractal dimension_mean              569 non-null    float64
12  radius_se                           569 non-null    float64
13  texture_se                           569 non-null    float64
14  perimeter_se                        569 non-null    float64
15  area_se                             569 non-null    float64
16  smoothness_se                       569 non-null    float64
17  compactness_se                      569 non-null    float64
18  concavity_se                        569 non-null    float64
19  concave points_se                   569 non-null    float64
20  symmetry_se                         569 non-null    float64
21  fractal dimension_se                569 non-null    float64
22  radius_worst                        569 non-null    float64
23  texture_worst                       569 non-null    float64
24  perimeter_worst                     569 non-null    float64
25  area_worst                          569 non-null    float64
26  smoothness_worst                    569 non-null    float64
27  compactness_worst                   569 non-null    float64
28  concavity_worst                     569 non-null    float64
29  concave points_worst                569 non-null    float64
30  symmetry_worst                      569 non-null    float64
31  fractal dimension_worst              569 non-null    float64
32  Unnamed: 32                          0 non-null      float64
dtypes: float64(31), int64(1), object(1)
memory usage: 146.8+ KB
```

Output:

```
[20]: df['diagnosis'] = df['diagnosis'].astype('category')
df['Diagnosis_Encoding'] = df['diagnosis'].cat.codes
encoded_df = df[['diagnosis', 'Diagnosis_Encoding']]
encoded_df
```

```
[20]:
```

	diagnosis	Diagnosis_Encoding
0	M	1
1	M	1
2	M	1
3	M	1
4	M	1
...	...	...
564	M	1
565	M	1
566	M	1
567	M	1
568	B	0

569 rows x 2 columns

2) Label Encoding on athlete\_events dataset, on multiple columns using a label\_encoder function:

Label Encoding.ipynb

```
[3]: import pandas as pd
dataset = pd.read_csv('athlete_events.csv')
dataset
```

	ID	Name	Sex	Age	Height	Weight	Team	NOC	Games	Year	Season	City	Sport	Event	Medal
0	1	A Dijing	M	24.0	180.0	80.0	China	CHN	1992 Summer	1992	Summer	Barcelona	Basketball	Basketball Men's Basketball	NaN
1	2	A Lamusi	M	23.0	170.0	60.0	China	CHN	2012 Summer	2012	Summer	London	Judo	Judo Men's Extra-Lightweight	NaN
2	3	Gunnar Nielsen Aaby	M	24.0	NaN	NaN	Denmark	DEN	1920 Summer	1920	Summer	Antwerpen	Football	Football Men's Football	NaN
3	4	Edgar Lindénau Aabye	M	34.0	NaN	NaN	Denmark/Sweden	DEN	1900 Summer	1900	Summer	Paris	Tug-Of-War	Tug-Of-War Men's Tug-Of-War	Gold
4	5	Christine Jacobsen Aaftink	F	21.0	185.0	82.0	Netherlands	NED	1988 Winter	1988	Winter	Calgary	Speed Skating	Speed Skating Women's 500 metres	NaN
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
271111	135569	Andrzej ya	M	29.0	179.0	89.0	Poland-1	POL	1976 Winter	1976	Winter	Innsbruck	Luge	Luge Mixed (Men)'s Doubles	NaN
271112	135570	Piotr ya	M	27.0	176.0	59.0	Poland	POL	2014 Winter	2014	Winter	Sochi	Ski Jumping	Ski Jumping Men's Large Hill, Individual	NaN

Label Encoding.ipynb

```
[13]: dataset.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 271116 entries, 0 to 271115
Data columns (total 15 columns):
#   Column  Non-Null Count  Dtype
---  ---      -
0    ID      271116 non-null    int64
1    Name    271116 non-null    object
2    Sex      271116 non-null    object
3    Age      261642 non-null    float64
4    Height   210945 non-null    float64
5    Weight   208241 non-null    float64
6    Team     271116 non-null    object
7    NOC      271116 non-null    object
8    Games    271116 non-null    object
9    Year     271116 non-null    int64
10   Season   271116 non-null    object
11   City     271116 non-null    object
12   Sport    271116 non-null    object
13   Event    271116 non-null    object
14   Medal     39783 non-null     object
dtypes: float64(3), int64(2), object(10)
memory usage: 31.0+ MB
```

## Label\_encoder function:

This function takes a dataframe as parameter and it will first locate all the columns with the object data type in that dataframe and then it will convert each column with object data type into categorical data type using `astype()` method. After that it will perform label encoding on the columns with categorical data type.

```
[22]: import pandas as pd
def label_encoding(df):

    object_dtype_columns = df.loc[:, df.dtypes == 'object'].columns
    for columns in object_dtype_columns:
        df[columns] = df[columns].astype('category').cat.codes
    return df

data = pd.read_csv('athlete_events.csv')
encoded_data = label_encoding(data)
encoded_data
```

## Output:

```
[22]:
```

	ID	Name	Sex	Age	Height	Weight	Team	NOC	Games	Year	Season	City	Sport	Event	Medal
0	1	7	1	24.0	180.0	80.0	198	41	37	1992	0	5	8	159	-1
1	2	8	1	23.0	170.0	60.0	198	41	48	2012	0	17	32	397	-1
2	3	44094	1	24.0	NaN	NaN	273	55	6	1920	0	2	24	348	-1
3	4	29258	1	34.0	NaN	NaN	278	55	1	1900	0	26	61	709	1
4	5	21425	0	21.0	185.0	82.0	704	145	36	1988	1	8	53	622	-1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
271111	135569	8630	1	29.0	179.0	89.0	810	162	30	1976	1	14	34	414	-1
271112	135570	102024	1	27.0	176.0	59.0	809	162	49	2014	1	34	50	594	-1
271113	135570	102024	1	27.0	176.0	59.0	809	162	49	2014	1	34	50	595	-1
271114	135571	121891	1	30.0	185.0	96.0	809	162	41	1998	1	24	12	177	-1
271115	135571	121891	1	34.0	185.0	96.0	809	162	43	2002	1	29	12	177	-1

271116 rows x 15 columns

```
[23]: encoded_data.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 271116 entries, 0 to 271115
Data columns (total 15 columns):
#   Column      Non-Null Count  Dtype
---  -
0   ID           271116 non-null  int64
1   Name         271116 non-null  int32
2   Sex          271116 non-null  int8
3   Age          261642 non-null  float64
4   Height       210945 non-null  float64
5   Weight       208241 non-null  float64
6   Team         271116 non-null  int16
7   NOC          271116 non-null  int16
8   Games        271116 non-null  int8
9   Year         271116 non-null  int64
10  Season       271116 non-null  int8
11  City         271116 non-null  int8
12  Sport        271116 non-null  int8
13  Event        271116 non-null  int16
14  Medal        271116 non-null  int8
dtypes: float64(3), int16(3), int32(1), int64(2), int8(6)
memory usage: 14.5 MB
```