Notification Number: 1993/260/UK

# MPT 1344 JULY 1993 TRANSMITTERS AND RECEIVERS FOR USE IN SHORT RANGE SECURITY ALARMS AND IN-BUILDING SECURITY SYSTEMS OPERATING AT A FREQUENCY OF 173.225 MHZ.

Date received : 08/09/1993 End of Standstill : 22/12/1993 Issue of comments by : France

# Message

MINISTERE DE L'INDUSTRIE ET DE LA RECHERCHE ATT. M. MORTUREUX

INSTITUT BELGE DE NORMALISATION, ATT. M. CROON

INSPECTION DU TRAVAIL ET DES MINES VIA MINISTERE DES AFFAIRES ETRANGERES ATT. M. A. SCHUSTER

MINISTERE DE L'INDUSTRIE ATT. M. CAVANNA

DEPT. OF TRADE AND INDUSTRY, QUALITY AND EDUCATION DIVISION, ATT. MR. E. ALLEN

GOVERNMENT SERVICE OF INDUSTRY AND COMMERCE, NSAI ATT. MR. J. NULTY

MINISTERIE VAN ECONOMISCHE ZAKEN, (DG BEB), ATT. MR. B. SIEBRING

INDUSTRI- OG HANDELSSTYRELSEN ATT. MR. KELD DYBKJAER

MINISTRY OF INDUSTRY, ENERGY & TECHNOLOGY ATT. MR. Z.P. MAVROUKAS

HELLINIKOS ORG. TYPOPISEOS ATT. MR. MELAGRAKIS

MIN WIRTSCHAFT



ATT. DR. WINKEL

MIN PARA RELACIONES CON LA COMUNIDA ATT MR. D. ALFREDO RAMBLA JOVANI

MIN INDUSTRIA ATT MR. ADALBERTO PEREA MARTIN, ESPAGNE

DIRECCIO GERAL QUALIDAD ATT MR. CANDIDO DOS SANTOS, PORTUGAL

DGS INTERNATIONAL BELGIUM

REP PERMANENTE ROYAUME UNI

REP PERMANENTE IRLANDE

REP PERMANENTE GRECE

ICC: PLEASE FORWARD THIS MESSAGE TO ICC MAILBOX EFTBT

TELEX 001

COMMUNICATION FROM THE COMMISSION - SG (93) D/51498 DIRECTIVES 83/189/EEC AND 88/182/EEC

NOTIFIKATION - NOTIFIZIERUNG - NOTIFICATION - NOTIFICACION NOTIFICATION - NOTIFICA - KENNISGEVING - NOTIFICACAO 93/0260/UK

FRISTERNE INDLEDES IKKE -KEIN FRISTBEGINN - DOES NOT OPEN THE DELAYS - NO ABRE EL PLAZO - N'OUVRE PAS DE DELAIS - NON FA DECORRERE LA MORA - GEEN TERMIJNBEGIN - NAO INICIA O PRAZO

- 3B1: 9301520.EN

#### 1. Structured Information Line

TLX 001 IND- 93 0260 UK- EN ----- 930908 --- ---

# 2. Member State

**UNITED KINGDOM** 

## 3. Department Responsible

DEPARTMENT OF TRADE AND INDUSTRY: STANDARDS POLICY UNIT

# 3. Originating Department

RADIOCOMMUNICATIONS AGENCY

# 4. Notification Number

93/0260/UK

5. Title

MPT 1344 JULY 1993

TRANSMITTERS AND RECEIVERS FOR USE IN SHORT RANGE SECURITY ALARMS AND IN-BUILDING SECURITY SYSTEMS OPERATING AT A FREQUENCY OF 173.225 MHZ.

#### 6. Products Concerned

LOW POWER SHORT RANGE SECURITY ALARMS UTILISING 12.5 KHZ OR 25 KHZ CHANNEL BANDWIDTH AND OPERATING AT A FREQUENCY OF 173.225 MHZ.

#### 7. Notification Under Another Act

-

# 8. Main Content

a. This SPECIFICATION COVERS THE MINIMUM PERFORMANCE REQUIREMENTS FOR LOW POWER SHORT RANGE SECURITY ALARMS UTILISING 12.5 KHZ OR 25 KHZ CHANNEL BANDWIDTH AND OPERATING AT A FREQUENCY OF 173.225 MHZ.

RECOGNITION OF EQUIVALENT STANDARDS HAS BEEN PROVIDED FOR.

B. THE UNITED KINGDOM WOULD LIKE TO BE INFORMED BY OTHER MEMBER STATES OF THEIR OWN STANDARDS OFFERING A EQUIVALENT LEVEL OF SAFETY AND SECURITY.

#### 9. Brief Statement of Grounds

THE GROUNDS FOR MAKING THESE REGULATIONS IS TO MINIMISE INTERFERENCE TO THE USERS OF THE SYSTEM AND TO OTHER DEVICES USING THIS BAND.

## 10. Reference Documents - Basic Texts

MPT 1344 AUGUST 1993 MPT 1344 DECEMBER 1986

# 11. Invocation of the Emergency Procedure

NO

#### 12. Grounds for the Emergency

\_

D. WILLIAMSON COMEUR nnnn