



Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal


Diarrheal diseases incidence rate Males 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | ^{/e}je_{UOOU}^//_{//eo} - Syyour 12 to 23 months 1 19te 1000 Jel





Diarrheal diseases cause specific mortality rate Females Artifact data 0.06 Simulation baseline 0.05 0.04 -0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months.


Diarrheal diseases cause specific mortality rate Males



Diarrheal diseases excess mortality rate **Females** 3.0 Artifact data Simulation baseline 2.5 2.0 1.5 1.0 0.5 0.0 | /e_{teuou}^,/_{/eo} late neonatal | 1 SHUOU Tro 2<60<5-300Mbs 1

Diarrheal diseases excess mortality rate Males Artifact data Simulation baseline 3 2 1 0 | /e_{4e}u₀₀u_/_{//eo} 1.5 months 6.11 months 2<60<5-300Mbs 1

Lower respiratory infections prevalence **F**emales 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months 1 1 Pelugurines 1 SHUOU Trg late neonatal 1.5 months



Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 (911) 1800 1800 1 1.5 months late neonatal

Lower respiratory infections incidence rate Males Artifact data Simulation baseline 12 to 23 months 1 l letenoon Thes 19te 1000 Jel 1.5 months

0.12

0.11

0.10

0.09

0.08

0.07

0.06


Lower respiratory infections remission rate **Females** 50 Artifact data Simulation baseline 45 40 35 30 12 to 23 months 1

Lower respiratory infections remission rate Males 50 -45 40 35 30 25 Artifact data 20 Simulation baseline 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 (30) (180) (180) 1.5 months

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males



Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal 1 Peperoou Tues 1.5 months + 6.11 months > 40 × ·

Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 Simulation baseline 0.0008 0.0006 0.0004 0.0002 0.0000 25,000 - 100 late neonatel 1 Peperoou Tues C.11 months >,to

Protein energy malnutrition excess mortality rate Females



Protein energy malnutrition excess mortality rate Males Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | I lesenous les 6.11 months 1.5 months 1

