




Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour Tro 12 to 23 months 1 late neonatal



Diarrheal diseases remission rate **Females** Artifact data 75 Simulation baseline 70 65 60 55 50 45 1 /etelusur //ues 1.5 months. 1 SHUOU Tro 12 to 23 months 1 late neonatal I






Diarrheal diseases cause specific mortality rate Males Artifact data 0.020 Simulation baseline 0.015 0.010 0.005 0.000 22 to 23 months | eary neonatal E.11 months

Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data Simulation baseline 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{teuoou}^//_{eo} 6-11 months 12 to 23 months 1 late neonatal

Diarrheal diseases excess mortality rate Males Artifact data Simulation baseline 8.0 0.6 0.4 0.2 0.0 | /e_{JeUOU}\/_{JUES} late neonatal | 1 Synow Irg 2<60<5-300Mbs 1

Lower respiratory infections prevalence **F**emales 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months 1 1 Pelugurines 1 SHUOU Tr9 late neonatal 1.5 months



Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 (911) 1800 1800 1 1.5 months 19te 1000 Jej

Lower respiratory infections incidence rate Males Artifact data Simulation baseline 12 to 23 months 1 eany neonatal 19te 1000 Jel 1.5 months

0.12

0.11

0.10

0.09

0.08

0.07

0.06


Lower respiratory infections remission rate **Females** 50.0 Artifact data Simulation baseline 47.5 · 45.0 42.5 40.0 37.5 35.0 32.5 30.0 12 to 23 months 1 1 /ejeloou Tues 1.5 months 1 19te 1000 Jej

Lower respiratory infections remission rate Males 50 -45 40 35 30 25 Artifact data Simulation baseline 20 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males



Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I 1 Peperoou Tues 6.11 months 1.5 months >,to

Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 Simulation baseline 0.0008 0.0006 0.0004 0.0002 0.0000 12 to 23 months 1 late neonatal I 1 Pepeloou Tues C.11 months >,to

Protein energy malnutrition excess mortality rate Females



Protein energy malnutrition excess mortality rate Males 0.008 Artifact data Simulation baseline 0.007 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | l lesteuoou Tues 1 SHUOW Trg 1.5 months 1

