




Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal








Diarrheal diseases cause specific mortality rate Females 0.0175 Artifact data Simulation baseline 0.0150 0.0125 0.0100 0.0075 0.0050 0.0025 0.0000 12 to 23 months 1 1 Popeloou Theo 6-11 months


Diarrheal diseases cause specific mortality rate Males Artifact data Simulation baseline



Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data Simulation baseline 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal


Diarrheal diseases excess mortality rate Males Artifact data Simulation baseline 0.8 0.6 0.4 0.2 0.0 | /e_{JeUOU}\/_{JUES} late neonatal | 1 Synow Irg 2<60<5-300Mbs 1

Lower respiratory infections prevalence **F**emales 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months 1 1 Pelugurines 1 SHUOU Tr9 late neonatal 1.5 months



Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 (911) 1800 1800 1 1.5 months 19te 1000 Jej

Lower respiratory infections incidence rate Males Artifact data Simulation baseline



0.12

0.11


Lower respiratory infections remission rate **Females** 50.0 -Artifact data Simulation baseline 47.5 · 45.0 42.5 40.0 37.5 35.0 32.5 30.0 I lejeuoou Tues 1.5 months 1 19te 1000 Jej

Lower respiratory infections remission rate Males 50 45 40 35 30 25 Artifact data Simulation baseline 20 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males




Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I I lestenoon free 1.5 months + 6.11 months > to .


Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 Simulation baseline 0.0008 0.0006 0.0004 0.0002 0.0000 25,000 - 100 letenoon jake 1 Peperoou Tues L SHUOW Tro >,to


Protein energy malnutrition excess mortality rate Females




Protein energy malnutrition excess mortality rate Males Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | I lesenous les 6.11 months









Measles cause specific mortality rate Females 0.00040 Artifact data Simulation baseline 0.00035 0.00030 0.00025 0.00020 0.00015 0.00010 0.00005 0.00000 1 161000 TURS 1.5 months 7 12 to 23 months 1 6-11 months

