



Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} 6-11 months 12 to 23 months 1 late neonatal

Diarrheal diseases incidence rate Males 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 I lejeuou Tues - Syyour 12 to 23 months 1 19te 1000 Jel

Diarrheal diseases remission rate **Females** Artifact data 75 Simulation baseline 70 65 60 55 50 45 1 /etelusur //ues 1.5 months. 1 SHUOU Trg 12 to 23 months 1 late neonatal I






Diarrheal diseases cause specific mortality rate Males Artifact data 0.020 Simulation baseline 0.015 0.010 0.005 0.000 22 to 23 months | I lesenous les E.11 months

Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data Simulation baseline 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{teuoou}^//_{eo} 12 to 23 months 1 late neonatal 1 SHUOULTES


Diarrheal diseases excess mortality rate Males Artifact data Simulation baseline 8.0 0.6 0.4 0.2 0.0 | /e_{teuoou}^//_{eo} late neonatal | 1 Synow Irg 2<60<5-300Mbs 1

Lower respiratory infections prevalence **F**emales 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months | 1 Pelugurines 1 SHUOU Tr9 late neonatal ! 1.5 months



Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 (911) 1800 1800 1 1.5 months 19te 1000 Je/

Lower respiratory infections incidence rate Males Artifact data




Lower respiratory infections remission rate **Females** 50.0 -Artifact data Simulation baseline 47.5 · 45.0 42.5 40.0 37.5 35.0 32.5 30.0 12 to 23 months 1 1 lejeuoou Tues 1.5 months 1 19te 1000 Jej

Lower respiratory infections remission rate Males 50 -45 40 35 30 25 Artifact data Simulation baseline 20 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males




Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 letenoon jtel 1 Peperoou Tues 1.5 months Struour Trg > to .


Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 Simulation baseline 0.0008 0.0006 0.0004 0.0002 0.0000 25,000 - 100 late neonatal I 1 Peperoou Tues C.11 months > to >


Protein energy malnutrition excess mortality rate Females




Protein energy malnutrition excess mortality rate Males 0.008 Artifact data Simulation baseline 0.007 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | l lesteuoou Tues 1 SHUOW Trg 1.5 months 1









Measles cause specific mortality rate **Females** Artifact data Simulation baseline 0.0004 0.0003 0.0002 0.0001 0.0000 22 to 23 months | I Pelugurian

