




Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal



Diarrheal diseases remission rate **Females** Artifact data 75 Simulation baseline 70 65 60 55 50 45 1 /etelusur //ues 1.5 months 1 1 SHUOU Tro 12 to 23 months 1 late neonatal I






Diarrheal diseases cause specific mortality rate Males Artifact data 0.020 Simulation baseline 0.015 0.010 0.005 0.000 22 to 23 months | eary neonatal C.11 months

Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data Simulation baseline 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal

Diarrheal diseases excess mortality rate Males Artifact data Simulation baseline 8.0 0.6 0.4 0.2 0.0 | /e_{JeUOU}\/_{JUES} late neonatal | 1 Synow Irg 2<60<5-300Mbs 1

Lower respiratory infections prevalence **F**emales 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months 1 1 Pelugurines 1 SHUOU Tr9 late neonatal 1.5 months



Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 (911) 1800 1800 1 1.5 months 1 late neonatal

Lower respiratory infections incidence rate Males 0.12 Artifact data Simulation baseline 0.11 0.10 0.09 0.08 0.07 0.06 12 to 23 months 1 l letenoon Thes 19te 1000 Jel 1.5 months


Lower respiratory infections remission rate **Females** 50.0 -Artifact data Simulation baseline 47.5 45.0 42.5 40.0 37.5 35.0 32.5 30.0 I lejeuoou Tues 1.5 months 1 19te 1000 Jej

Lower respiratory infections remission rate Males 50 45 40 35 30 25 Artifact data Simulation baseline 20 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males



Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal 1 Peperoou Tues 1.5 months + 6.11 months > to .

Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 Simulation baseline 0.0008 0.0006 0.0004 0.0002 0.0000 25,000 - 100 letenoon jake 1 Peperoou Tues C.11 months >,to

Protein energy malnutrition excess mortality rate Females



Protein energy malnutrition excess mortality rate Males Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | I lesenous les 6.11 months 1.5 months 1

