




Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal








Diarrheal diseases cause specific mortality rate Females 0.016 Artifact data Simulation baseline 0.014 0.012 0.010 0.008 0.006 0.004 0.002 0.000 25 to 23 months -1 16784081 Jues 1 SHUOW Trg late neonatal 1.5 months 1

Diarrheal diseases cause specific mortality rate Males 0.0200 Artifact data Simulation baseline 0.0175 0.0150 0.0125 0.0100 0.0075 0.0050 0.0025 0.0000 12 to 23 months 1 1 SHUOW Tro Lesteroon Tres 1946 1800 1891 1.5 months 1

Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data Simulation baseline 0.7 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{teuoou}^//_{eo} - Strowitz 12 to 23 months 1 late neonatal


Diarrheal diseases excess mortality rate Males Artifact data 0.8 Simulation baseline 0.6 0.4 0.2 0.0 | /e_{JeUOU}\/_{JUES} late neonatal | - Sthom It 9 2<60<5-300Mbs 1

Lower respiratory infections prevalence **Females** 0.0035 Artifact data Simulation baseline 0.0030 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months 1 1 Peluoun Nes 1 SHUOU Trg late neonatal 1.5 months



Lower respiratory infections incidence rate **Females** Artifact data 0.12 Simulation baseline 0.10 80.0 0.06 0.04 12 to 23 months 1 ean, neonatal 1.5 months.

Lower respiratory infections incidence rate Males Artifact data




Lower respiratory infections remission rate **Females** Artifact data 50 Simulation baseline 45 40 35 30 25 20 15 1 /etelusur //ues 1.5 months 6-11 months 12 to 23 months 1

Lower respiratory infections remission rate Males Artifact data 60 Simulation baseline 50 40 30 20 12 to 23 months 1


Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l letenoon Thes 1.5 months - SHUOUTES

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females



Lower respiratory infections excess mortality rate Males




Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I I lestenoon free 1.5 months + 6.11 months > to .

Protein energy malnutrition cause specific mortality rate Males 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.00040.0002 0.0000 12 to 23 months | late neonatal I 1 Pepeloou Tues 1.5 months Sthoon It's > to .

Protein energy malnutrition excess mortality rate Females Artifact data Simulation baselin

0.007



Protein energy malnutrition excess mortality rate Males

