


#### Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e<sub>teuoou</sub>^//<sub>eo</sub> - Syyour 12 to 23 months 1 late neonatal

#### Diarrheal diseases incidence rate Males 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 I lejeuou Tues 6-11 months 12 to 23 months 1 late neonatal

## Diarrheal diseases remission rate **Females** 105 Artifact data Simulation baseline 100 95 90 85 80 1.5 months

## Diarrheal diseases remission rate Males 105 Artifact data Simulation baseline 100 95 90 85 80 1.5 months




Diarrheal diseases cause specific mortality rate Males Artifact data 0.025 Simulation baseline 0.020 0.015 0.010 0.005 0.000 25 to 23 months -I resenson Thes 6.11 months late neonatal 1.5 months


#### Diarrheal diseases excess mortality rate **Females** 0.6 Artifact data Simulation baseline 0.5 0.4 0.3 0.2 0.1 0.0 I letenoou Theo late neonatal ! 6-11 months 12 to 23 months 1

### Diarrheal diseases excess mortality rate Males Artifact data 8.0 Simulation baseline 0.6 0.4 0.2 0.0 I letenoou Theo late neonatal | 1 Synow Irg 12 to 23 months 1

Lower respiratory infections prevalence **Females** 0.008 Artifact data Simulation baseline 0.007 0.006 0.005 0.004 0.003 0.002 0.001 0.000 12 to 23 months | 6.11 months eary, neonata, I 1.5 months. late neonatal


Lower respiratory infections prevalence Males Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 12 to 23 months | I resenson Thes 6-11 months late neonatal 1 1.5 months.





Lower respiratory infections remission rate **Females** Artifact data Simulation baseline 1.5 months


#### Lower respiratory infections remission rate Males




Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l letenoon Thes 1.5 months 1 SHUOU Trg

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males



Protein energy malnutrition cause specific mortality rate **Females** Artifact data Simulation baseline 0.005 0.004 0.003 0.002 0.001 0.000 I reserved 22 to 23 months | > 40 ×

Protein energy malnutrition cause specific mortality rate Males 0.007 Artifact data Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 I reserved 22 to 23 months 1 late neonatal > 40 /

# Protein energy malnutrition excess mortality rate Females Artifact data



Protein energy malnutrition excess mortality rate Males Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | 1 101000 Tues 1 SHUOW Trg 1.5 months 1

