




Diarrheal diseases prevalence Females 0.060 Artifact data 0.055 X-factor: 1.1 X-factor: 1.2 0.050 X-factor: 1.3 X-factor: 1.4 0.045 X-factor: 1.5 0.040 0.035 0.030 0.025 0.020 12 to 23 months | 1 101000 Tues 1.5 months 1 1 SHUOW Trg late neonatal !

















Diarrheal diseases cause specific mortality rate Males



Diarrheal diseases excess mortality rate **Females** 8.0 Artifact data X-factor: 1.1 0.7 X-factor: 1.2 X-factor: 1.3 0.6 X-factor: 1.4 0.5 X-factor: 1.5 0.4 0.3 0.2 0.1 0.0 I leteloou Theo late neonatal I 1.5 months 1 1 SHUOU Try 12 to 23 months 1


Diarrheal diseases excess mortality rate Males Artifact data 1.0 X-factor: 1.1 X-factor: 1.2 X-factor: 1.3 0.8 X-factor: 1.4 X-factor: 1.5 0.6 0.4 0.2 0.0 I lesteuoou Tues 12 to 23 months 1 late neonatal I 1.5 months 1 SHUOU Try






Lower respiratory infections incidence rate **Females** 0.13 Artifact data X-factor: 1.1 0.12 X-factor: 1.2 X-factor: 1.3 0.11 X-factor: 1.4 X-factor: 1.5 0.10 -0.09 0.08 0.07 ean, neonatal 1.5 months 1 19te 1000 Je/

Lower respiratory infections incidence rate Males



Lower respiratory infections remission rate **Females** 65 Artifact data X-factor: 1.1 60 X-factor: 1.2 X-factor: 1.3 55 X-factor: 1.4 X-factor: 1.5 50 45 40 35 30 25 I legellogy 12 to 23 months 1 1.5 months. 1 Synow Tro late neonatal I


Lower respiratory infections remission rate Males



Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 X-factor: 1.1 X-factor: 1.2 X-factor: 1.3 0.05 -X-factor: 1.4 X-factor: 1.5 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoau Tues 1.5 months 1 SHUOUTES


Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data X-factor: 1.1 0.07 X-factor: 1.2 0.06 -X-factor: 1.3 X-factor: 1.4 0.05 X-factor: 1.5 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 1 SHUOW Trg 1 Peperoou Tues 1.5 months

Lower respiratory infections excess mortality rate Females



Lower respiratory infections excess mortality rate
Males

Artifact dat
X-factor: 1





Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data X-factor: 1.1 0.0010 X-factor: 1.2 X-factor: 1.3 X-factor: 1.4 0.0008 X-factor: 1.5 0.0006 0.0004 0.0002 0.0000 25 to 5 months 1 late neonatal E-11 MONTES Cary neonatal 1.5 months


Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0010 X-factor: 1.1 X-factor: 1.2 X-factor: 1.3 0.0008 X-factor: 1.4 X-factor: 1.5 0.0006 0.0004 0.0002 0.0000 25 to 5 months 1 late neonatal 1 Peperoou Tues 6-11 months 1.5 months


Protein energy malnutrition excess mortality rate **Females** 0.007 Artifact data X-factor: 1.1 0.006 X-factor: 1.2 X-factor: 1.3 0.005 X-factor: 1.4 X-factor: 1.5 0.004 0.003 0.002 0.001 0.000 I lesenous les 12 to 23 months | 1.5 months. 6-11 months


Protein energy malnutrition excess mortality rate Males Artifact data 0.007 X-factor: 1.1 X-factor: 1.2 0.006 X-factor: 1.3 0.005 X-factor: 1.4 X-factor: 1.5 0.004 0.003 0.002 0.001 0.000 12 to 23 months | 1 101000 TURS late neonatal 1 1.5 months 1 6-11 months

















Measles excess mortality rate Males

