


Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 I respussion Tues 6-11 months 12 to 23 months 1 late neonatal

Diarrheal diseases incidence rate Males 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 1/e₁₆₀₀₀₁/1/e₀ - Syyour 12 to 23 months 1 late neonatal

Diarrheal diseases remission rate **Females** 105 Artifact data Simulation baseline 100 95 90 85 80 75 1.5 months

Diarrheal diseases remission rate Males 105 Artifact data Simulation baseline 100 95 90 85 80 75 1.5 months


Diarrheal diseases cause specific mortality rate Females 0.016 Artifact data Simulation baseline 0.014 0.012 0.010 0.008 0.006 0.004 0.002 0.000 25 to 23 months | I resenson Thes 1.5 months. 1 SHUOW Trg late neonatal



Diarrheal diseases excess mortality rate **Females** 0.5 Artifact data Simulation baseline 0.4 0.3 0.2 0.1 0.0 | ^{/eje}u₀₀u^{*}/_{//eo} late neonatal I 1 Synow Tro 2<60<3 months 1


Diarrheal diseases excess mortality rate Males Artifact data 0.6 Simulation baseline 0.5 0.4 0.3 0.2 0.1 0.0 I lejeuoou Tues 12 to 23 months 1 late neonatal ! 6-11 months

Lower respiratory infections prevalence **Females** 0.0030 Artifact data Simulation baseline 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months | I Pelugurian 1 SHUOU Trg




Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 0.09 0.08 0.07 ean, neonatal 19te 1000 Jel 1.5 months

Lower respiratory infections incidence rate Males



Lower respiratory infections remission rate **Females** Artifact data Simulation baseline 1.5 months


Lower respiratory infections remission rate Males




Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months. 1 SHUOU Trg

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months.

Lower respiratory infections excess mortality rate Females




Lower respiratory infections excess mortality rate Males




Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I 1 Pepeloou Tues 1.5 months 6.11 months > to .


Protein energy malnutrition cause specific mortality rate Males Artifact data 0.0012 Simulation baseline 0.0010 0.0008 0.0006 0.0004 0.0002 0.0000 12 to 23 months | l lete neon stel 1 Pepeloou Tues 1.5 months 1 Sthoon It's > to .


Protein energy malnutrition excess mortality rate Females





Protein energy malnutrition excess mortality rate Males

















Measles excess mortality rate **Females** 0.7 Artifact data Simulation baseline 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{JeUOU}\/_{JUES} 12 to 23 months 1 late neonatal 1.5 months - Sthow Tro

