


DALYs averted per 100,000 person-years due to vitamin A fortication in oil



DALYs averted due to vitamin A fortication in oil




Population impact fraction of vitamin A fortication in oil on DALYs as a proportion of vitamin A deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to vitamin A fortication in wheat flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to vitamin A fortication in wheat flour




Population impact fraction of vitamin A fortication in wheat flour on DALYs as a proportion of vitamin A deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to vitamin A fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to vitamin A fortication in maize flour




Population impact fraction of vitamin A fortication in maize flour on DALYs as a proportion of vitamin A deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up


DALYs averted per 100,000 person-years due to vitamin A fortication in industry oil



- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up




Population impact fraction of vitamin A fortication in industry oil on DALYs as a proportion of vitamin A deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to vitamin A fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to vitamin A fortication in industry wheat




Population impact fraction of vitamin A fortication in industry wheat on DALYs as a proportion of vitamin A deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to zinc fortication in wheat flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to zinc fortication in wheat flour




Population impact fraction of zinc fortication in wheat flour on DALYs as a proportion of zinc deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to zinc fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to zinc fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

Population impact fraction of zinc fortication in maize flour on DALYs as a proportion of zinc deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to zinc fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to zinc fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

Population impact fraction of zinc fortication in industry wheat on DALYs as a proportion of zinc deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to iron fortication in wheat flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to iron fortication in wheat flour




- 20 percent coverage scale-up
 - 50 percent coverage scale-up
 - 80 percent coverage scale-up

Population impact fraction of iron fortication in wheat flour on DALYs as a proportion of iron deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to iron fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to iron fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

Population impact fraction of iron fortication in maize flour on DALYs as a proportion of iron deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to iron fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to iron fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

Population impact fraction of iron fortication in industry wheat on DALYs as a proportion of iron deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to folic acid fortication in wheat flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to folic acid fortication in wheat flour




Population impact fraction of folic acid fortication in wheat flour on DALYs as a proportion of folic acid deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to folic acid fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to folic acid fortication in maize flour




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

Population impact fraction of folic acid fortication in maize flour on DALYs as a proportion of folic acid deficiency attributable DALYs




DALYs averted per 100,000 person-years due to folic acid fortication in industry wheat




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to folic acid fortication in industry wheat




Population impact fraction of folic acid fortication in industry wheat on DALYs as a proportion of folic acid deficiency attributable DALYs




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted per 100,000 person-years due to folic acid fortication in salt




- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up

DALYs averted due to folic acid fortication in salt



Population impact fraction of folic acid fortication in salt on DALYs as a proportion of folic acid deficiency attributable DALYs



- 20 percent coverage scale-up
- 50 percent coverage scale-up
- 80 percent coverage scale-up