

Reduction in Ischemic Stroke Incidence for Alabama Count Reduction Percent Reduction Stroke Incidence Reduction in Ischemic Stroke Incidence Count 2000 20 Baseline 1500 15 Baseline 95% Percent Reduction in Ischemic Lifestyle Lifestyle 95% 10 1000 Outreach Outreach 95% Polypill 5 Polypill 95% 500 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Alabama **Count Reduction** Percent Reduction ocardial Infarction Incidence 2000 15.0 12.5 1500 Baseline Baseline 95% 10.0 Lifestyle Lifestyle 95% 1000 7.5 Outreach Outreach 95% eduction in M 5.0 Polypill 500 Polypill 95% 2.5 -0.0

2025

2030

Year

2035

2040

Reduction in Myocardial Infarction Incidence Count


2025


2030

Year

2035

2040







Reduction in Myocardial Infarction Incidence for Alaska **Count Reduction** Percent Reduction 300 cent Reduction in Myocardial Infarction Incidenc 14 250 12 Baseline 10 200 Baseline 95% Lifestyle 8 Lifestyle 95% 150 Outreach 6 Outreach 95% 100 Polypill Polypill 95% 50 2 2025 2030 2035 2040 2025 2030 2035 2040

Year

Count

Reduction in Myocardial Infarction Incidence






Reduction in Myocardial Infarction Incidence for Arizona **Count Reduction** Percent Reduction eduction in Myocardial Infarction Incidence Count 3500 15.0 -Reduction in Myocardial Infarction Incidence 3000 12.5 2500 Baseline 10.0 Baseline 95% Lifestyle 2000 -Lifestyle 95% 7.5 Outreach 1500 Outreach 95% 5.0 -Polypill 1000 Polypill 95% 2.5 500 0.0 2025 2030 2035 2040 2025 2030 2035 2040


Year

Reduction in Heart Failure Incidence for California Count Reduction Percent Reduction 10000 -5 Reduction in Heart Failure Incidence Count 8000 4 6000 3 Baseline Baseline 95% 4000 2 Lifestyle Lifestyle 95% 2000 1 Outreach Outreach 95% Polypill Polypill 95% -2000 -4000 -60002025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for California Count Reduction Percent Reduction 20 schemic Stroke Incidence 7000 Reduction in Ischemic Stroke Incidence Count 6000 15 5000 Baseline Baseline 95% Lifestyle 4000 10 -Lifestyle 95% Outreach 3000 Percent Reduction in Outreach 95% 2000 -Polypill 5 Polypill 95% 1000 0 -10002025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for California





Reduction in Ischemic Stroke Incidence for Colorado **Count Reduction** Percent Reduction 1200 Stroke Incidence Reduction in Ischemic Stroke Incidence Count 25 -1000 20 Baseline 800 Baseline 95% Percent Reduction in Ischemic 15 -Lifestyle 600 Lifestyle 95% Outreach 10 -Outreach 95% 400 Polypill Polypill 95% 5 200 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Colorado **Count Reduction** Percent Reduction **Myocardial Infarction Incidence** 15.0 2000 12.5 Baseline 10.0 -1500 Baseline 95% Lifestyle Lifestyle 95% 7.5 Outreach 1000 -Outreach 95% 5.0 Reduction in Polypill Polypill 95% 500 2.5 0.0 2025 2030 2035 2040 2025 2030 2035 2040

Year

Count


Reduction in Myocardial Infarction Incidence


Reduction in Heart Failure Incidence for Connecticut **Count Reduction** Percent Reduction 1000 4 Reduction in Heart Failure Incidence Count leart Failure Incidenc 800 3 600 Baseline Baseline 95% 2 400 Lifestyle Lifestyle 95% Outreach 200 Outreach 95% Polypill Polypill 95% 0 -200 -400 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Connecticut **Count Reduction** Percent Reduction 1400 -20 Count 1200 Reduction in Ischemic Stroke Incidence 15 1000 Baseline Baseline 95% 800 Lifestyle 10 -Lifestyle 95% 600 Outreach Outreach 95% 5 Polypill 400 Polypill 95% 200 0 2025 2030 2035 2040 2025 2030 2035 2040

Year


Reduction in Myocardial Infarction Incidence for Connecticut






Reduction in Ischemic Stroke Incidence for Delaware **Count Reduction** Percent Reduction Reduction in Ischemic Stroke Incidence Count 20 150 15 Baseline Baseline 95% schemic Lifestyle 100 10 -Lifestyle 95% Outreach Outreach 95% 50 5 Polypill Polypill 95% 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Delaware







Reduction in Ischemic Stroke Incidence for Florida **Count Reduction** Percent Reduction 5000 20 Ischemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 4000 15 Baseline 3000 Baseline 95% Lifestyle 10 Lifestyle 95% 2000 Outreach Percent Reduction in Outreach 95% 5 Polypill 1000 Polypill 95% -10002025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Florida

Count Poduction






Reduction in Ischemic Stroke Incidence for Georgia Percent Reduction **Count Reduction** 2500 -20 Stroke Incidence Reduction in Ischemic Stroke Incidence Count 2000 15 Baseline 1500 Baseline 95% <u>schemic</u> Lifestyle 10 -Lifestyle 95% 1000 Outreach Percent Reduction in Outreach 95% Polypill 5 500 Polypill 95% -5002025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Georgia **Count Reduction** Percent Reduction 5000 ocardial Infarction Incidence 17.5 -15.0 4000 12.5 Baseline Baseline 95% 3000 10.0 Lifestyle Lifestyle 95% Outreach 7.5 2000 Outreach 95% Reduction in Polypill 5.0 Polypill 95% 1000 2.5 0.0 2025 2030 2035 2040 2025 2030 2035 2040

Year

Reduction in Myocardial Infarction Incidence Count



Reduction in Ischemic Stroke Incidence for Hawaii **Count Reduction** Percent Reduction 350 -20 schemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 300 -15 250 **Baseline** Baseline 95% 200 10 Lifestyle Lifestyle 95% 150 · Outreach 5 Outreach 95% 100 Polypill Polypill 95% 50 -0 -502025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Hawaii **Count Reduction** Percent Reduction ocardial Infarction Incidence 15.0 700 600 12.5 Baseline 500 10.0 -Baseline 95% Lifestyle 400 Lifestyle 95% 7.5 Outreach 300 Reduction in M Outreach 95% 5.0 Polypill 200 Polypill 95% 2.5 100 0.0

2025

2030

Year

2035

2040

Count

Reduction in Myocardial Infarction Incidence


2025


2030

Year

2035

2040





Reduction in Myocardial Infarction Incidence for Idaho **Count Reduction** Percent Reduction yocardial Infarction Incidence 15.0 600 12.5 500 Baseline 10.0 Baseline 95% 400 Lifestyle Lifestyle 95% 7.5 300 Outreach Outreach 95% 5.0 eduction in 200 Polypill Polypill 95% 2.5 100 0.0 Percent

2025

2030

Year

2035

2040

Reduction in Myocardial Infarction Incidence Count


2025


2030

Year


2035


2040







Reduction in Myocardial Infarction Incidence for Illinois









Reduction in Myocardial Infarction Incidence for Indiana **Count Reduction** Percent Reduction Count 1yocardial Infarction Incidence 14 -3000 Reduction in Myocardial Infarction Incidence 12 2500 10 -Baseline Baseline 95% 2000 -8 Lifestyle Lifestyle 95% 1500 Outreach 6 Outreach 95% 1000 -Polypill 4 -Reduction Polypill 95% 2 500 ercent 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year







Reduction in Myocardial Infarction Incidence for Iowa **Count Reduction** Percent Reduction Count Myocardial Infarction Incidence 1500 14 Reduction in Myocardial Infarction Incidence 12 1250 Baseline 10 Baseline 95% 1000 Lifestyle 8 Lifestyle 95% 750 Outreach 6 Outreach 95% Polypill 500 4 Polypill 95% 250 2 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year




Reduction in Ischemic Stroke Incidence for Kansas **Count Reduction** Percent Reduction 20 -600 Reduction in Ischemic Stroke Incidence Count 500 15 Baseline 400 Baseline 95% schemic Lifestyle 10 -300 Lifestyle 95% Outreach Percent Reduction in Outreach 95% 200 5 Polypill Polypill 95% 100 0 -1002025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Kansas **Count Reduction** Percent Reduction cardial Infarction Incidence 15.0 12.5 Baseline 10.0 Baseline 95% Lifestyle Lifestyle 95% 7.5 Outreach Outreach 95% 5.0 Polypill Polypill 95% 2.5 -







Reduction in Myocardial Infarction Incidence for Kentucky **Count Reduction** Percent Reduction Count <u>Reduction in Myocardial Infarction Incidence</u> 1750 -12 Reduction in Myocardial Infarction Incidence 1500 10 1250 Baseline 8 -Baseline 95% 1000 Lifestyle Lifestyle 95% 6 -Outreach 750 Outreach 95% 4 -Polypill 500 Polypill 95% 2 250 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year




Reduction in Ischemic Stroke Incidence for Louisiana **Count Reduction** Percent Reduction 1000 Incidence Reduction in Ischemic Stroke Incidence Count 20 800 schemic Stroke 15 -Baseline Baseline 95% 600 Lifestyle Lifestyle 95% 10 -Outreach 400 Outreach 95% Percent Reduction in Polypill 5 Polypill 95% 200 0 2025 2030 2035 2040 2025 2030 2035 2040

Year

Year

Reduction in Myocardial Infarction Incidence for Louisiana **Count Reduction** Percent Reduction Myocardial Infarction Incidence Count 15.0 Reduction in Myocardial Infarction Incidence 2000 12.5 Baseline 10.0 1500 Baseline 95% Lifestyle Lifestyle 95% 7.5 Outreach 1000 Outreach 95% 5.0 -Polypill Reduction Polypill 95% 500 2.5 0.0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year



Reduction in Ischemic Stroke Incidence for Maine **Count Reduction** Percent Reduction 300 20 Percent Reduction in Ischemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 250 15 **Baseline** 200 Baseline 95% Lifestyle 150 10 Lifestyle 95% Outreach 100 Outreach 95% Polypill 5 Polypill 95% 50 0 0 -502025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Maine **Count Reduction** Percent Reduction ocardial Infarction Incidence 700 15.0 600 12.5 Baseline 500 Baseline 95% 10.0 -Lifestyle 400 Lifestyle 95% 7.5 Outreach 300 Outreach 95% Polypill 5.0 200 Polypill 95% 2.5 100 0.0

2025

2030

Year

2035

2040

Reduction in Myocardial Infarction Incidence Count


2025

2030

Year

2035

2040




Reduction in Ischemic Stroke Incidence for Maryland **Count Reduction** Percent Reduction Stroke Incidence Reduction in Ischemic Stroke Incidence Count 1500 20 1250 Baseline 15 -Baseline 95% 1000 schemic Lifestyle Lifestyle 95% 750 10 -Outreach Outreach 95% Percent Reduction 500 Polypill 5 Polypill 95% 250 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Maryland **Count Reduction** Percent Reduction cardial Infarction Incidence 17.5 -Count 3000 15.0 -Reduction in Myocardial Infarction Incidence 2500 12.5 Baseline 2000 -Baseline 95% 10.0 -Lifestyle Lifestyle 95% 1500 Outreach 7.5 -Reduction in My Outreach 95% 1000 Polypill 5.0 Polypill 95% 500 2.5 0.0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Heart Failure Incidence for Massachusetts Count Reduction Percent Reduction 4 teart Failure Incidence Reduction in Heart Failure Incidence Count 1500 3 1000 Baseline 2 Baseline 95% Lifestyle 500 Lifestyle 95% 1 Outreach Outreach 95% 0 Polypill Polypill 95% -500 -10002025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Massachusetts



Reduction in Myocardial Infarction Incidence for Massachusetts





Reduction in Ischemic Stroke Incidence for Michigan Percent Reduction **Count Reduction** 2000 -Reduction in Ischemic Stroke Incidence Count 20 1500 Baseline 15 -Baseline 95% 1000 schemic Lifestyle Lifestyle 95% 10 -Outreach Outreach 95% 500 ercent Reduction Polypill 5 Polypill 95% -500 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Michigan **Count Reduction** Percent Reduction rcent Reduction in Myocardial Infarction Incidence 5000 12 4000 10 Baseline 8 Baseline 95% 3000 Lifestyle Lifestyle 95% 6 Outreach 2000 Outreach 95% Polypill Polypill 95% 1000 2 2025 2030 2035 2040 2025 2030 2035 2040

Year


Reduction in Myocardial Infarction Incidence Count

Year

Reduction in Heart Failure Incidence for Minnesota **Count Reduction** Percent Reduction 6 1250 Reduction in Heart Failure Incidence Count 1000 4 750 Baseline Baseline 95% 500 Lifestyle 2 Lifestyle 95% 250 Outreach Outreach 95% Percent Reduction Polypill 0 Polypill 95% -250 -500 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Minnesota **Count Reduction** Percent Reduction Stroke Incidence 17.5 Reduction in Ischemic Stroke Incidence Count 800 15.0 12.5 Baseline 600 Baseline 95% Reduction in Ischemic 10.0 -Lifestyle Lifestyle 95% 400 Outreach 7.5 Outreach 95% Polypill 5.0 200 Polypill 95% 2.5 0.0 Perce -2.52025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Minnesota **Count Reduction** Percent Reduction 14 12 Baseline 10 -Baseline 95% Lifestyle 8 Lifestyle 95% Outreach 6 -Outreach 95% Polypill Polypill 95% 2 -



Reduction in Heart Failure Incidence for Mississippi **Count Reduction** Percent Reduction 5 800 Reduction in Heart Failure Incidence Count leart Failure Incidence 4 600 -3 Baseline 400 Baseline 95% 2 Lifestyle Lifestyle 95% 200 Outreach Outreach 95% ent Reduction Polypill 0 0 Polypill 95% -200 -400 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Mississippi **Count Reduction** Percent Reduction 1200 -Ischemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 20 1000 Baseline 15 800 Baseline 95% Lifestyle 600 Lifestyle 95% 10 Outreach Outreach 95% 400 Polypill 5 Polypill 95% 200 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Mississippi **Count Reduction** Percent Reduction Myocardial Infarction Incidence 17.5 -1400 15.0 -1200 12.5 Baseline 1000 Baseline 95% 10.0 -Lifestyle 800 Lifestyle 95% 7.5 Outreach 600 Outreach 95% 5.0 Polypill 400 Polypill 95% 2.5 200 0.0 2025 2030 2035 2040 2025 2030 2035 2040


Year

Count


Reduction in Myocardial Infarction Incidence


Year






Reduction in Myocardial Infarction Incidence for Missouri






Reduction in Ischemic Stroke Incidence for Montana **Count Reduction** Percent Reduction 20 Reduction in Ischemic Stroke Incidence Count 200 15 150 Baseline Baseline 95% schemic 10 -Lifestyle Lifestyle 95% 100 Outreach Outreach 95% 5 Polypill 50 Polypill 95% **-**5 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Montana **Count Reduction** Percent Reduction 15.0






Reduction in Ischemic Stroke Incidence for Nebraska **Count Reduction** Percent Reduction 400 30 ncidence Count 25 Reduction in Ischemic Stroke Incidence 300 Baseline 20 Baseline 95% schemic Lifestyle 200 15 Lifestyle 95% Outreach 10 Outreach 95% Polypill 100 Polypill 95% 5 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Nebraska







Reduction in Ischemic Stroke Incidence for Nevada **Count Reduction** Percent Reduction 600 Reduction in Ischemic Stroke Incidence Count Stroke Incidence 20 500 15 Baseline 400 Baseline 95% Lifestyle 300 10 Lifestyle 95% Outreach Outreach 95% 200 5 Polypill Polypill 95% 100 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Nevada









Reduction in Myocardial Infarction Incidence for Ohio **Count Reduction** Percent Reduction Count ercent Reduction in Myocardial Infarction Incidence 14 -6000 Reduction in Myocardial Infarction Incidence 12 5000 10 Baseline 4000 Baseline 95% 8 Lifestyle Lifestyle 95% 3000 -6 Outreach Outreach 95% 2000 Polypill 4 -Polypill 95% 2 1000 -0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Heart Failure Incidence for Oklahoma **Count Reduction** Percent Reduction 800 4 Reduction in Heart Failure Incidence Count 600 3 Baseline 400 2 Baseline 95% Lifestyle 200 1 Lifestyle 95% Outreach Outreach 95% 0 Polypill Polypill 95% -200 -400 **-**2 -600 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Oklahoma **Count Reduction** Percent Reduction 20 -1200 Count Percent Reduction in Ischemic Stroke Incidence Reduction in Ischemic Stroke Incidence 1000 15 -Baseline 800 Baseline 95% Lifestyle 10 -Lifestyle 95% 600 Outreach Outreach 95% 400 5 Polypill Polypill 95% 200 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Oklahoma





Reduction in Ischemic Stroke Incidence for Oregon Percent Reduction **Count Reduction** 1000 20 Stroke Incidence Reduction in Ischemic Stroke Incidence Count 800 15 -Baseline Baseline 95% 600 schemic Lifestyle 10 -Lifestyle 95% Outreach 400 Outreach 95% Percent Reduction Polypill 5 Polypill 95% 200 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Oregon **Count Reduction** Percent Reduction 16 <u>ocardial Infarction Incidence</u> Count 1750 14 Reduction in Myocardial Infarction Incidence 1500 12 Baseline 1250 10 Baseline 95% Lifestyle 1000 -8 Lifestyle 95% Outreach 750 6 Outreach 95% Percent Reduction in Polypill 500 4 -Polypill 95% 2 250 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Heart Failure Incidence for Pennsylvania **Count Reduction** Percent Reduction 3000 Reduction in Heart Failure Incidence Count Heart Failure Incidence 3 2000 2 · Baseline Baseline 95% 1000 Lifestyle 1 Lifestyle 95% Outreach 0 0 Outreach 95% Percent Reduction Polypill Polypill 95% -1000 -2000**-**3 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Pennsylvania Percent Reduction Count Reduction 3500 schemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 20 3000 2500 -15 -Baseline Baseline 95% 2000 Lifestyle Lifestyle 95% 10 -Outreach 1500 -Outreach 95% Percent Reduction Polypill 1000 5 Polypill 95% 500 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Pennsylvania **Count Reduction** Percent Reduction 7000 -Reduction in Myocardial Infarction Incidence Count ocardial Infarction Incidence 14 6000 12 5000 10 Baseline Baseline 95% 4000 8 Lifestyle Lifestyle 95% 3000 6 Outreach Outreach 95% ercent Reduction in Polypill 2000 4 Polypill 95% 2 1000 -0 2025 2030 2035 2040 2025 2030 2035 2040


Year


Year



Reduction in Ischemic Stroke Incidence for Tennessee **Count Reduction** Percent Reduction Reduction in Ischemic Stroke Incidence Count 2000 15 1500 Baseline Baseline 95% 10 schemic Lifestyle Lifestyle 95% 1000 Outreach Percent Reduction in Outreach 95% 5 -Polypill 500 Polypill 95% 0 -5002025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Tennessee







Reduction in Ischemic Stroke Incidence for Texas **Count Reduction** Percent Reduction 10000 -20 percent Reduction in Ischemic Stroke Incidence Reduction in Ischemic Stroke Incidence Count 8000 15 Baseline Baseline 95% 6000 Lifestyle 10 Lifestyle 95% Outreach 4000 Outreach 95% Polypill 5 Polypill 95% 2000 0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year


Reduction in Myocardial Infarction Incidence for Texas









Reduction in Myocardial Infarction Incidence for Utah **Count Reduction** Percent Reduction ocardial Infarction Incidence Count 15.0 Reduction in Myocardial Infarction Incidence 800 12.5 Baseline 600 10.0 Baseline 95% Lifestyle Lifestyle 95% 7.5 Outreach 400 Reduction in My Outreach 95% 5.0 Polypill Polypill 95% 200 2.5 0.0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year




Reduction in Ischemic Stroke Incidence for Vermont **Count Reduction** Percent Reduction 150 Reduction in Ischemic Stroke Incidence Count schemic Stroke Incidence 20 125 **Baseline** 15 100 Baseline 95% Lifestyle Lifestyle 95% 75 10 Outreach Outreach 95% 50 Polypill 5 Polypill 95% 25 0 -252025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Vermont










Reduction in Myocardial Infarction Incidence for Virginia **Count Reduction** Percent Reduction Reduction in Myocardial Infarction Incidence Reduction in Myocardial Infarction Incidence Count 15.0 3000 12.5 2500 Baseline Baseline 95% 10.0 -2000 Lifestyle Lifestyle 95% 7.5 1500 -Outreach Outreach 95% 5.0 Polypill 1000 -Polypill 95% 2.5 500 0.0 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Heart Failure Incidence for Washington **Count Reduction** Percent Reduction 2000 Reduction in Heart Failure Incidence Count sart Failure Incidence 5 1500 4 Baseline 1000 Baseline 95% 3 Lifestyle Lifestyle 95% 2 Outreach 500 Outreach 95% 1 Polypill Polypill 95% 0 -500 2025 2030 2035 2040 2025 2030 2035 2040 Year Year



Reduction in Myocardial Infarction Incidence for Washington





Reduction in Ischemic Stroke Incidence for Wisconsin **Count Reduction** Percent Reduction 20 -Reduction in Ischemic Stroke Incidence Count 1000 15 800 Baseline Baseline 95% schemic Lifestyle 600 10 Lifestyle 95% Outreach 400 Outreach 95% Percent Reduction in 5 Polypill Polypill 95% 200 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Wisconsin **Count Reduction** Percent Reduction ocardial Infarction Incidence Reduction in Myocardial Infarction Incidence Count 15.0 3000 12.5 2500 -**Baseline** 10.0 2000 Baseline 95% Lifestyle 7.5 1500 -Lifestyle 95% Outreach 5.0 Outreach 95% 1000 Polypill Polypill 95% 2.5 500 0.0 -2.5 -500 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Heart Failure Incidence for Wyoming Percent Reduction **Count Reduction** 5 150 Heart Failure Incidence Reduction in Heart Failure Incidence Count 4 100 3 **Baseline** Baseline 95% 2 Lifestyle 50 Lifestyle 95% Outreach Percent Reduction in Outreach 95% 0 Polypill 0 Polypill 95% -50 2025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Ischemic Stroke Incidence for Wyoming Percent Reduction **Count Reduction** 140 Reduction in Ischemic Stroke Incidence Count Percent Reduction in Ischemic Stroke Incidence 120 · 15 100 **Baseline** Baseline 95% 80 10 Lifestyle Lifestyle 95% 60 -Outreach Outreach 95% 5 40 Polypill Polypill 95% 20 0 -202025 2030 2035 2040 2025 2030 2035 2040 Year Year

Reduction in Myocardial Infarction Incidence for Wyoming **Count Reduction** Percent Reduction **Myocardial Infarction Incidence** 15.0 12.5 Baseline 10.0 Baseline 95% Lifestyle 7.5 Lifestyle 95% Outreach Outreach 95% 5.0 Polypill

