Please check the examination details bel	ow before ente	ring your candidate information
Candidate surname	Other names	
Centre Number Candidate No Pearson Edexcel Inter		al GCSE (9–1)
Time 1 hour 15 minutes	Paper reference	4CH1/2C
Chemistry		0 0
Unit: 4CH1 PAPER: 2C		January 2022
You must have: Calculator, ruler		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





P70702A
©2022 Pearson Education Ltd.



The Periodic Table of the Elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	fully
_		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but not
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112–116 ha authenticated
4		12 C carbon 6	28 Silicon 14	73 Ge gemanium 32	119 Sn tin 50	207 Pb lead 82	mic numbers
က		11 B boron 5	27 Al aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	Elements with atomic numbers 112–116 have been reported but not fully authenticated
	·			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elem
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	[272] Rg roentgenium
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	Ds damstadtium 110
				59 Co cobatt 27	103 Rh rhodium 45	192 Fr inidium 77	[268] Mt meitnerium 109
	T hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
			_	55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass bol number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relati atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
				45 Sc scandium 21	89 Y yttrium 39	139 La * lanthanum 57	[227] Ac* actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
~		7 Li Iithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

^{*} The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.



Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 This question is about the unsaturated hydrocarbon, ethene.

The displayed formula of ethene is

(a) (i) State the meaning of the term **hydrocarbon**.

(2)

(ii) Give the reason why ethene is described as unsaturated.

(1)

(b) Ethene is bubbled through bromine water until there is no further colour change.

Which of these is the appearance of the solution formed?

(1)

- **A** colourless
- **B** orange
- C purple
- D red



(c) Ethanol is produced industrially by the reaction between ethene and steam. The equation for the reaction is $CH_2CH_2(g) \ + \ H_2O(g) \ \to \ CH_3CH_2OH(l)$ (i) State the temperature and pressure used in this reaction. (2) temperature pressure (ii) Give the **molecular** formula of ethanol. (1)

(Total for Question 1 = 7 marks)




(1)

2 This question is about gases in the air.

The pie chart represents the percentages of gases in dry, unpolluted air.

Gases with percentages of less than 1% in air are called trace gases.



- (a) (i) Which of these is gas Z?
 - **A** hydrogen
 - **B** methane

 - □ nitrogen
 - (ii) Which of these is the approximate percentage of oxygen in dry, unpolluted air?
 - (1)
 - A 0.04%
 - **■ B** 0.9%

 - **D** 35%

6



- (b) One of the trace gases is carbon dioxide.
 - (i) Identify **two** reactions that produce carbon dioxide by placing a tick (\checkmark) in two boxes.

(2)

cracking an alkane	
complete combustion of an alkane	
reaction between magnesium and hydrochloric acid	
rusting of iron	
thermal decomposition of copper(II) carbonate	

(ii) Name an environmental problem that is caused by the percentage of carbon dioxide increasing in the atmosphere.

(1)

(iii) Name the trace gas with the highest percentage in dry, unpolluted air.

(1)

(c) Rainwater is acidic because carbon dioxide dissolves in water to form carbonic acid.

Acid rain is more acidic than rainwater because acidic pollutant gases also dissolve in water.

(i) Give the name of the acid that forms when nitrogen dioxide dissolves in water.

(1)


(ii) Name another pollutant gas that also forms acid rain.

(1)

(Total for Question 2 = 8 marks)



- **3** This question is about solubility.
 - (a) The graph shows the solubilities of copper(II) chloride and sodium chloride at different temperatures.



(i) Determine the temperature at which copper(II) chloride and sodium chloride have the same solubility.

Show on the graph how you obtained your answer.

(2)

(ii) A saturated solution of copper(II) chloride in 100 g of water is cooled from 40 °C to 10 °C.

Determine the mass, in grams, of copper(II) chloride that crystallises.

(2)

mass of copper(II) chloride =g



- (b) A student uses this method to determine the solubility of potassium chloride in water at room temperature.
 - record the mass of an empty evaporating basin
 - pour some saturated potassium chloride solution into the evaporating basin
 - record the mass of the evaporating basin and saturated potassium chloride solution
 - heat the evaporating basin to remove all the water
 - record the mass of the evaporating basin and the dry potassium chloride

The table shows the student's results.

	Mass in grams
evaporating basin	58.1
evaporating basin and saturated potassium chloride solution	78.2
evaporating basin and dry potassium chloride	63.2

(i)	Calculate the	mass of	drv	potassium	chloride	obtained
(1)	Carculate tric	111033 01	GI y	potassiaiii	critoriac	obtairied

(1)


(ii) Calculate the mass of water removed.

(1)



	·	or Question 3 = 9 marks)
solubility of hydrated copper(II) s		(1)
(iv) Suggest why the student's metho	•	g per 100g of wate
(iii) Calculate the solubility of potass	ium chionde in grams pe	(2)
(iii) Calculate the solubility of potass	ium chlorido in arome na	or 100 grams of water

- **4** This question is about the reactions of Group 1 metals with water.
 - (a) A teacher adds a piece of sodium to some water containing universal indicator.



The equation for this reaction is

$$2Na(s) + 2H_2O(l) \rightarrow 2NaOH(aq) + H_2(g)$$

The sodium floats on the surface of the water and the universal indicator changes colour because an alkaline solution is formed.

(i) Give two other observations.

(2)


- 1______
- 2.....
 - (ii) Give the final colour of the universal indicator.

(1)






(b) The diagram represents an atom of lithium and an atom of sodium.



lithium



sodium

(i) Give a reason why lithium and sodium have similar reactions with water.

(1)

(ii) Explain why lithium is less reactive than sodium.

(3)





(c) The teacher adds 0.150 g of lithium to an excess of water and collects the hydrogen gas produced.

The equation for the reaction is

$$2Li(s) + 2H_2O(l) \rightarrow 2LiOH(aq) + H_2(g)$$

The teacher collects 254 cm³ of hydrogen gas at room temperature and pressure (rtp).

Show by calculation that 1 mol of hydrogen gas has a volume of approximately 24 000 cm³ at rtp.

(4)

(Total for Question 4 = 11 marks)





5 Hydrogen peroxide solution decomposes to give water and oxygen gas.


The equation for this reaction is

$$2H_2O_2(aq) \rightarrow 2H_2O(l) + O_2(g)$$

(a) Three different solids are catalysts for the decomposition of hydrogen peroxide solution.

A student is given hydrogen peroxide solution and a sample of each of the solid catalysts.

The student has a timer, a measuring cylinder, a balance and the apparatus shown in the diagram.




		×			2
			2	d	N
	i				
		₹			v
\	'n	U,	2	Ä	
		N	ľ	Ή	r
	Ц		۰	۰	Ŋ
	ś	a	ú	à	Ŕ.
2		П	٧	≺	2
١	ĺ	۰		,	Ν,
			۷	à	c
	ú	ρ		г	
	3			ы	Ŕ.
				7	
		/	1	ı	
		n			6
>	Я		r	a	P
	Z	Z	7	Z	
	ŧ	-	7	=	ч
	ú	×	ė	ú	
		7	Ε		
	n			ú	ν
\	2	7			١,
		ŭ	4	à	6
		ҡ	7	₹	
	ς				
	ú	_	2	2	/
	7			₽	١,
	ú		c	_	6
	5	₹	7	₹	
	'n		'n	ш	ĸ.
	2		٥	4	
		Ю	II.	а	ĸ
2	μ	щ	ρ	88	ν
5		V			١,
					۲
	ŧ	Κ			
					Ŕ.
				2	c
	í	P	Ú	è	ς
	ĺ	Ē	ÿ	Š	۶
	ĺ		Ý	2	ζ
₹	ĺ		Ý	2	2
?	1		į		2
?	ĺ				
?	1				
?	1000				
>					
?					
>					
>					
>					
>					
> > >					
> > > >	2	2			
> > > >	2	2			
> > > >		2			
> > > >	2	2			
> > > >		2			
		2			
> > > >	2	2			
		2			
> > > >		2			
		2			
<pre></pre> <pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><!--</td--><td></td><td>2</td><td></td><td></td><td></td></pre></pre>		2			

ibe a method the effective catalyst f			(5)



(b) The diagram shows the reaction profile for the decomposition of hydrogen peroxide without a catalyst.



(i) Label the diagram to show the activation energy (E_a) and the enthalpy change (ΔH) for this reaction.

(2)


(ii) On the diagram, draw a curve to show the reaction profile for the same reaction when a catalyst is used.

(1)

(Total for Question 5 = 8 marks)



- **6** This question is about the electrolysis of copper(II) sulfate solution.
 - (a) The diagram shows the apparatus used for the electrolysis.



A student records the total increase in mass of the negative electrode every minute for 8 minutes.

The table shows the results.

Time in minutes	Total increase in mass of the negative electrode in grams
0	0.00
1	0.15
2	0.27
3	0.34
4	0.39
5	0.41
6	0.42
7	0.42
8	0.42




in grams

(i) Plot the student's results.

(1)

(ii) Draw a curve of best fit.

(1)




(iii) Explain the shape of the graph.

(2)



- (b) The product at the positive electrode is oxygen gas.
 - (i) The student repeats the electrolysis using different apparatus.



Describe how the student should collect a sample of pure oxygen at the positive electrode.


(2)

(ii) Give an ionic half-equation for the formation of oxygen.

(2)

(c) The wire used to connect the power supply to the electrodes is made of copper metal.

The diagram shows the arrangement of the ions in a metal.





(i) Metals that are malleable can also be stretched to form long, thin wires.

Suggest why metals can be stretched to form wires.

(2)

(ii) Explain why metals conduct electricity.

(2)

(Total for Question 6 = 12 marks)



7 This question is about esters.

Ester A reacts with water to form ethanoic acid and ethanol.

The displayed formulae of the reactants and products are shown in this equation

ester A

The molar enthalpy change (ΔH) for the reaction is 0 kJ/mol.

(a) (i) Draw a ring around the functional group in ester A.

(1)

(ii) Give the name of ester A.

(1)

(iii) Describe a chemical test, other than using an indicator, to show that the reaction mixture contains ethanoic acid.

(2)

(b) Explain why the molar enthalpy change (ΔH) for the reaction between ester A and water is $0\,\mathrm{kJ/mol}$.

In your answer, refer to the bonds broken and the bonds formed.

(2)

(c)	A mixture of ester A and water is left in a sealed container until the reaction
	mixture reaches dynamic equilibrium.

(i) Describe what is meant by dynamic equilibrium	(i)	Describe	what is	meant	by d	ynamic	equilibrium
---	-----	----------	---------	-------	------	--------	-------------

(2)

(ii) Explain why adding a catalyst does not change the position of equilibrium.

(2)

(d) The ethanoic acid produced in the reaction is completely neutralised by 22.75 cm³ of 0.150 mol/dm³ barium hydroxide solution.

The equation for the neutralisation reaction is

$$2CH_3COOH + Ba(OH)_2 \rightarrow Ba(CH_3COO)_2 + 2H_2O$$


Calculate the amount, in moles, of ethanoic acid neutralised.

Give your answer to 3 significant figures.

(3)



(e) The structures of two organic compounds are shown.



These compounds react together to form a polymer.

Give the repeat unit of the polymer formed.

(2)

(Total for Question 7 = 15 marks)

TOTAL FOR PAPER = 70 MARKS



