Please check the examination details below before entering your candidate information			
Candidate surname		Other names	
Centre Number Candidate N	umber		
Pearson Edexcel International GCSE (9-1)			
	D		
Time 2 hours Paper reference		4CH1/1C 4SD0/1C	
Chemistry		0 0	
Unit: 4CH1			
Science (Double Award) 4	SD0	January 2022	
PAPER: 1C			
You must have:		Total Marks	
Calculator, ruler			

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







The Periodic Table of the Elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	fully
7		19 fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but not
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ave been rep
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	Elements with atomic numbers 112–116 have been reported but not fully authenticated
4		12 C carbon 6	28 Si silicon	73 Ge germanium 32	119 Sn th 50	207 Pb lead 82	mic numbers
က		11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	ents with ato
	·			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elem
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	[272] Rg roentgenium
				59 nickel 28	106 Pd palladium 46	195 Pt platinum 78	[271] Ds demostactium 110
<u>-</u>				59 Co cobatt 27	103 Rh rhodium 45	192 F indium 77	[268] Mt meltnerium 109
	hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass bol number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relati atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
				45 Sc scandium 21	89 Y yttrium 39	139 La * lanthanum 57	[227] Ac* actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
~		7 Li Iithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

^{*} The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

BLANK PAGE



Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 This question is about mixtures and compounds.
 - (a) The box gives some methods used to separate mixtures.

chromatography

crystallisation

fractional distillation

simple distillation

Choose methods from the box to answer the following questions.

Each method may be used once, more than once or not at all.

(i) Identify a method to separate a single food dye from a mixture of food dyes.

(1)

(ii) Identify a method to separate gasoline from crude oil.

(1)

(iii) Identify a method to separate water from copper(II) sulfate solution.

(1)







(b) The diagram represents a molecule.



Explain why this molecule is a compound.

(2)

- (c) The molecular formula of another compound is $C_3H_5N_3O_9$
 - (i) State the number of different elements in $C_3H_5N_3O_9$

(1)

(ii) Determine the number of atoms in a molecule of $C_3H_5N_3O_9$

(1)

(Total for Question 1 = 7 marks)



2 This question is about rusting.		
	(a) A simplified formula for rust is Fe ₂ O ₃	
1	(i) Name the two substances needed for iron to rust.	(2)
Ι		
2	(ii) Give the chemical name for rust.	(1)
•••••	(iii) What type of reaction occurs in the rusting of iron?	(1)
	■ A combustion	(1)
	■ B neutralisation	
	C oxidation	
	■ D thermal decomposition	
	(b) Some iron objects are coated with a layer of zinc to prevent rusting.	
	(i) Name this type of rust prevention.	(1)
	(ii) Explain how this type of rust prevention continues to protect iron when th layer of zinc is damaged.	
		(2)



	(Total for Question 2 = 9 r	narks)
2		
1		
	(iii) Give two other methods used to prevent iron from rusting.	(2)

- **3** This question is about states of matter.
 - (a) The box gives words relating to changes of state.

condensation	cooling	evaporation
freezing	melting	sublimation

Complete the table by giving the correct word from the box for each change of state.

(3)

Change of state	Name of change
solid to liquid	
solid to gas	
liquid to solid	

(b) When ammonia gas and hydrogen chloride gas mix, they react together to form a white solid called ammonium chloride.


The equation for the reaction is

$$NH_3(g) + HCl(g) \rightarrow NH_4Cl(s)$$

A teacher soaks a piece of cotton wool in concentrated ammonia solution and another piece of cotton wool in concentrated hydrochloric acid.

The teacher places the two pieces of cotton wool at opposite ends of a glass tube at the same time.


After several minutes, a white ring of solid ammonium chloride forms.



(i)	State the name given to the spreading out of gas particles.	(1)
 (ii)	State how the diagram shows that the particles of ammonia gas are travelling at higher speeds than the particles of hydrogen chloride gas.	(1)
(iii)	Gas particles travel at high speeds. Give a reason why the white ring of ammonium chloride takes several minutes to form.	(1)
 (iv)	Concentrated ammonia solution and concentrated hydrochloric acid are corrosive. Give one safety precaution the teacher should take.	(1)
	(Total for Question 3 = 7 mar	rks)



4 A teacher uses this apparatus to find the percentage of oxygen in a gaseous mixture of oxygen and argon.



This is the teacher's method.

- Step 1 heat the copper powder
- Step 2 push the plunger on syringe A to pass the mixture of oxygen and argon over the hot copper so that the mixture moves into syringe B
- Step 3 push the plunger on syringe B to pass the mixture of oxygen and argon over the hot copper so that the mixture moves into syringe A
- Step 4 record the reading on syringe A
- Step 5 repeat Steps 2, 3 and 4 a number of times

The volume of gas decreases as the oxygen reacts with the copper.

Argon is unreactive so does not react with the copper.

The copper powder turns black.

(a) (i) Give a reason why the copper powder is heated.

(1)

(ii) State why argon is unreactive.

(1)

(iii) Give the name of the black powder that forms when the oxygen reacts with the copper.

(1)



(b) The table shows the teacher's results.

Reading number	Reading on syringe A in cm ³
Start	78
1	70
2	67
3	65
4	63
5	61
6	60
7	59
8	58
9	58
10	58

(i) State how the results show that all the oxygen has reacted.

(1)

(ii) The volume of gas in the glass tube and connecting tubes is 175 cm³.

Use this value and the results table to calculate the percentage of oxygen in the mixture of oxygen and argon.

(3)

percentage of oxygen = %



(iii) Suggest one reason why the calculated percentage of oxygen in the mixture may not be accurate.

(1)

(Total for Question 4 = 8 marks)

BLANK PAGE



5 (a) Complete the table to show the relative mass and relative charge of a proton and a neutron.

(2)

	Proton	Electron	Neutron
Relative mass		1/2000	
Relative charge		-1	

/I \			
(b)	Magnesium	has three	isotopes

	i)	State the	meaning	of the term	isotopes
l	"	July IIIC	meaning	OI THE TEITH	130topc3

(2)

(ii) The symbol for an atom of one isotope of magnesium is

Give the number of protons, neutrons and electrons in one atom of this isotope.

(2)

number of protons

number of neutrons

number of electrons



(iii) A sample of magnesium contains these percentages of the three isotopes.

$$Mg-24 = 79.00\%$$

$$Mg-25 = 10.00\%$$

$$Mg-26 = 11.00\%$$

Use this information to show that the relative atomic mass of magnesium is 24.32

(2)

(iv) One mole of magnesium has a mass of 24.32 g. There are 6.022×10^{23} atoms in one mole.

Calculate the mass, in grams, of one atom of magnesium.

Give your answer to 4 significant figures.

(2)

(c) The equation for the reaction between magnesium and oxygen is

$$2Mg + O_2 \rightarrow 2MgO$$


Determine the maximum amount, in moles, of magnesium oxide that can be produced from 0.50 mol of magnesium and 0.20 mol of oxygen.

(1)

(Total for Question 5 = 11 marks)



- 6 This question is about sodium oxide, Na₂O
 - (a) The diagram shows the electronic configuration of atoms of sodium and oxygen.



Sodium

from the Periodic Table.



Oxygen

Describe the changes in the electronic configuration of the atoms of sodium and oxygen to form the ions in sodium oxide.

- //	-	'n.
- (-3	٦
٠.	~	,

		•••••																			
((b) (Calcul	late t	he re	lativ	e for	mul	a ma	ass (M _r) (of so	diur	n o	kide,	Na ₂	Ο, ι	using	g in	form	natio	on

(1)

$$M_r =$$



(c) Explain why solid sodium oxide does not conduct electricity.	(2)
(d) Give a test to show that sodium oxide contains sodium ions.	(2)
(e) When sodium oxide is heated it reacts to form sodium metal and sodium peroxide, Na_2O_2	
Complete the equation for this reaction.	(1)
Na₂O →	(1)
	.
(Total for Question 6 =	y marks)



7 This question is about soluble and insoluble compounds.

A precipitate is an insoluble compound formed when solutions of soluble compounds react after mixing.

- (a) Different solutions are mixed in separate test tubes.
 - **Tube 1** copper(II) sulfate solution and calcium chloride solution
 - **Tube 2** magnesium nitrate solution and potassium sulfate solution
 - **Tube 3** sodium carbonate solution and copper(II) sulfate solution

In which of the tubes will a precipitate form?

(1)

- A 1 and 2 only
- **B** 2 and 3 only
- C 1 and 3 only
- 1, 2 and 3
- (b) A student mixes solutions, containing equal amounts in moles, of silver nitrate and sodium chloride.

The equation for the reaction between silver nitrate solution and sodium chloride solution is

$$AgNO_3(aq) + NaCl(aq) \rightarrow AgCl(s) + NaNO_3(aq)$$


(i) State the colour of the precipitate of silver chloride.

(1)

	Crystals of sodium nitrate decompose at temperatures above 300 °C.	
	Describe a method the student could use to obtain pure, dry crystals of	
	sodium nitrate.	
		(5)
(iii)	Give an advantage of mixing solutions containing equal amounts, in moles, of silver nitrate and sodium chloride.	
	or silver rittate and sociality emorate.	(1)
	(Total for Question 7 = 8 m	arks)



8 The table shows the structures of six organic compounds.



(a) (i) Give the letter of a compound **not** shown as a displayed formula.

(1)

(ii) Give the letter of a saturated compound with the general formula $\mathsf{C}_n\mathsf{H}_{2n}$

(1)

(iii) Name compound E.

(1)

(iv) Explain why compound A and compound D are isomers.

(2)

- (b) Compound F reacts with bromine in the presence of ultraviolet radiation.
 - (i) Complete the equation for the reaction.

(1)

$$CH_4 + Br_2 \rightarrow$$

(ii) Give the name of this type of reaction.

(1)

(c) (i) Another compound, G, has this percentage composition by mass.

$$C = 37.8 \%$$

$$H = 6.3\%$$

$$Cl = 55.9\%$$

Show by calculation that the empirical formula of compound G is C₂H₄Cl

(3)

(ii) The relative formula mass (M_r) of G is 127


Determine the molecular formula of G.

(2)

molecular formula =

- (d) Compound E is used to make an addition polymer.
 - (i) Complete the equation to show part of the polymer formed from two molecules of compound E.

(2)




$$-\mathsf{c}-\mathsf{c}-\mathsf{c}-\mathsf{c}-\mathsf{c}-\mathsf{c}$$

(ii) Give one problem caused by the disposal of addition polymers.

(1)

(Total for Question 8 = 15 marks)

9 A student uses this apparatus to investigate the rate of reaction between calcium carbonate chips and dilute hydrochloric acid.



Every 20 seconds the student records the reading on the balance.

(a) Explain why using a cotton wool plug increases the accuracy of the student's results.

(2)


(b) Complete the equation for the reaction by adding the state symbols.

(2)

$$\mathsf{CaCO}_3(.....) \ + \ \mathsf{2HCl}(.....) \ \to \ \mathsf{CaCl}_2(\mathsf{aq}) \ + \ \mathsf{H}_2\mathsf{O}(.....)$$

(c) The student uses the balance readings to find the decrease in mass of the flask and contents.

The graph shows the student's results.



(i) Give a reason why there are some calcium carbonate chips remaining in the flask when the reaction stops.

(1)

(ii) State how the student would know when the reaction has stopped.

(1)



(iii) Use the graph to determine the amount, in moles, of carbon dioxide produced during the reaction.

$$[M_r \text{ of } CO_2 = 44]$$

(2)

amount = mol

(iv) Use the graph to calculate the rate of reaction, in grams per second, at time 60 seconds.

Show your working on the graph.

(3)


rate of reaction =g/s



(d) The student repeats the investigation by diluting the original hydrochloric acid.

The student then determines the initial rate of reaction at different percentage concentrations of the original hydrochloric acid.

The graph shows the student's results.



Percentage concentration of original hydrochloric acid

(i) Describe the relationship between the initial rate of reaction and percentage concentration of the original hydrochloric acid.

(2)

(ii) Explain why changing the concentration of hydrochloric acid has an effect on the initial rate of reaction.

(2)


(Total for Question 9 = 15 marks)

BLANK PAGE



- **10** This question is about substances with covalent bonds.
 - (a) (i) Draw a dot and cross diagram to show the outer shell electrons in a molecule of nitrogen, N_2

(2)




(ii) Describe the forces of attraction in a covalent bond.

(2)


(b) The diagram shows three different structures of carbon.



Structure A



Graphite



C₆₀ fullerene

(i) Name structure A.

(1)

(ii) Graphite and C₆₀ fullerene contain covalent bonds, but have different structures.

Explain why C_{60} fullerene has a much lower melting point than graphite.


Refer to structure and bonding in your answer.

(4)





11 A student uses this apparatus to heat crystals of hydrated zinc sulfate and collect the liquid produced.



(a)	(i)	Describe a	chemical	test to	show	that the	colourless	liauid	contains	water.
(~/	٧٠/	D C 5 C 1 1 1 0 C G	ci i ci i i cai		311011	crica cric			COLICALIS	

- /	\neg	١
- 1	_/	
- 1	_	,

(ii) Describe a physical test to show the colourless liquid is pure water.









(b) The equation for the decomposition of hydrated zinc sulfate is

$$ZnSO_4 \cdot 7H_2O(s) \rightarrow ZnSO_4(s) + 7H_2O(l)$$

The student records these masses.

mass of boiling tube

 $=41.64 \, \mathrm{g}$

mass of boiling tube + $ZnSO_4 \cdot 7H_2O = 54.46 g$

Calculate the maximum volume, in cm³, of pure water that could be produced.

Give your answer to 1 decimal place.

[1.00 cm³ of pure water has a mass of 1.00 g]

$$[M_r \text{ of ZnSO}_4 \cdot 7H_2O = 287 \qquad M_r \text{ of H}_2O = 18]$$

(5)

(c) In an experiment using a different mass of ZnSO₄·7H₂O the maximum volume of pure water that could be produced is 8.5 cm³.

The student collected the pure water and calculated the percentage yield to be 20.3 %.

(i) Calculate the volume, in cm³, of pure water collected.

(1)

volume of pure water =cm³



(ii)	Explain an improvement to the apparatus that would increase the percentage yield of pure water.						
	y.c.u c. pare materi	(2)					
	(Total for Question 11 = 12 ma	arks)					

TOTAL FOR PAPER = 110 MARKS