

# Package ‘rProject’

February 12, 2026

**Title** Setup R Project

**Version** 0.0.24

**Description** A collection of functions to setup R projects.

**URL** <https://github.com/ijapesigan/rProject/>,  
<https://ijapesigan.github.io/rProject/>

**BugReports** <https://github.com/ijapesigan/rProject/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Roxygen** list(markdown = TRUE)

**VignetteBuilder** knitr

**Depends** R (>= 3.5.0)

**Imports** BiocManager, cffr, covr, devtools, distro, knitr, lintr, pak,  
pkgdown, quarto, Rcpp, remotes, RefManageR, rmarkdown,  
roxygen2, rprojroot, stats, styler, tinytex, utils

**Suggests** testthat

**RoxygenNote** 7.3.3.9000

**NeedsCompilation** no

**Author** Ivan Jacob Agaloos Pesigan [aut, cre, cph] (ORCID:  
<<https://orcid.org/0000-0003-4818-8420>>)

**Maintainer** Ivan Jacob Agaloos Pesigan <ijapesigan@gmail.com>

## Contents

Bib . . . . .	2
BibLib . . . . .	3
Binary . . . . .	3
Build . . . . .	4
BuildIgnore . . . . .	4

CFF . . . . .	5
Clean . . . . .	5
CleanPkg . . . . .	6
CleanProj . . . . .	6
CleanTinyTex . . . . .	7
ConfigFiles . . . . .	7
Coverage . . . . .	8
DataAnalysis . . . . .	8
DataProcess . . . . .	9
Dependencies . . . . .	9
Detritus . . . . .	10
Environment . . . . .	10
EnvironmentProject . . . . .	11
EnvironmentTokens . . . . .	11
InstallLocal . . . . .	12
LatexCompile . . . . .	12
LatexKnit . . . . .	13
LatexMake . . . . .	13
LatexTikzCompile . . . . .	14
LibPaths . . . . .	14
License . . . . .	15
Lint . . . . .	15
Manual . . . . .	16
PkgDevel . . . . .	16
PkgDevelGitHub . . . . .	17
PkgProject . . . . .	17
PkgProjectBioconductor . . . . .	18
PkgProjectGitHub . . . . .	18
PkgProjectVersion . . . . .	19
PkgRepo . . . . .	19
Profile . . . . .	20
Project . . . . .	20
Quarto . . . . .	21
ReadMe . . . . .	21
Site . . . . .	22
Style . . . . .	22
TinyTex . . . . .	23
VignettesPrecompile . . . . .	23
z . . . . .	24

---

Bib	<i>Consolidate .bib files into a Single File</i>
-----	--------------------------------------------------

---

**Description**

Consolidate .bib files into a Single File

**Usage**

```
Bib(path, bib_lib = FALSE)
```

**Arguments**

path	Character string. Project path.
bib_lib	Logical. If bib_lib = TRUE, build bib.bib from lib-* GitHub repositories.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

BibLib	<i>Copy .bib Files from lib-* GitHub Repositories</i>
--------	-------------------------------------------------------

---

**Description**

Copy .bib Files from lib-\* GitHub Repositories

**Usage**

```
BibLib(path)
```

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Binary	<i>Setup Binaries not Included in the Package</i>
--------	---------------------------------------------------

---

**Description**

Setup Binaries not Included in the Package

**Usage**

Binary(path)

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Build	<i>Build Package</i>
-------	----------------------

---

**Description**

Build Package

**Usage**

Build(path, vignettes = FALSE, dependencies = FALSE)

**Arguments**

path	Character string. Project path.
vignettes	Logical. Build vignettes.
dependencies	Logical. Install package dependencies.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

BuildIgnore	<i>Build</i> .Rbuildignore
-------------	----------------------------

---

**Description**

Build .Rbuildignore

**Usage**

```
BuildIgnore(path, project, add = NULL)
```

**Arguments**

path	Character string. Project path.
project	Character string. Project name.
add	Character vector. Items to add to .Rbuildignore.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

CFF	<i>Build</i> CITATION.cff
-----	---------------------------

---

**Description**

Build CITATION.cff

**Usage**

```
CFF(path)
```

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

Clean

*Clean Files Generated on Build*

---

**Description**

Delete all output files that are generated on automated build.

**Usage**

```
Clean(path, push = FALSE)
```

**Arguments**

path	Character string. Project path.
push	Logical. If push = TRUE clean in preparation for git push.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

CleanPkg*Clean R Packages*

---

**Description**

Uninstall R packages with priority = "NA".

**Usage**

```
CleanPkg(path)
```

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

`CleanProj`*Clean Project*

---

**Description**

Remove all files except `project.Rproj` and, optionally, `.library`.

**Usage**

```
CleanProj(path, lib = FALSE, sim = FALSE, sif = FALSE)
```

**Arguments**

<code>path</code>	Character string. Project path.
<code>lib</code>	Logical. If <code>lib = TRUE</code> , delete <code>.library</code> . If <code>lib = FALSE</code> , <code>.library</code> is not deleted.
<code>sim</code>	Logical. If <code>sim = TRUE</code> , delete <code>.sim</code> . If <code>sim = FALSE</code> , <code>.sim</code> is not deleted.
<code>sif</code>	Logical. If <code>sif = TRUE</code> , delete <code>.sif</code> . If <code>sif = FALSE</code> , <code>.sif</code> is not deleted.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

`CleanTinyTex`*Clean ~/.TinyTex*

---

**Description**

Uninstall TinyTex.

**Usage**

```
CleanTinyTex(path)
```

**Arguments**

<code>path</code>	Character string. Project path.
-------------------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

**ConfigFiles***Setup Config Files*

---

**Description**

Setup Config Files

**Usage**

```
ConfigFiles(git_user)
```

**Arguments**

`git_user`            Character string. Git user.

**Details**

This function requires a dotfiles GitHub repository.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

**Coverage***Code Coverage*

---

**Description**

Code Coverage

**Usage**

```
Coverage(path)
```

**Arguments**

`path`                Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan



---

**DataAnalysis***Data Analysis*

---

**Description**

Execute R scripts in data-analysis.

**Usage**

```
DataAnalysis(path, clean = FALSE)
```

**Arguments**

path	Character string. Project path.
clean	Logical. Remove all .Rds files in data-process and data-analysis before running.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

**DataProcess***Process Data*

---

**Description**

Execute R scripts in data-process.

**Usage**

```
DataProcess(path, clean = FALSE)
```

**Arguments**

path	Character string. Project path.
clean	Logical. Remove all .Rds files in data-process before running.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Dependencies	<i>Copy Dependencies to from .setup/r-dependencies to R</i>
--------------	-------------------------------------------------------------

---

**Description**

Copy Dependencies to from .setup/r-dependencies to R

**Usage**

Dependencies(path)

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Detritus	<i>Create detritus/tex/tex-fig-*</i>
----------	--------------------------------------

---

**Description**

Create detritus/tex/tex-fig-\*

**Usage**

Detritus(path)

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Environment	<i>Setup .Renvi</i> ron
-------------	-------------------------

---

**Description**

Setup .Renvi

**Usage**

Environment(path, project, tokens)

**Arguments**

path	Character string. Project path.
project	Character string. Project name.
tokens	Named vector of tokens.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

EnvironmentProject	<i>Set PROJECT Environment Variable</i>
--------------------	-----------------------------------------

---

**Description**

Set PROJECT Environment Variable

**Usage**

EnvironmentProject(project)

**Arguments**

project	Character string. Project name.
---------	---------------------------------

**Value**

Returns project name.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

EnvironmentTokens	<i>Set Tokens</i>
-------------------	-------------------

---

**Description**

Set Tokens

**Usage**

```
EnvironmentTokens(tokens)
```

**Arguments**

tokens	Named vector of tokens.
--------	-------------------------

**Value**

Returns vector of secret tokens.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

InstallLocal	<i>Install Applications on Local Machine</i>
--------------	----------------------------------------------

---

**Description**

Install Applications on Local Machine

**Usage**

```
InstallLocal(
  what = c("tmux", "julia", "mpdemo", "lazygit", "pfetch", "quarto"),
  all = FALSE,
  force = FALSE
)
```

**Arguments**

what	Character string. Vector of applications to install. Valid values include "tmux", "julia", "mpdemo", "lazygit", "pfetch", and "quarto".
all	Logical. If all = TRUE, ignore what and install all valid what values.
force	Logical. If force = TRUE, install whether or not the application is available in the system.

### Author(s)

Ivan Jacob Agaloos Pesigan

---

LatexCompile	<i>Compile Output of LatexKnit</i>
--------------	------------------------------------

---

### Description

Compile Output of LatexKnit

### Usage

```
LatexCompile(path, clean = FALSE)
```

### Arguments

path	Character string. Project path.
clean	Logical. Clean latexmk output except *.pdf

### Author(s)

Ivan Jacob Agaloos Pesigan

---

LatexKnit	<i>Knit .setup/latex/*.Rtex</i>
-----------	---------------------------------

---

### Description

Knit .setup/latex/\*.Rtex

### Usage

```
LatexKnit(path)
```

### Arguments

path	Character string. Project path.
------	---------------------------------

### Author(s)

Ivan Jacob Agaloos Pesigan

LatexMake

*Compile Output of LatexKnit*

---

**Description**

Compile Output of LatexKnit

**Usage**

```
LatexMake(path, clean = FALSE)
```

**Arguments**

path	Character string. Project path.
clean	Logical. Clean latexmk output except *.pdf

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

LatexTikzCompile

*Compile Tikz*

---

**Description**

Compile Tikz

**Usage**

```
LatexTikzCompile(path, clean = FALSE)
```

**Arguments**

path	Character string. Project path.
clean	Logical. Clean latexmk output except *.pdf

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

LibPaths	<i>Add .library to Library Paths</i>
----------	--------------------------------------

---

**Description**

- creates a folder `.library` on the project path if it does not exist
- creates a `.gitignore` file inside `.library` if it does not exist
- adds `.library` to `.libPaths()`
- sets `R_LIBS_USER` to `.library`

**Usage**

```
LibPaths(path)
```

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Value**

Returns the path of `.library`.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

License	<i>Generate License File</i>
---------	------------------------------

---

**Description**

Generate License File

**Usage**

```
License(path, type = "mit")
```

**Arguments**

path	Character string. Project path.
type	Character string. License type. Available values include "mit" and "gpl3".

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Lint	<i>Lint Project</i>
------	---------------------

---

**Description**

Lint Project

**Usage**

Lint(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Manual	<i>Package Manual</i>
--------	-----------------------

---

**Description**

Package Manual

**Usage**

Manual(path, project)

**Arguments**

path                      Character string. Project path.  
project                    Character string. Project name.



---

**PkgDevel***Install Development Packages from CRAN*

---

**Description**

Install Development Packages from CRAN

**Usage**

PkgDevel(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

**PkgDevelGitHub***Install Development Packages from GitHub*

---

**Description**

Install Development Packages from GitHub

**Usage**

PkgDevelGitHub(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

PkgProject

*Install Project Packages from CRAN*

---

**Description**

Install Project Packages from CRAN

**Usage**

PkgProject(path, pkg)

**Arguments**

path	Character string. Project path.
pkg	Character vector. R packages.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

PkgProjectBioconductor

*Install Project Packages from Bioconductor*

---

**Description**

Install Project Packages from Bioconductor

**Usage**

PkgProjectBioconductor(path, pkg)

**Arguments**

path	Character string. Project path.
pkg	Character vector. Bioconductor packages.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

PkgProjectGitHub	<i>Install Project Packages from GitHub</i>
------------------	---------------------------------------------

---

**Description**

Install Project Packages from GitHub

**Usage**

```
PkgProjectGitHub(path, pkg, ref = "HEAD")
```

**Arguments**

path	Character string. Project path.
pkg	Character vector. GitHub packages.
ref	Character vector. Git branch.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

PkgProjectVersion	<i>Install Project Packages with Specific Version</i>
-------------------	-------------------------------------------------------

---

**Description**

Install Project Packages with Specific Version

**Usage**

```
PkgProjectVersion(path, pkg, ver)
```

**Arguments**

path	Character string. Project path.
pkg	Character vector. R packages.
ver	Character vector. Version.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

PkgRepo	<i>Setup RStudio Package Manager Repository Based on the Current Operating System</i>
---------	---------------------------------------------------------------------------------------

---

**Description**

Setup RStudio Package Manager Repository Based on the Current Operating System

**Usage**

```
PkgRepo(path)
```

**Arguments**

path	Character string. Project path.
------	---------------------------------

**Value**

Returns the repository url.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Profile	<i>Setup .Rprofile</i>
---------	------------------------

---

**Description**

Setup .Rprofile

**Usage**

```
Profile(path, project)
```

**Arguments**

path	Character string. Project path.
project	Character string. Project name.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Project	<i>Setup the project.Rproj file</i>
---------	-------------------------------------

---

**Description**

Setup the project.Rproj file

**Usage**

Project(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Quarto	<i>Render Quarto Project</i>
--------	------------------------------

---

**Description**

Render Quarto Project

**Usage**

Quarto(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

ReadMe

*Build README.md*

---

**Description**

Build README.md

**Usage**

ReadMe(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Site

*Build Website*

---

**Description**

Build Website

**Usage**

Site(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

Style	<i>Style Project</i>
-------	----------------------

---

**Description**

Style Project

**Usage**

Style(path)

**Arguments**

path                      Character string. Project path.

**Author(s)**

Ivan Jacob Agaloos Pesigan

---

TinyTex	<i>Install ~/.TinyTex</i>
---------	---------------------------

---

**Description**

Install ~/.TinyTex

**Usage**

TinyTex(path, bundle = "TinyTeX-2", force = FALSE)

**Arguments**

path                      Character string. Project path.

bundle                    The bundle name of TinyTeX (which determines the collection of LaTeX packages to install). See <https://github.com/rstudio/tinytex-releases#releases> for all possible bundles and their meanings.

force                     Logical. Force install.

**Author(s)**

Ivan Jacob Agaloos Pesigan

VignettesPrecompile		Precompile Vignettes
<b>Description</b>		
Precompile Vignettes		
<b>Usage</b>		
VignettesPrecompile(path)		
<b>Arguments</b>		
path		Character string. Project path.
<b>Author(s)</b>		
Ivan Jacob Agaloos Pesigan		
z		Data from the Standard Normal Distribution

**Description**

Data from the Standard Normal Distribution

**Usage**

z

**Format**

A vector of length 100.



# Index

- \* **data**
  - z, [24](#)
- Bib, [2](#)
- BibLib, [3](#)
- Binary, [3](#)
- Build, [4](#)
- BuildIgnore, [4](#)
- CFF, [5](#)
- Clean, [5](#)
- CleanPkg, [6](#)
- CleanProj, [6](#)
- CleanTinyTex, [7](#)
- ConfigFiles, [7](#)
- Coverage, [8](#)
- DataAnalysis, [8](#)
- DataProcess, [9](#)
- Dependencies, [9](#)
- Detritus, [10](#)
- Environment, [10](#)
- EnvironmentProject, [11](#)
- EnvironmentTokens, [11](#)
- InstallLocal, [12](#)
- LatexCompile, [12](#)
- LatexKnit, [13](#)
- LatexMake, [13](#)
- LatexTikzCompile, [14](#)
- LibPaths, [14](#)
- License, [15](#)
- Lint, [15](#)
- Manual, [16](#)
- PkgDevel, [16](#)
- PkgDevelGitHub, [17](#)
- PkgProject, [17](#)
- PkgProjectBioconductor, [18](#)
- PkgProjectGitHub, [18](#)
- PkgProjectVersion, [19](#)
- PkgRepo, [19](#)
- Profile, [20](#)
- Project, [20](#)
- Quarto, [21](#)
- ReadMe, [21](#)
- Site, [22](#)
- Style, [22](#)
- TinyTex, [23](#)
- VignettesPrecompile, [23](#)
- z, [24](#)