# Attenuation Bias, Measurement Error & Principal Component Analysis

Isaac Liu, Nicolás Martorell & Paul Opheim May 23, 2021

#### Abstract

Shorter version of the abstract (I would say 4-5 sentences in a single paragraph max) goes here

Many variables of interest in economics are not directly available as empirical data. Instead, economists often use other variables that are imperfect measurements of the true focus of their analysis. These available variables are known as *proxies* or "variables measured with error", and, if they suffer from classical measurement error, their use causes *attenuation bias* when they are used as independent variables in econometric estimation. Traditionally, instrumental variables are used as a shock of exogeneity to get rid of this bias, but finding truly exogenous variables that satisfy the exclusion restriction is difficult, and so this method can often not be feasibly applied.

As an alternative to dealing with attenuation bias, we propose the use of Principal Component Analysis (PCA) over several variables measured with error. When there are multiple observed variables driven by a single "true" one, we propose to use PCA over these variables to extract the "true" variable. We then use this extracted value and use it in a standard OLS regression, thus providing a solution to attenuation bias that does not require the strong assumptions of instrumental variable analysis.

To show the properties and behaviour of our estimator on large samples under standard assumptions, we present a theoretical framework and a Monte-Carlo analysis. Additionally, we explore a basic empirical application to our method, by estimating the effect of economic development on life expectancy at birth. Since there is no consensus on how to measure economic development, we take a sample of different variables that may measure economic development with error (GDP per capita, GNI per capita, Household Income Per Capita, among others) over which we apply PCA to apply our identification strategy.

#### Literature

Brief discussion of https://warwick.ac.uk/fac/soc/economics/staff/knagasawa/PartialEffects.pdf, as well as anything else important that comes up on Google Scholar

So it actually kind of seems like we are doing something unique, but it's not clear that what we are doing is better than existing approaches to measurement error. Like averaging or instrumenting variables with each other.

Nagasawa 2020 theoretically develops the use of a proxy variable to deal with unobserved heterogeneity in line with the definitions in the measurement error literature Uses an imperfect measurement of the error, the proxy problem is in nuisance parameters has a single proxy variable nonparametric approach mentioned as having limited usefulness due to curse of dimensionality and restrictive common support kernel first stage new partial effects method of proxy

Schennach 2016 focuses on nonclassical measurement error and nonlinear cases- classical cases 'uninteresting' because IV is very easy to use relaxing common assumptions origins and simple approaches validation data or repeated measurements proxies are related to the variable of interest but maybe nonlinearly... indicators may be instruments time series and panel repetition factor high and low dimensional relations multivariate linear regression- worse than attenuation bias... and nonlinear models lead IV to fail. repeated measurments- old lemma. nonparametric density estimation moments apporach and polynomials, basis and transforms, etc. symmetric kernel smoothing factor models- x is informed by factor loadings plus noise- latent covariance identification. normalization is needed. SEE HECKMAN 2010A control variables- NO need for normalization with the matrix known construct vectors of repeated measurment and decompose nonlinear exxtension. iv more general and can be biased... polynomial parameteric identification is difficult in this nonlinear

situation quantile regression possilbity panel data- future values can give information.

factor analysis can handle measurement errors in multiple ways exploratory factor analysis can be used to explore dimensionality of measurement instrument (like prof mentioned i guess). I think this is like just the PCA step and looking at the Loadings confirmatory factor analysis-test if constructs influence responses some unique observation factors there is discussion of the variance of the true variable and the variance of the measurement error. i think there might be misuse of the term measurement errors/this is not clear overall not very related

latent variable models... are really basically mathematically the same as measurement error simple and standard me explanation reminder- standardized coefficient is very similar to correlation coefficient reminder that there is no impact of measurement error in y on unstandardized coeff multiple regression- x1 coeff can indeed be biased, middle of p.2 lower statistical power no bias in the mean of x bad impact on the regression use Structural Equation Modelling to estimate path coefficients among latent variables need three or more measures to estimate a latent variable in a footnote it mentions a case with only two indicators not always me but sometimes uniqueness... really it's just items unaccounted for by the factor latent variance is independent.. classical assumption

Wegge measurment error regression models are factor analysis mdoels, with the correct regressors being the factors. indeed. but no common stat method, because true factors not known- no clear coefficient linkage. instead, grouping dependent variables and latent factors uncorrelated with errors counting rules data grouping remedies- structural equations grouped regression model- ivs and weighted averages of ivs if there is very little credible info about the variance of measurment errors or the covariance of equation erros, factor loading restrictions are needed for identification this paper is about identification and IVs really

schoefield mixed effects structural equations model combine structural equations and item response theory attenuation, or nonclassical bias in any direction clear misestimation consequences solutions in IV or nonparametric bounds. here IRT error structure assumed by IV often violated bayesian structural framework and model this paper is focused on ME in the main regressor

heckman 2010 the abstract makes it very clear that this is a paper in a similar situation, except involving matching it is incomplete, however matching estimators can be harmed by mismeasured conditioning variables however, average treatment effects can be identified using factor models with quality proxies there often is not a need for normalization

\*perhaps note somewhere that government spending is less likely to have measurement error because it's an official statistic... though health spending in the denominator could have error... ow.

## Theoretical framework

Consider a model where the outcome is denoted by  $y_i$ . This outcome depends on a variable of interest denoted by  $t_i$  and a vector of covariates denoted by  $X_i = (x_{i,1}, x_{i,2}, \dots x_{i,p})'$ . Additionally, consider a vector of variables  $X_i^* = (x_{i,1}^*, x_{i,2}^*, \dots x_{i,p}^*)'$  that correspond to the covariates  $X_i$  but observed with measurement error, where  $x_{i,k}^* = x_{i,k} + \eta_{i,k}$  with  $\eta_{i,k} \sim iid(0, \sigma_{\eta_k}^2)$ ,  $E(x_{i,k}', \eta_{i,k}) = 0, \forall i$ ,  $E(x_{i,k}', \eta_{j,l}) = 0, \forall i \neq j$  and  $k \neq l$ . Therefore, each  $x_{i,k}^*$  suffers from classical measurement error. Note that  $E(x_{i,k}) = E(x_{i,k}^*) = \mu_{x_k}$  and that  $V(x_{i,k}) = \sigma_{x_k}^2$  while  $V(x_{i,k}^*) = \sigma_{x_k}^2 + \sigma_{\eta_k}^2 \geq \sigma_{x_k}^2$ .

#### **Data Generating Process**

Assume that the outcome  $y_i$  is determined by the following Data Generation Process (DGP):

$$y_i = \gamma t_i + X_i' \beta + \epsilon_i \tag{1}$$

where  $\gamma$  is the parameter of the variable of interest  $t_i$ ,  $\beta = (\beta_1, \beta_2, \dots \beta_p)'$  is the vector of the parameters of the covariates  $X_i$  including a constant and  $\epsilon_i \sim \mathrm{iid}(0, \sigma_{\epsilon}^2)$ . Under this specification, the coefficients are such that:

$$\begin{pmatrix} \gamma \\ \beta \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{yX} \end{pmatrix}$$
 (2)

Suppose that the econometrician has access to  $t_i$  but, instead of  $X_i$  she observes  $X_i^*$ . Then, she specifies the following linear model

$$y_i = \gamma^* t_i + X_i^{*\prime} \beta^* + \zeta_i \tag{3}$$

the coefficients would be such that

$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{tX^*} \\ \Sigma_{X^*t} & \Sigma_{X^*} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{yX^*} \end{pmatrix} \tag{4}$$

$$= \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X + \Sigma_{\eta} \end{pmatrix}^{-1} \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
 (5)

To the see the implications of the of this measurement error in the covariates, consider a simple case where the DGP depends only of the variable of interest and a covariate such that:

$$\begin{pmatrix} \gamma \\ \beta \end{pmatrix} = \begin{pmatrix} 1 \\ 1 \end{pmatrix} \tag{6}$$

and with  $\sigma_t^2 = \Sigma_X = \Sigma_\eta = 1$  while  $\Sigma_{Xt} = 0.6$ . Then

$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} 1 & 0.6 \\ 0.6 & 2 \end{pmatrix}^{-1} \begin{pmatrix} 1 & 0.6 \\ 0.6 & 1 \end{pmatrix} \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$
$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} 1.37 \\ 0.39 \end{pmatrix}$$

Clearly, both coefficients shows bias when the econometrician assumes a DGP with  $X_i^*$ : while there is attenuation bias on the coefficient of the covariate, the coefficient of the variable of interest is biased upward given that some of the effect of the covariates is "omitted" given this attenuation.

### Instrumental Variables Regression as a Bias-Correction Method

The classical solution for the measurement-error induced bias in econometrics has been the usage of instrumental variables. Suppose an instrument  $Z_i$  that satisfies the relevance condition  $E(Z_i'X_i) \neq 0$ 

and  $E(Z_i't_i) \neq 0$ , and also the exclusion restriction  $E(Z_i'\epsilon_i) = E(Z_i'\zeta_i) = E(Z_i'\eta_{i,k}) = 0$ , for all i and k. Then premultiplying by  $Z_i$  we have

$$Z_i'y_i = Z_i'\gamma^*t_i + Z_i'X_i^{*'}\beta^* + Z_i'\zeta_i \tag{7}$$

and so

$$\begin{pmatrix} \gamma^{IV} \\ \beta^{IV} \end{pmatrix} = \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} + \Sigma_{Z\eta} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(8)

$$= \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(9)

$$\begin{pmatrix} \gamma^{IV} \\ \beta^{IV} \end{pmatrix} = \begin{pmatrix} \gamma \\ \beta \end{pmatrix} \tag{10}$$

However, finding a reliable source of exogeneity is difficult, and it is impossible to conclusively prove a suitable exclusion restriction. The use of IV as a bias-correction method is thus often unfeasible.

### Principal Component Regression as Bias-Correction Method

Alternatively, we propose an alternative bias-correction method for when there are several mismeasured variables for each covariate; that is, when we have more than one  $x_{i,k}^*$  for every  $x_{i,k}$ . Given that in all the mismeasured variables the underlying value is the real value, one could think of extracting the underlying true  $x_{i,k}$  through a linear combination of the different  $x_{i,k}^*$ . Then, we could treat all the  $x_{i,k}^*$  as variables that share components as follows:

$$h_j = \underset{h'h=1, h'h_1=0, \dots, h'h_{j-1}=0}{\operatorname{argmax}} \operatorname{var} \left[ h' X_k^* \right]$$
 (11)

where  $h_j$  is the eigenvector of  $\Sigma$  associated with the  $j^{th}$  ordered eigenvalue  $\lambda_j$  of  $\Sigma_{X_k^*}$ , and the principal components of  $X_k^*$  are  $U_j = h'_j X_k^*$ , where  $h_j$  is the eigenvector of  $\Sigma$  associated with the  $j^{th}$  ordered eigenvalue  $\lambda_j$  of  $\Sigma$ .

Under our assumptions, the vector of mismeasured values  $X_k^*$  of  $x_{i,k}$ , share only one principal component which is precisely  $x_{i,k}$ . Then, we only have one principal component,  $x_{i,k}$ , and so the  $x_{i,k}$  is such that

$$x_{i,k} = h_k' X_k^* \tag{12}$$

Finally, we could then retrieve the vector of true variables  $X_i$ 

$$X_i = HX_i^* \tag{13}$$

where H is a matrix such that

$$H = \begin{pmatrix} h_1 & 0 & 0 & \dots & 0 \\ 0 & h_2 & 0 & \dots & 0 \\ \vdots & \ddots & h_3 & \ddots & \vdots \\ 0 & \dots & \dots & \ddots & h_p \end{pmatrix}$$

and  $h_k$  is the vector of eigenvalues for the variable  $x_{i,k}$ . Our new linear model then becomes

$$y_i = \gamma^{PCR} t_i + H X_i^{*\prime} \beta^{PCR} + \epsilon_i \tag{14}$$

where the coefficients are as follows

$$\begin{pmatrix} \gamma^{PCR} \\ \beta^{PCR} \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{t,HX^*} \\ \Sigma_{HX^*,t} & \Sigma_{HX^*} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{y,HX^*} \end{pmatrix}$$
(15)

$$= \begin{pmatrix} \sigma_t^2 & \Sigma_{t,HX^*} \\ \Sigma_{HX^*,t} & \Sigma_{HX^*} \end{pmatrix}^{-1} \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_{X} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(16)

$$= \begin{pmatrix} \gamma \\ \beta \end{pmatrix} \tag{17}$$

where the last equality comes from (13).

### Properties of the Estimator: Monte Carlo Simulations

We then complement our theoretical analysis by using Monte Carlo Simulation to analyze the effects of using Principal Components Regression as a method of bias correction. For these simulations, we assume that the true DGP for the data is:

$$y_i = \beta_1 x_i + \beta_2 z_i + u_i$$

where  $x_i$  and  $z_i$  are single variables drawn from  $\mathcal{N}(\begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 & \rho \\ \rho & 1 \end{bmatrix})$ , where  $\rho$  is some covariance between our main variable of interest  $(x_i)$  and the covariate  $(z_i)$ . The  $u_i$  is drawn from a white noise distribution  $(\mathcal{N}(0,1))$  that is uncorrelated with both  $x_i$  and  $z_i$ . We then assume (as with the theoretical analysis) that  $z_i$  is not directly observable and instead the researchers only have access to p many measurements  $z_{i,j}^*$  where  $z_{i,j}^* = z_i + \eta_j$  where  $\eta_j$  is drawn from a white noise distribution  $\mathcal{N}(\mathbf{0}, \Sigma)$  where  $\mathbf{0}$  is a p-vector and  $\Sigma$  is a diagonal p by p matrix with only 1s on the diagonal.

In our simulations, we assume default values of  $\rho = 0.5$ ,  $\beta_1 = \beta_2 = 1$ , and p = 5. We then vary each factor while holding the others fixed, and perform 1,000 simulations of the DGP followed by an OLS regression on either the PCA value from the p measurements of the true  $z_i$ , or on a single one of the measurements of  $z_i$ . For each simulation, we generate 100 observations of  $y_i$ ,  $x_i$ , etc. Below are the results for different values of p:

We can see that using PCA to extract the latent covariate driving the mismeasured covariates noticeably outperforms using a single mismeasured covariate across several values of p. Both the average coefficient on  $\beta_1$  obtained when including the PCA output in the regression, and the mean absolute percentage error obtained on the 1,000 simulations are both much closer to the target values with the PCA-based regression than with the single measurement regression. Additionally, we can see that as p increases the estimated  $\beta_1^*$  coefficient in the PCA regression gets steadily closer to the true  $\beta_1$  value of 1. Appendix 1 contains charts that show that this increase in performance is also true for different values of  $\beta_1$  and  $\beta_2$ .

	$Number\ of\ p$					
	5	10	20	50		
		Coefficient o	n Main Varial	ble		
PCA	1.105	1.066	1.033	1.022		
	(0.121)	(0.122)	(0.119)	(0.117)		
Single Measurement	1.280	1.283	1.282	1.292		
	(0.124)	(0.129)	(0.131)	(0.167)		
		Absolute Pe	ercentage Erro	r		
PCA	13.1%	11.1%	10.0%	9.4%		
	(9.3  ppts)	(8.3  ppts)	(7.3  ppts)	(7.3  ppts)		
Single Measurement	28.2%	28.5%	28.3%	29.3%		
	(12.6  ppts)	(12.6  ppts)	(12.6  ppts)	(12.7  ppts)		
Observations	1,000	1,000	1,000	1,000		

However, there are certain circumstances where the PCA method does not lead to more accurate estimates of  $\beta_1^*$ . Let's now look at the simulation results for different values of  $\rho$  (the covariance between the main variable of interest  $x_i$  and the true latent covariate  $z_i$ ):

	ho Value						
	-1	-0.5	0	0.5	1		
		Coeffici	ent on Main	Variable			
PCA	-0.006	0.900	0.996	1.105	2.009		
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)		
Single Measurement	-0.002	0.720	0.998	1.280	2.003		
	(0.142)	(0.130)	(0.127)	(0.129)	(0.147)		
		$\dot{Absolu}$	te Percentage	e Error			
PCA	100.6%	12.7%	8.9%	13.1%	100.9%		
	(23.8  ppts)	(9.1  ppts)	(6.6  ppts)	(9.3  ppts)	(24.2  ppts)		
Single Measurement	100.2%	28.1%	10.2%	28.2%	100.3%		
	(14.2  ppts)	(12.7  ppts)	(7.6  ppts)	(12.6  ppts)	(14.7  ppts)		
Observations	1,000	1,000	1,000	1,000			

When the covariance between  $x_i$  and  $z_i$  is equal to 0, -1, or 1 then there is no notable improvement from using the PCA-extracted latent variable (and notice that since the variances of  $x_i$  and  $z_i$  are 1, this means that the covariance is equal to the correlation in these simulations). These simulation results suggest that so long as the correlation between  $x_i$  and  $z_i$  is not close to -1,0, or 1, there are noticeable performance gains from using PCA to extract the true covariate from a collection of observed variables that try to measure that true covariate.

However, the performance advantages that we see from using PCA could be driven by the benefit of having multiple measurements of our true covariate of interest, as opposed to any special advantages from PCA specifically. We test this question by comparing the estimated  $\beta_1^*$  in our PCA regressions with the estimated  $\beta_1^*$  when we include all p measurements as separate covariates in the regression, and the  $\beta_1^*$  obtained when the covariate is the mean of all p measurements of the true covariate. The results from these regressions for different values of p is shown below:

	$Number\ of\ p$					
	5	10	20	50		
		Coefficient of	on Main Vari	able		
PCA	1.105	1.066	1.033	1.022		
	(0.121)	(0.122)	(0.119)	(0.117)		
All Measurements	1.100	1.061	1.025	1.010		
	(0.124)	(0.129)	(0.131)	(0.167)		
Average of Measurements	1.100	1.060	1.026	1.015		
	(0.121)	(0.122)	(0.119)	(0.117)		
		Absolute P	ercentage Err	ror		
PCA	13.1%	11.1%	10.0%	9.4%		
	(9.3  ppts)	(8.3  ppts)	(7.3  ppts)	(7.3  ppts)		
All Measurements	12.9%	11.4%	10.7%	13.2%		
	(9.3  ppts)	(8.5  ppts)	(7.9  ppts)	(10.2 ppts)		
Average of Measurements	12.8%	10.9%	9.8%	9.3%		
	(9.2 ppts)	(8.2 ppts)	(7.2 ppts)	(7.2  ppts)		
Observations	1,000	1,000	1,000	1,000		

As one can see from these results (and results for different values of  $\beta_1$ ,  $\beta_2$ , and  $\rho$  in Appendix 2), there does not seem to be a noticeable difference between these three regression methods (across any values of p,  $\beta_1$ ,  $\beta_2$ , and  $\rho$ . Thus, our simulations suggest that there are major benefits to having multiple measurements of a latent covariate of interest, but that using PCA, taking the average of these measurements, and including all measurements as separate covariates seem to give similar benefits to the performance of the regression.

## Application: Government Share of Healthcare Spending and Life Expectancy

We now examine the implications of the principal components estimator in an empirical setting with measurement error. One interesting question in public economics and public health is the comparison between publicly and privately funded healthcare systems and outcomes such as life expectancy. To measure the public or private nature of a healthcare system we use the continuous variable of the government's share of total health expenditure in a given country and year.

TODO: Mini literature review on this question

In this regression it is important to account for the role of a country's level of economic development. There is an extensive literature linking economic development to life expectancy, cite gapminder etc. Somewhat less obvious is the linkage between government provision of healthcare and development. In general, public goods provision in fields such as healthcare has been linked to prosperity (cite)

However, economic development as it is often conceptualized using GDP is liable to be measured with error. GDP measurements rely on surveys Informal economy and non-monetary but productive work Particularly in developing economies subject (nonclassical problem?) Hence, this setup, with a covariate in regression subject to measurement error, fits the situation described in the theory and simulations in the previous sections. In this case, we aim to to reduce possible bias in the coefficient of the government's share of health spending by reducing bias in the coefficients for development indicators.

Our data on all measures comes from the World Bank, though we also make usage of OECD government health share data to fill in missing years, and average World Bank and OECD measurements when both are available. We standardize all variables by subtracting the mean and dividing by the standard deviation, linearly interpolate data between known observations, and remove country-years with missing values for any of the economic indicators.

In Table 1 below we begin with a univariate OLS regression, which produces a large and significant coeffcient indicating a one standard deviation increase in the government share of health expenditure is linked to a 0.56 standard deviation increase in life expectancy. Next we include the potentially mismeasured covariate of GDP per capita, which greatly reduces the size of the coefficient on the governments share. After this we include a full set of economic covariates listed in Table 2, again reducing the size of the coefficient. However, this result is then adjusted upwards again in the last two columns, where use the mean of the mismeasured covariates, and the first principal component.

Table 1: Regressions of Life Expectancy on Government Share of Health Spending

	Life Expectancy at Birth (Years)						
	(1)	(2)	(3)	(4)	(5)		
Govt. Share of Health Exp.	0.564***	0.365***	0.256***	0.380***	0.298***		
	(0.018)	(0.019)	(0.018)	(0.018)	(0.018)		
Covariates	None	GDP PC	Econ Indicators	Mean	PC 1		
Observations	1,995	1,995	1,995	1,995	1,995		
$R^2$	0.319	0.456	0.573	0.479	0.518		
Adjusted $R^2$	0.318	0.455	0.569	0.479	0.517		
Residual Std. Error	0.826	0.738	0.656	0.722	0.695		
F Statistic	931.676***	833.433***	176.737***	917.087***	1069.682***		

Note:

\*p<0.1; \*\*p<0.05; \*\*\*p<0.01

The results clearly demonstrate that all of the methods using multiple measures of the covariates produce noticably different coefficients for government health share. The univariate omitted variable bias formula yields that  $\beta_{OLS} = \beta_{true} + \delta \gamma$  where  $\delta$  is the effect of GDP on the government share

and  $\gamma$  is the effect of GDP on life expectancy. In this case, it is likely that in truth  $\delta, \gamma > 0$ . In our model (2), where we include only a single mismeasured coefficient, mismeasurement leads to an attenuated  $\gamma$  and hence an overly large  $\beta$  coefficient relative to the other models.

NOTE- I don't know what's going on with the mean and why it makes such a large coefficient... probably want to check my code at some point.

### Conclusion

## Appendix 1

	$True  eta_1$					
	0.1	1	10	100		
		Coefficient on	Main Variab	le		
PCA	0.207	1.105	10.104	100.117		
	(0.121)	(0.121)	(0.123)	(0.124)		
Single Measurement	0.383	1.280	10.278	100.289		
	(0.128)	(0.129)	(0.131)	(0.133)		
		Absolute Per	centage Error	,		
PCA	131.1%	13.1%	1.3%	0.1%		
	(95.1  ppts)	(9.3  ppts)	(0.9  ppts)	(0.1  ppts)		
Single Measurement	283.6%	28.2%	2.8%	0.3%		
	(126.6  ppts)	(12.6  ppts)	(1.3  ppts)	(0.1  ppts)		
Observations	1,000	1,000	1,000	1,000		

	$True \ eta_2$				
	0.1	1	10	100	
		Coefficient	on Main Vario	able	
PCA	1.018	1.105	2.112	12.171	
	(0.115)	(0.121)	(0.477)	(4.555)	
Single Measurement	1.034	1.280	3.865	29.751	
	(0.107)	(0.129)	(0.703)	(7.231)	
		Absolute I	Percentage Erre	or	
PCA	9.4%	13.1%	111.6%	$1{,}119.6\%$	
	(7.0  ppts)	(9.3  ppts)	(47.0  ppts)	(449.4  ppts)	
Single Measurement	8.9%	28.2%	286.5%	2,875.1%	
	(6.8 ppts)	(12.6  ppts)	(70.3  ppts)	(723.1  ppts)	
Observations	1,000	1,000	1,000	1,000	

## Appendix 2

# Appendix 3

	$Number\ of\ p$					
	5	10	20	50		
	Coefficient on Main Variable					
PCA	1.105	1.066	1.033	1.022		
	(0.121)	(0.122)	(0.119)	(0.117)		
Single Measurement	1.280	1.283	1.282	1.292		
	(0.124)	(0.129)	(0.131)	(0.167)		
		Absolute Pe	ercentage Erro	r		
PCA	13.1%	11.1%	10.0%	9.4%		
	(9.3  ppts)	(8.3  ppts)	(7.3  ppts)	(7.3  ppts)		
Single Measurement	28.2%	28.5%	28.3%	29.3%		
	(12.6  ppts)	(12.6  ppts)	(12.6  ppts)	(12.7  ppts)		
Observations	1,000	1,000	1,000	1,000		

	ho Value					
	-1	-0.5	0	0.5	1	
		Coeffici	ent on Main	Variable		
PCA	-0.006	0.900	0.996	1.105	2.009	
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)	
Single Measurement	-0.002	0.720	0.998	1.280	2.003	
	(0.142)	(0.130)	(0.127)	(0.129)	(0.147)	
		Absolu	te Percentage	e Error		
PCA	100.6%	12.7%	8.9%	13.1%	100.9%	
	(23.8 ppts)	(9.1  ppts)	(6.6  ppts)	(9.3  ppts)	(24.2  ppts)	
Single Measurement	100.2%	28.1%	10.2%	28.2%	100.3%	
	(14.2  ppts)	(12.7  ppts)	(7.6  ppts)	(12.6  ppts)	(14.7 ppts)	
Observations	1,000	1,000	1,000	1,000		

	True $\beta_1$				
	0.1	1	10	100	
		Coefficient or	n Main Varia	ble	
PCA	0.207	1.105	10.104	100.117	
	(0.121)	(0.121)	(0.123)	(0.124)	
All Measurements	0.201	1.100	10.098	100.11	
	(0.123)	(0.124)	(0.126)	(0.127)	
Average of Measurements	0.202	1.100	10.098	100.111	
	(0.121)	(0.121)	(0.123)	(0.124)	
		Absolute Pe	rcentage Erro	r	
PCA	131.1%	13.1%	1.3%	0.1%	
	(95.1  ppts)	(9.3  ppts)	(0.9  ppts)	(0.1  ppts)	
All Measurements	128.9%	12.9%	1.3%	0.1%	
	(93.6  ppts)	(9.3  ppts)	(1.0  ppts)	(0.1  ppts)	
Average of Measurements	127.9%	12.8%	1.3%	0.1%	
	(93.1 ppts)	(9.2 ppts)	(0.9  ppts)	(0.1  ppts)	
Observations	1,000	1,000	1,000	1,000	

	$True \ eta_2$				
	0.1	1	10	100	
		Coefficient	on Main Vari	able	
PCA	1.018	1.105	2.112	12.171	
	(0.115)	(0.121)	(0.477)	(4.555)	
All Measurements	1.02	1.100	2.067	11.664	
	(0.118)	(0.124)	(0.477)	(4.519)	
Average of Measurements	1.017	1.100	2.061	11.625	
	(0.115)	(0.121)	(0.470)	(4.415)	
		Absolute	Percentage Err	ror	
PCA	9.4%	13.1%	111.6%	$1,\!119.6\%$	
	(7.0  ppts)	(9.3  ppts)	(47.0  ppts)	(449.4  ppts)	
All Measurements	9.7%	12.9%	107.1%	1,069.3%	
	(7.0  ppts)	(9.3  ppts)	(46.8  ppts)	(445.0  ppts)	
Average of Measurements	9.4%	12.8%	106.5%	1,065.2%	
	(6.9 ppts)	(9.2 ppts)	(46.0  ppts)	(435.0  ppts)	
Observations	1,000	1,000	1,000	1,000	

	Number of p				
	5	10	20	50	
		Coefficient of	on Main Vari	able	
PCA	1.105	1.066	1.033	1.022	
	(0.121)	(0.122)	(0.119)	(0.117)	
All Measurements	1.100	1.061	1.025	1.010	
	(0.124)	(0.129)	(0.131)	(0.167)	
Average of Measurements	1.100	1.060	1.026	1.015	
	(0.121)	(0.122)	(0.119)	(0.117)	
		Absolute P	ercentage Err	ror	
PCA	13.1%	11.1%	10.0%	9.4%	
	(9.3  ppts)	(8.3  ppts)	(7.3  ppts)	(7.3  ppts)	
All Measurements	12.9%	11.4%	10.7%	13.2%	
	(9.3  ppts)	(8.5  ppts)	(7.9  ppts)	(10.2 ppts)	
Average of Measurements	12.8%	10.9%	9.8%	9.3%	
	(9.2 ppts)	(8.2 ppts)	(7.2  ppts)	(7.2  ppts)	
Observations	1,000	1,000	1,000	1,000	

	$\rho$ Value				
	-1	-0.5	0	0.5	1
		Coeffici	ent on Main	Variable	
PCA	-0.006	0.900	0.996	1.105	2.009
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)
All Measurements	-0.007	0.904	0.996	1.100	2.011
	(0.249)	(0.122)	(0.112)	(0.124)	(0.249)
Average of Measurements	-0.005	0.905	0.996	1.100	2.010
	(0.243)	(0.120)	(0.110)	(0.121)	(0.246)
		Absolu	te Percentage	e Error	
PCA	100.6%	12.7%	8.9%	13.1%	100.9%
	(23.8 ppts)	(9.1  ppts)	(6.6  ppts)	(9.3  ppts)	(24.2 ppts)
All Measurements	100.7%	12.6%	9.0%	12.9%	101.1%
	(24.9  ppts)	(9.0  ppts)	(6.7  ppts)	(9.3  ppts)	(24.9 ppts)
Average of Measurements	100.5%	12.4%	8.9%	12.8%	101.0%
	(24.3  ppts)	(8.9 ppts)	(6.6 ppts)	(9.2 ppts)	(24.6  ppts)
Observations	1,000	1,000	1,000	1,000	

Table 2: Covariates

#### Indicator Name

GDP Per Capita (Current USD)

GNP Per Capita PPP (Current International \$)

GNP Per Capita (Current USD)

Survey Mean Income or Consumption Per Capita

Survey Mean Income or Consumption Per Capita, Bottom 40%

ILO GDP Per Person Employed

Total Foreign Reserves

Poverty Headcount Ratio (International Extreme Poverty Line)

Poverty Headcount Ratio (National Poverty Line)

Poverty Gap (International Extreme Poverty Line)

Government Share of Health Expenditure

Net Official Development Assistance Per Capita (Current USD)

Net Official Development Assistance Per Capita, Percent of GNI

Net Official Development Assistance, Percent of Total Government Expenditure

Table 3: Additional Regressions

	Life Expectancy at Birth (Years)			
	(1)	(2)	(3)	(4)
Govt. Share of Health Exp.	0.024***	0.026***	0.307***	0.333***
	(0.008)	(0.007)	(0.018)	(0.018)
Covariates	None	PC 1	PC 1-7	GDP PC (IV)
Fixed Effects	Yes	Yes	No	No
Observations	1,995	1,995	1,995	1,995
$R^2$	0.987	0.987	0.529	0.490
Adjusted $R^2$	0.985	0.985	0.527	0.490
Residual Std. Error	0.121	0.121	0.688	0.714
F Statistic	2458.091***	2357.344***	279.197***	958.731***

Note:

\*p<0.1; \*\*p<0.05; \*\*\*p<0.01

Figure 1: Correlations Between Covariates and Life Expectancy




Figure 2: Economic Measures PCA Loadings




Figure 3: Economic Measures PCA Share of Variance Explained

