

<u>SAFETY DATA SHEET</u>

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name

Alternative names

BRITESORB® BK75 Beer Stabilizer
FOOD GRADE silicon dioxide powder

CAS No. 112926-00-8 EINECS No. 231-545-4

REACH Registration No. 01-2119379499-16-0050

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Beverage processing.

Adsorbent or absorbent; Process regulator or aid

Uses advised against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification PQ Corporation

P.O. Box 840 Valley Forge PA 19482 USA

Telephone: +1 610-651-4200

E-Mail (competent person) sds.uk@pqcorp.com

1.4 Emergency telephone number

Emergency Phone No. +1 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification Not classified as dangerous for supply/use.

EC Classification Not classified as dangerous for supply/use.

Hazards summary Exposure to any kind of dust is potentially harmful.

2.2 Label elements Hazard pictogram(s)

Signal word(s) None.

Hazard statement(s) None.

Precautionary statement(s) None.

EC Classification Not classified as dangerous for supply/use.

Hazard Symbol

Risk Phrases None

Safety Phrases Handle in accordance with good industrial hygiene and safety

practices.

Avoid inhalation of dusts.

Revision: GHS - en - Ref: 09-1-1-90-000b

Date of Issue : 03/2015 PQUS - GHS - 3

Date Previous Issue : 8/6/07 Page: 1 of 6



2.3 Other hazards Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Regulation (EC) No. 1272/2008 (CLP)

		. /		
Ingredient(s)	%W/W	CAS No.	EINECS No. /	Hazard symbol(s) and
			REACH Registration	hazard statement(s)
Synthetic amorphous	~33	112926-00-8	231-545-4	Not classified
silica			01-2119379499-16	
Water	~67	7732-18-5	231-791-2	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact If substance has got into the eyes, immediately wash out with

plenty of water. Obtain immediate medical attention.

Skin Contact Wash affected skin with plenty of water. If symptoms develop,

obtain medical attention.

Inhalation Remove patient from exposure, keep warm and at rest. If

symptoms develop, obtain medical attention.

Ingestion Do not induce vomiting. Wash out mouth with water. If large

amount swallowed or symptoms develop obtain medical attention.

4.2 Most important symptoms and effects, both acute and

delayed

4.3 Indication of any immediate medical attention and special

treatment needed

Exposure to any kind of dust is potentially harmful.

See Section: 4.1

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media Compatible with all standard fire fighting techniques.

Unsuitable extinguishing Media None known.

5.2 Special hazards arising from

the substance or mixture

Not applicable. Inorganic powder or granules. Non-combustible.

5.3 Advice for fire-fighters None.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. An approved dust mask should be worn if dust is generated during handling.

Synthetic amorphous silica is virtually inert and has no known 6.2 Environmental precautions

adverse effect on the environment.

6.3 Methods and materials for containment and cleaning up

Contain spillages. Dampening with water can reduce dust. Sweep or preferably vacuum up and collect in suitable containers

for recovery or disposal.

6.4 Reference to other sections See Also Section 8.

SECTION 7: HANDLING AND STORAGE

Revision: GHS Ref: 09-1-1-90-000b - en -PQUS - GHS - 3 Date of Issue: 03/2015 Date Previous Issue: 8/6/07

Page: 2 of 6



BRITESORB® BK75 Beer Stabilizer

Avoid generation of dust. 7.1 Precautions for safe handling

> A considerable static electrical charge can be built up during mechanical handling which may become a hazard in atmospheres containing flammable vapours. Advice on the control of static is given in British Standard BS 5958. Advice on the control of static is given in British Standard BS 5958.

See Also Section 8.

7.2 Conditions for safe storage, including any incompatibilities 7.3 Specific end use(s)

Keep container tightly closed and dry.

See also Annex to the extended Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

SUBSTANCE.	Occupational Exposure Limits		
Synthetic amorphous	UK EH40: Silica amorphous		
silica	Total inhalable dust: WEL 6 mg/m3 8h TWA. Respirable dust: WEL 2.4 mg/m3 8h TWA.		
	US ACGIH: Silica, Amorphous - Precipitated silica and silica gel: TLV withdrawn 2006		
	US OSHA: Silica amorphous - Precipitated silica: PEL 6mg/m3 8h TWA		

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Wear protective equipment to comply with good occupational hygiene practice. Do not eat, drink or smoke at the work place. Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions.

8.2.2 Personal Protection

Respiratory protection

Avoid inhalation of dusts. Wear suitable respiratory protective equipment if working in confined spaces with inadequate ventilation or where there is any risk of the exposure limits being exceeded. Advice on respiratory protective equipment is given in the HSE (Health and Safety Executive) publication HS(G)53. Safety spectacles. Eye protection with side protection (EN 166). Wear suitable protective clothing and gloves. Plastic or rubber gloves. For example EN374-3. Wear suitable overalls.

Eye/face protection Skin protection

8.2.3 Environmental Exposure

Controls

Avoid generation of dust.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Powder. White. Odour Odourless. Odour Threshold (ppm) Not applicable.

2 - 3.5 at 10% w/w in water. pH (Value)

Freezing Point (°C) Not applicable. Melting Point (°C) > 1000 Boiling Point (°C) Not applicable.

Flash Point (°C) [Closed cup] Not applicable. Evaporation rate Not applicable. Flammability (solid, gas) Not applicable. **Explosive Limit Ranges** Not applicable. Vapour Pressure (mm Hg) Not applicable.

Revision: GHS Ref: 09-1-1-90-000b - en -Date of Issue: 03/2015 PQUS - GHS - 3 Date Previous Issue: 8/6/07 Page: 3 of 6





Vapour Density (Air=1) Not applicable. Density (g/ml) No data. Solubility (Water) Insoluble. Solubility (Other) No data. Partition Coefficient No data. Auto Ignition Point (°C) Not applicable. Decomposition Temperature (°C) Not applicable. Viscosity (mPa. s) Not applicable. Explosive properties Not applicable. Oxidising Properties Not applicable. 9.2 Other information No data.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity See Section: 10.3

10.2 Chemical stability This product is hygroscopic.

10.3 Possibility of hazardous None known.

reactions

10.4 Conditions to avoid See Section: 10.3 10.5 Incompatible materials See Section: 10.3 10.6 Hazardous decomposition None known.

product(s)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion The lethal dose for humans for synthetic amorphous silica is

estimated at over 15000 mg/kg bw. Synthetic amorphous silica is

a permitted food additive in the UK, US and many other

countries. Oral LD50 (rat) >3100 mg/kg bw

Synthetic amorphous silica has little adverse effect on lungs and Inhalation

does not produce significant disease or toxic effect when exposure is kept below the permitted limits. However, existing medical conditions (eg. asthma, bronchitis) may be aggravated by exposure to dust. Effects of dust may be greater, and occur at lower levels of exposure in smokers compared to non-smokers.

Skin Contact Dust may have a drying effect on the skin. Dermal LD50 (rabbit)

>5000 mg/kg bw

Dust may cause discomfort and mild irritation. **Eve Contact**

Non-irritant. Dust may have a drying effect on the skin. Skin corrosion/irritation

Serious eye damage/irritation Non-irritant. Sensitisation Not sensitising.

Mutagenicity No evidence of genotoxicity. In vitro/in vivo negative.

Carcinogenicity IARC assessment: Amorphous silica is not classifiable as to its

carcinogenicity to humans (Group 3).

Reproductive toxicity No evidence of reproductive toxicity or developmental toxicity.

STOT - single exposure Not classified

STOT - repeated exposure Not classified. NOAEL oral (rat) >4000 mg/kg bw/d

Aspiration hazard Not classified Other information Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Synthetic amorphous silica is virtually inert and has no known 12.1 Toxicity

adverse effect on the environment.

Fish (Brachydanio rerio) LL50 (96 hour) >10000 mg/l

Aquatic invertebrates: (Daphnia magna) EL50 (24 hour) >10000

mg/l

Revision: GHS Ref: 09-1-1-90-000b - en -PQUS - GHS - 3 Date of Issue: 03/2015 Date Previous Issue: 8/6/07

Page: 4 of 6



BRITESORB® BK75 Beer Stabilizer

Inorganic. 12.2 Persistence and

degradability

12.3 Bioaccumulative potential Inorganic. The substance has no potential for bioaccumulation.

12.4 Mobility in soil Not applicable.

12.5 Results of PBT and vPvB

assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects None.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state or national 13.1 Waste treatment methods

> legislation. Not a hazardous waste under RCRA Sec.3001. May be disposed of by landfill in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number Not classified as dangerous for transport.

14.2 Proper Shipping Name Not applicable. Not applicable. 14.3 Transport hazard class(es) 14.4 Packing group Not applicable. Not applicable. 14.5 Environmental hazards

14.6 Special precautions for user None. No special packaging requirements.

14.7 Transport in bulk according Not applicable.

to Annex II of MARPOL73/78 and

the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TSCA Inventory Status: Reported/Included. CAS No. 7631-86-9

AICS Inventory Status: Reported/Included. DSL/NDSL Inventory Status: Reported/Included.

WHMIS Classification: Not classified

German Water Hazard Classification VwVwS: Product ID number 849, not hazardous to water - nwg.

1.0.0

15.2 Chemical Safety Assessment Information available on request.

SECTION 16: OTHER INFORMATION

Data referenced in this eSDS is from company-owned information and from data legitimately accessed by PQ Corporation through membership of Industry Consortia or other agreements. This includes data relating to toxicology, ecotoxicology, DNELs, PNECs and other information in this eSDS and its annex.

GHS Classification Not classified as dangerous for supply/use.

Signal word(s) None.

Hazard pictogram(s)

Hazard statement(s) None. Precautionary statement(s) None.

Revision: GHS Ref: 09-1-1-90-000b - en -Date of Issue: 03/2015 PQUS - GHS - 3 Date Previous Issue: 8/6/07 Page: 5 of 6



BRITESORB® BK75 Beer Stabilizer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. PQ Corporation gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. PQ Corporation accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision: GHS - en - Ref: 09-1-1-90-000b

Date of Issue : 03/2015 PQUS - GHS - 3

Date Previous Issue : 8/6/07 Page: 6 of 6