

 <http://www.na.edu>



 E-mail: moodle@na.edu



**NORTH AMERICAN
UNIVERSITY**
INSPIRATION INNOVATION GLOBAL COMPETENCE



Islam Kamilov ▾



Dashboard > My courses > COMP > COMP 3320.Programming Languages.2017SPR.s1 > 23 January
- 29 January > Homework 2

Started on	Thursday, 26 January 2017, 12:03 PM
State	Finished
Completed on	Thursday, 26 January 2017, 12:09 PM
Time taken	6 mins 39 secs
Marks	1.00/5.00
Grade	20.00 out of 100.00

Question 1

Incorrect


Mark 0.00 out of 1.00

If ($a > b$)

print "Yes"

This logic had been implemented in which programming language first?
(conditional branching)

Select one:

- ☒ a. Fortran 
- ☐ b. C
- ☐ c. Speedcoding
- ☐ d. ALGOL
- ☐ e. APL

The correct answer is: Speedcoding


Question 2

Correct

Mark 1.00 out of 1.00

What is the first AI language?

Select one:

- ☐ a. JAVA
- ☐ b. PYTHON
- ☒ c. LISP 
- ☐ d. FORTRAN

The correct answer is: LISP

Question 3

Incorrect

Mark 0.00 out of 1.00

Why source code usage was developed instead of using object/machine code?

Select one:

- ☐ a. Machine code was hard to modify
- ☐ b. All of them
- ☒ c. Machine code has no indexing ✖
- ☐ d. Machine code has poor readability

The correct answer is: All of them

Question 4

Incorrect

Mark 0.00 out of 1.00

_____ first used in Fortran IV.

Select one:

- ☒ a. All ✖
- ☐ b. Arrays
- ☐ c. Explicit data type declarations
- ☐ d. Pointers

The correct answer is: Explicit data type declarations

Question 5

Incorrect

Mark 0.00 out of 1.00

Which one is not correct about Zuse's Plankalkul?

Select one:

- ☐ a. Implemented in 1972
- ☒ b. Designed in 1945 ✖
- ☐ c. Has invariants
- ☐ d. Has advanced data structures

The correct answer is: Implemented in 1972