

WINDOWS 11 22H2

详解 Windows 11 22H2 如何离线封装多语言制作流程，在本文中，分为多个部分来完成制作。

目录

- 一、部署映像
 - A. 先决条件
 - B. 语言包：提取
 - C. 自定义部署映像
 - D. ISO
- 二、已知问题
- 三、组件：对比

一、部署映像

A. 先决条件

II ISO 工具

准备一款可编辑 ISO 文件的软件，例如：PowerISO、DAEMON Tools、ISO Workshop；

III 获取相关包

学习“[附件：OS](#)”，查看“[Windows 11](#)”项，

1. 系统安装包

- 1.1. 准备：[en-us_windows_11_business_editions_version_22h2_x64_dvd_17a08ce3.iso](#)
- 1.2. 解压到：[D:\en-us_windows_11_business_editions_version_22h2_x64_dvd_17a08c](#)
- 1.3. 解压完成后，将目录 [en-us_windows_11_business_editions_version_22h2_x64_dvd_17a08c](#) 更改为 [D:\OS11](#)
- 1.4. 所有脚本、所有路径，已默认设置为 [D:\OS11](#) 为映像来源。

2. 语言包

- 2.1. 学习“[将语言添加到 Windows 11 映像](#)”
- 2.2. 下载语言包：[22621.1.220506-1250.ni_release_amd64fre_CLIENT_LOF_PACKAGES_OEM.iso](#)

2.3. 任选一个网站并打开：

- <https://uupdump.net>
- <https://uup.ee>

2.3.1. 打开后，搜索关键词：22621.382，在搜索结果选择：Windows 11, version 22H2 (22621.382) amd64

2.3.2. 打开后，选择“全部文件”；

2.3.3. 在“全部文件”页面里依次搜索绿色部分并下载：

2.3.3.1. 适用于：Install.wim（1项）

2.3.3.1.1. Media

2.3.3.2. 适用于：WinRE.wim，暂无

2.3.3.3. 适用于：Boot.wim，暂无

2.3.4. 下载所有文件后，拉动到页面下方，下载并运行“生成重命名脚本（Windows）”；

2.4. 使用 ISO 编辑软件，编辑 22621.1.220506-1250.ni_release_amd64fre_CLIENT_LOF_PACKAGES_OEM.iso，将下载的文件添加到 [ISO]:\LanguagesAndOptionalFeatures 目录里；

3. InBox Apps

3.1. 下载：22621.1778.230511-2102.ni_release_svc_prod3_amd64fre_InboxApps.iso

3.2. 下载：22621.1.220506-1250.ni_release_amd64fre_InboxApps.iso 后，提取以下文件后保存到桌面：

3.2.1. Microsoft.HEVCVideoExtension_8wekyb3d8bbwe.x64.appx

3.2.2. Microsoft.HEVCVideoExtension_8wekyb3d8bbwe.x64.xml

3.3. 使用 ISO 编辑工具，编辑 22621.1778.230511-2102.ni_release_svc_prod3_amd64fre_InboxApps.iso，将已提取文件添加到 [ISO]:\packages 目录里；

II 运行 PS 命令行时：

1. 可选“Terminal”或“PowerShell ISE”，未安装“Terminal”，请前往 <https://github.com/microsoft/terminal/releases> 后下载；

2. 以管理员身份打开“Terminal”或“PowerShell ISE”，设置 PowerShell 执行策略：绕过，PS 命令行：

Set-ExecutionPolicy -ExecutionPolicy Bypass -Force

3. 在本文中，绿色部分属于 PS 命令行，请复制后，粘贴到“Terminal”对话框，按回车键（Enter）后开始运行；

4. 有 .ps1 时，点击文件右键，选择以 PowerShell 运行，或复制路径，粘贴到“Terminal”或“PowerShell ISE”里运行。

B. 语言包：提取

II 准备语言包

挂载 [22621.1.220506-1250.ni_release_amd64fre_CLIENT_LOF_PACKAGES_OEM.iso](#) 或解压到任意位置；

III 执行提取命令

- 提取语言：[简体中文 - 中国](#)
- 语言标记：[zh-CN](#)
- 提取语言包适用于范围：[Install.Wim](#)，[Boot.Wim](#)，[WinRE.Wim](#)
- [Auto](#) = 自动搜索本地所有磁盘，默认；
- 自定义路径，例如指定为 E 盘：[\\$ISO = "E:\"](#)

复制代码或查看源文件：[Extract.ps1](#) ([本地](#), [Github](#))

```
$ISO = "Auto"

Function Extract_Language
{
    param
    (
        $Package,
        $SaveTo,
        $NewPath
    )

    New-Item -Path $SaveTo -ItemType Directory -ErrorAction SilentlyContinue | Out-Null

    if ($NewPath -eq "Auto"){
        Get-PSDrive -PSProvider FileSystem -ErrorAction SilentlyContinue | ForEach-Object {
            ForEach ($item in $Language) {
                $TempFilePath = Join-Path -Path $_.Root -ChildPath $item -ErrorAction SilentlyContinue

                if (Test-Path $TempFilePath -PathType Leaf) {
                    Write-host "`n Find: " -NoNewLine; Write-host $TempFilePath -ForegroundColor Green
                    Write-host " Copy to: " -NoNewLine; Write-host $SaveTo
                    Copy-Item -Path $TempFilePath -Destination $SaveTo -Force
                }
            }
        }
    } else {
        ForEach ($item in $Language) {
            $TempFilePath = Join-Path -Path $NewPath -ChildPath $item -ErrorAction SilentlyContinue

            Write-host "`n Find: " -NoNewline; Write-host $TempFilePath -ForegroundColor Green
            if (Test-Path $TempFilePath -PathType Leaf) {
                Write-host " Copy to: " -NoNewLine; Write-host $SaveTo
                Copy-Item -Path $TempFilePath -Destination $SaveTo -Force
            } else {
```

```

        Write-host "  Not found"
    }
}

Write-host "`n  Verify the language pack file"
ForEach ($item in $Package) {
    $Path = "$($SaveTo)\${[IO.Path]::GetFileName($item)}"

    if (Test-Path $Path -PathType Leaf) {
        Write-host "  Discover: " -NoNewLine
        Write-host $Path -ForegroundColor Green
    } else {
        Write-host "  Not found: " -NoNewLine
        Write-host $Path -ForegroundColor Red
    }
}

$Language = @(
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-Fonts-Hans-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-Client-Language-Pack_x64_zh-CN.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-Basic-zh-CN-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-Handwriting-zh-CN-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-OCR-zh-CN-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-Speech-zh-CN-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-LanguageFeatures-TextToSpeech-zh-CN-Package~31bf3856ad364e35~AMD64~~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-MediaPlayer-Package-AMD64-zh-CN.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-MediaPlayer-Package-wow64-zh-CN.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~AMD64~zh-CN~.cab"
    "LanguagesAndOptionalFeatures\Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~zh-CN~.cab"
)

Extract_Language -Package $Language -SaveTo "D:\OS11_Custom\Install\Install\Language\zh-CN" -NewPath $ISO

$Language = @(
    "Windows Preinstallation Environment\x64\WinPE_OC\WinPE-FontSupport-zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\lp.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-securestartup_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-atbroker_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-audiocore_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-audiodrivers_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-enhancedstorage_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-narrator_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-scripting_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-speech-tts_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-srh_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-srt_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\zh-CN\winpe-wds-tools_zh-CN.cab"

```

```
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-wmi_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-appxdeployment_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-appxpackaging_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-storagewmi_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-wifi_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-windowsupdate_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-rejuv_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-opcservices_zh-CN.cab"
"Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-hta_zh-CN.cab"
)
Extract_Language -Package $Language -SaveTo "D:\OS11_Custom\Install\WinRE\Language\zh-CN" -NewPath $ISO

$Language = @(
    "Windows Preinstallation Environment\x64\WinPE_OC\s\WinPE-FontSupport-zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\lp.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\WinPE-Setup_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\WINPE-SETUP-CLIENT_zh-CN.CAB"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-securestartup_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-atbroker_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-audiocore_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-audiodrivers_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-enhancedstorage_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-narrator_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-scripting_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-speech-tts_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-srh_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-srt_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-wds-tools_zh-CN.cab"
    "Windows Preinstallation Environment\x64\WinPE_OC\s\zh-CN\winpe-wmi_zh-CN.cab"
)
Extract_Language -Package $Language -SaveTo "D:\OS11_Custom\Boot\Boot\Language\zh-CN" -NewPath $ISO
```

C. 自定义部署映像

II 自定义部署映像：Install.wim

1. 查看 Install.wim 详细信息

映像名称、映像描述、映像大小、架构、版本、索引号等；

```
$ViewFile = "D:\OS11\Sources\Install.wim"
Get-WindowsImage -ImagePath $ViewFile | Foreach-Object {
    Get-WindowsImage -ImagePath $ViewFile -index $_.ImageIndex
}
```

2. 指定挂载 Install 路径

```
New-Item -Path "D:\OS11_Custom\Install\Install\Mount" -ItemType directory -ea SilentlyContinue
```

循环操作区域，开始，

3. 开始挂载 Install.wim

默认索引号：1

```
$Index = "1"
Mount-WindowsImage -ImagePath "D:\OS11\sources\install.wim" -Index $Index -Path "D:\OS11_Custom\Install\Install\Mount"
```

处理 Install.wim 映像内的文件，可选项，开始，

3.1. 自定义部署映像：WinRE.wim

注意：

- WinRE.wim 属于 Install.wim 映像内的文件；
- Install.wim 有多个索引号时，仅处理任意一个 WinRE.wim 即可；
- 同步至所有索引号即可减少 Install.wim 体积；学习 “[如何批量替换 Install.wim 里的所有索引号里的 WinRE.wim](#)”

3.1.1. 查看 WinRE.wim 详细信息

映像名称、映像描述、映像大小、架构、版本、索引号等；

```
$ViewFile = "D:\OS11_Custom\Install\Install\Mount\Windows\System32\Recovery\WinRE.wim"
Get-WindowsImage -ImagePath $ViewFile | Foreach-Object {
    Get-WindowsImage -ImagePath $ViewFile -index $_.ImageIndex
}
```

3.1.2. 指定挂载 WinRE.wim 路径

```
New-Item -Path "D:\OS11_Custom\Install\WinRE\Mount" -ItemType directory -ea SilentlyContinue
```

3.1.3. 开始挂载 WinRE.wim

默认索引号：1

```
$Index = "1"
Mount-WindowsImage -ImagePath "D:\OS11_Custom\Install\Install\Mount\Windows\System32\Recovery\WinRE.wim" -Index $Index -Path "D:\OS11_Custom\Install\WinRE\Mount"
```

3.1.4. 语言包

自动安装语言包：按组件匹配，匹配成功后，再安装本地对应的语言包文件。

3.1.4.1. 语言包：添加

复制代码或查看源文件：[WinRE.Instl.lang.ps1](#) ([本地](#), [Github](#))

```
$Mount = "D:\OS11_Custom\Install\WinRE\Mount"
$Sources = "D:\OS11_Custom\Install\WinRE\Language\zh-CN"

$Initl_install_Language_Component = @()
Get-WindowsPackage -Path $Mount | ForEach-Object {
    $Initl_install_Language_Component += $_.PackageName
}

Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\WinPE-FontSupport-zh-CN.cab"

$Language_List = @(
    @{ Match = "*WinPE-LanguagePack-Package*"; File = "lp.cab"; }
    @{ Match = "*SecureStartup*"; File = "winpe-securestartup_zh-CN.cab"; }
    @{ Match = "*ATBroker*"; File = "winpe-atbroker_zh-CN.cab"; }
    @{ Match = "*AudioCore*"; File = "winpe-audiocore_zh-CN.cab"; }
    @{ Match = "*AudioDrivers*"; File = "winpe-audiodrivers_zh-CN.cab"; }
    @{ Match = "*EnhancedStorage*"; File = "winpe-enhancedstorage_zh-CN.cab"; }
    @{ Match = "*Narrator*"; File = "winpe-narrator_zh-CN.cab"; }
    @{ Match = "*scripting*"; File = "winpe-scripting_zh-CN.cab"; }
    @{ Match = "*Speech-TTS*"; File = "winpe-speech-tts_zh-CN.cab"; }
    @{ Match = "*srh*"; File = "winpe-srh_zh-CN.cab"; }
    @{ Match = "*srt*"; File = "winpe-srt_zh-CN.cab"; }
    @{ Match = "*wds-tools*"; File = "winpe-wds-tools_zh-CN.cab"; }
    @{ Match = "*-WMI-Package*"; File = "winpe-wmi_zh-CN.cab"; }
    @{ Match = "*WinPE-AppxPackaging*"; File = "winpe-appxpackaging_zh-CN.cab"; }
    @{ Match = "*StorageWMI*"; File = "winpe-storagewmi_zh-CN.cab"; }
    @{ Match = "*WiFi*"; File = "winpe-wifi_zh-CN.cab"; }
    @{ Match = "*rejuv*"; File = "winpe-rejuv_zh-CN.cab"; }
    @{ Match = "*opcservices*"; File = "winpe-opcservices_zh-CN.cab"; }
    @{ Match = "*hta*"; File = "winpe-hta_zh-CN.cab"; }
)

ForEach ($Rule in $Language_List) {
    Write-host "`n Rule name: $($Rule.Match)" -ForegroundColor Yellow; Write-host "  $('-' * 80)"
    ForEach ($Component in $Initl_install_Language_Component) {
        if ($Component -like "*$($Rule.Match)*") {
            Write-host "  Component name: " -NoNewline
            Write-host $Component -ForegroundColor Green
            Write-host "  Language pack file: " -NoNewline
            Write-host $Rule.File -ForegroundColor Green

            Write-Host "  Installing ".PadRight(22) -NoNewline
            try {
                Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\$($Rule.File)" | Out-Null
                Write-host "Finish" -ForegroundColor Green
            } catch {
                Write-host "Failed" -ForegroundColor Red
            }
            break
        }
    }
}
}
```

3.1.4.2. 脱机映像语言：更改

3.1.4.2.1. 更改默认语言、区域设置和其他国际设置

```
Dism /Image:"D:\OS11_Custom\Install\WinRE\Mount" /Set-AllIntl:zh-CN
```

3.1.4.2.2. 查看可用的语言设置

```
Dism /Image:"D:\OS11_Custom\Install\WinRE\Mount" /Get-Intl
```

3.1.4.3. 组件

3.1.4.3.1. 查看

```
Get-WindowsPackage -Path "D:\OS11_Custom\Install\WinRE\Mount" | Out-GridView
```

3.1.4.3.2. 导出到 Csv

```
$SaveTo = "D:\OS11_Custom\Install\WinRE\Report.$(Get-Date -Format
"yyyyMMddHHmmss").csv"
Get-WindowsPackage -Path "D:\OS11_Custom\Install\WinRE\Mount" | Export-CSV -
NoType -Path $SaveTo
Write-host $SaveTo -ForegroundColor Green
```

3.1.5. 更新，可选

3.1.6. 驱动，可选

3.1.7. 保存映像

```
Save-WindowsImage -Path "D:\OS11_Custom\Install\WinRE\Mount"
```

3.1.8. 卸载映像

```
Dismount-WindowsImage -Path "D:\OS11_Custom\Install\WinRE\Mount" -Discard
```

3.1.9. 重建 WinRE.wim 后，可缩小文件大小

复制代码或查看源文件：[WinRE.Rebuild.ps1](#) ([本地](#), [Github](#))

```
$FileName = "D:\OS11_Custom\Install\Install\Mount\Windows\System32\Recovery\WinRE.wim"
Get-WindowsImage -ImagePath $Filename -ErrorAction SilentlyContinue | ForEach-Object {
    Write-Host " Image name: " -NoNewline
    Write-Host $_.ImageName -ForegroundColor Yellow
    Write-Host " The index number: " -NoNewline
    Write-Host $_.ImageIndex -ForegroundColor Yellow

    Write-Host "`n Rebuild".PadRight(28) -NoNewline
    Export-WindowsImage -SourceImagePath $Filename -SourceIndex $_.ImageIndex -DestinationImagePath
"$($FileName).New" -CompressionType max
```



```

        Write-Host "Finish`n" -ForegroundColor Green
    }

    if (Test-Path "$($FileName).New" -PathType Leaf) {
        Remove-Item -Path $Filename
        Move-Item -Path "$($FileName).New" -Destination $Filename
        Write-Host "Finish" -ForegroundColor Green
    } else {
        Write-host "Failed" -ForegroundColor Red
    }
}

```

3.1.10. 备份 WinRE.wim

复制代码或查看源文件: [WinRE.Backup.ps1](#) ([本地](#), [Github](#))

```

$WimLibPath = "D:\OS11_Custom\Install\Install\Update\Winlib"
$FileName = "D:\OS11_Custom\Install\Install\Mount\Windows\System32\Recovery\WinRE.wim"
New-Item -Path $WimLibPath -ItemType Directory -ea SilentlyContinue
Copy-Item -Path $FileName -Destination $WimLibPath -Force

```

3.1.11. 替换 Install.wim 映像内的 WinRE.wim

- 每次挂载 Install.wim 后 “[替换 WinRE.wim](#)” ；
- 学习 “[获取 Install.wim 所有索引号后并替换旧的 WinRE.wim](#)” 。

[处理 Install.wim 映像内的文件](#)，结束。

4. 语言包

自动安装语言包：按组件匹配，匹配成功后，再安装本地对应的语言包文件。

4.1. 语言包：添加

复制代码或查看源文件: [Install.Instl.lang.ps1](#) ([本地](#), [Github](#))

```

$Mount = "D:\OS11_Custom\Install\Install\Mount"
$Sources = "D:\OS11_Custom\Install\Install\Language\zh-CN"

$Initl_install_Language_Component = @()
Get-WindowsPackage -Path $Mount | ForEach-Object {
    $Initl_install_Language_Component += $_.PackageName
}

Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\Microsoft-Windows-LanguageFeatures-Fonts-Hans-
Package~31bf3856ad364e35~amd64~~.cab"

$Language_List = @(
    @{ Match = "*Client-LanguagePack-Package*"; File = "Microsoft-Windows-Client-Language-Pack_x64_zh-CN.cab"; }
    @{ Match = "*LanguageFeatures-Basic*"; File = "Microsoft-Windows-LanguageFeatures-Basic-zh-CN-
Package~31bf3856ad364e35~amd64~~.cab"; }
)

```

```
@{ Match = "*Handwriting*"; File = "Microsoft-Windows-LanguageFeatures-Handwriting-zh-CN-
Package~31bf3856ad364e35~amd64~~.cab"; }

@{ Match = "*OCR*"; File = "Microsoft-Windows-LanguageFeatures-OCR-zh-CN-
Package~31bf3856ad364e35~amd64~~.cab"; }

@{ Match = "*LanguageFeatures-Speech*"; File = "Microsoft-Windows-LanguageFeatures-Speech-zh-CN-
Package~31bf3856ad364e35~amd64~~.cab"; }

@{ Match = "*TextToSpeech*"; File = "Microsoft-Windows-LanguageFeatures-TextToSpeech-zh-CN-
Package~31bf3856ad364e35~amd64~~.cab"; }

@{ Match = "*InternetExplorer*"; File = "Microsoft-Windows-InternetExplorer-Optional-
Package~31bf3856ad364e35~AMD64~zh-CN~.cab"; }

@{ Match = "*Notepad*amd64*"; File = "Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~AMD64~zh-
CN~.cab"; }

@{ Match = "*Notepad*wow64*"; File = "Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~zh-
CN~.cab"; }

@{ Match = "*MediaPlayer*amd64*"; File = "Microsoft-Windows-MediaPlayer-Package-AMD64-zh-CN.cab"; }
@{ Match = "*MediaPlayer*wow64*"; File = "Microsoft-Windows-MediaPlayer-Package-wow64-zh-CN.cab"; }
@{ Match = "*PowerShell*amd64*"; File = "Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~zh-
CN~.cab"; }

@{ Match = "*PowerShell*wow64*"; File = "Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~zh-
CN~.cab"; }

@{ Match = "*Printing*PMCPPC*amd64*"; File = "Microsoft-Windows-Printing-PMCPPC-FoD-
Package~31bf3856ad364e35~AMD64~zh-CN~.cab"; }

@{ Match = "*StepsRecorder*amd64*"; File = "Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~zh-
CN~.cab"; }

@{ Match = "*StepsRecorder*wow64*"; File = "Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~zh-
CN~.cab"; }

@{ Match = "*WMIC*FoD*Package*amd64*"; File = "Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~AMD64~zh-
CN~.cab"; }

@{ Match = "*WMIC*FoD*Package*wow64*"; File = "Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~zh-
CN~.cab"; }

@{ Match = "*WordPad*amd64*"; File = "Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~zh-
CN~.cab"; }

@{ Match = "*WordPad*wow64*"; File = "Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~zh-
CN~.cab"; }
)

ForEach ($Rule in $Language_List) {
    Write-host "`n Rule name: $($Rule.Match)" -ForegroundColor Yellow; Write-host "  $('-' * 80)"
    ForEach ($Component in $Initl_install_Language_Component) {
        if ($Component -like "$($Rule.Match)*") {
            Write-host "  Component name: " -NoNewline
            Write-host $Component -ForegroundColor Green
            Write-host "  Language pack file: " -NoNewline
            Write-host $Rule.File -ForegroundColor Green

            Write-Host "  Installing ".PadRight(22) -NoNewline
            try{
                Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\$($Rule.File)" | Out-Null
                Write-host "Finish" -ForegroundColor Green
            } catch {
                Write-host "Failed" -ForegroundColor Red
            }
            break
        }
    }
}
```

4.2. 脱机映像语言：更改

- 从 Windows 11 开始，DISM 设置的默认系统 UI 语言在所有版本中保持不变（家庭版除外）。对于所有商业版，在开箱即用体验 (OOBE) 期间选择的语言会设置为系统首选 UI 语言，Windows 将以此语言显示；对于家庭版，在 OOBE 期间选择的语言将继续用作默认系统 UI 语言。
- 从 Windows 10 版本 2004 开始，如果将基于 .appx 的语言体验包 (LXP) 支持的语言作为参数传递，则该语言将设置为系统首选 UI 语言，其父语言将设置为默认系统 UI 语言。在以前的版本中，仅支持基于 .cab 的语言包。

4.2.1. 更改默认语言、区域设置和其他国际设置

```
Dism /Image:"D:\OS11_Custom\Install\Install\Mount" /Set-AllIntl:zh-CN
```

4.2.2. 查看可用的语言设置

```
Dism /Image:"D:\OS11_Custom\Install\Install\Mount" /Get-Intl
```

4.3. 组件

4.3.1. 查看

```
Get-WindowsPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Out-GridView
```

4.3.2. 导出到 Csv

```
$SaveTo = "D:\OS11_Custom\Install\Install\Report.$(Get-Date -Format "yyyyMMddHHmmss").csv"
Get-WindowsPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Export-CSV -NoType -Path $SaveTo
Write-host $SaveTo -ForegroundColor Green
```

5. InBox Apps

5.1. 学习 “附件：inBox Apps”

了解不同的操作系统预安装应用，应用商店连接。

5.2. InBox Apps：已安装

5.2.1. 查看

```
Get-AppXProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Out-GridView
```

5.2.2. 导出到 Csv

```
$SaveTo = "D:\OS11_Custom\Install\Install\Report.$(Get-Date -Format "yyyyMMddHHmmss").csv"
Get-AppXProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Export-CSV -NoType -Path $SaveTo
Write-host $SaveTo -ForegroundColor Green
```

5.3. 删除已安装的所有预应用程序

复制代码或查看源文件：[Install.InBox.Appx.Clear.all.ps1](#) ([本地](#), [Github](#))

```
Get-AppXProvisionedPackage -path "D:\OS11_Custom\Install\Install\Mount" -ErrorAction SilentlyContinue | ForEach-Object {
    Write-host "`n $($_.DisplayName)"
    Write-Host "  Deleting ".PadRight(22) -NoNewline

    try {
        Remove-AppxProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" -PackageName $_.PackageName -
ErrorAction SilentlyContinue | Out-Null
        Write-host "Finish" -ForegroundColor Green
    } catch {
        Write-host "Failed" -ForegroundColor Red
    }
}
```

5.4. 语言标记：了解

了解语言标记前，先了解 ZuneMusic 应用程序可用的语言列表：[en-us](#), en-gb, as-in, az-latn-az, bs-latn-ba, bn-in, cs-cz, cy-gb, ar-sa, de-de, af-za, am-et, da-dk, el-gr, es-es, es-mx, ca-es, ca-es-valencia, eu-es, fi-fi, bg-bg, ga-ie, et-ee, gl-es, gu-in, gd-gb, fil-ph, fr-ca, fr-fr, hy-am, fa-ir, hu-hu, id-id, it-it, ja-jp, hr-hr, ka-ge, is-is, he-il, hi-in, kk-kz, lo-la, km-kh, lt-lt, kn-in, kok-in, ko-kr, mk-mk, lv-lv, ms-my, mi-nz, mr-in, mt-mt, ne-np, nl-nl, nb-no, ml-in, nn-no, lb-lu, or-in, ro-ro, sk-sk, ru-ru, pl-pl, quz-pe, pt-br, pt-pt, sq-al, ta-in, th-th, sv-se, pa-in, sr-cyrl-ba, sr-cyrl-rs, sr-latn-rs, ur-pk, ug-cn, tr-tr, uk-ua, tt-ru, [zh-cn](#), vi-vn, uz-latn-uz, sl-si, zh-tw, te-in

查看脱机映像已安装的语言

```
Dism /Image:"D:\OS11_Custom\Install\Install\Mount" /Get-Intl
```

查看结果已安装的语言：[en-US](#)、[zh-CN](#)，在安装 ZuneMusic 应用时，安装程序会匹配“已安装的语言”，自动过滤未安装的语言列表，这就是语言标记。

5.5. 语言标记：添加方式

5.5.1. 执行“[语言包：添加](#)”

5.5.2. 安装“本地语言体验包（LXPs）”

微软官方向 Windows 10 提供了本地语言体验包（LXPS）安装文件，Windows 11 不再提供，要想获取离线安装包：

5.5.2.1. 使用“Windows 本地语言体验包（LXPs）下载器”下载

了解：<https://github.com/ilikeyi/LXPs>

下载后保存到：[D:\OS11_Custom\Install\Install\InBox.Appx](#)，文件格式：[LanguageExperiencePack.zh-CN.Neutral.Appx](#)

5.5.2.2. 手动下载

5.5.2.2.1. 查看 “附件：LXPs”

等待下载 “简体中文 - 中国” 的本地语言体验包（LXPs），语言标记：zh-CN，应用程序 ID：9NRMNT6GMZ70，网站连接：
<https://www.microsoft.com/store/productId/9NRMNT6GMZ70>

5.5.2.2.2. 打开网站：<https://store.rg-adguard.net>

- 5.5.2.2.2.1. 搜索关键词：
<https://www.microsoft.com/store/productId/9NRMNT6GMZ70>
- 5.5.2.2.2.2. 网页内搜索 22621 内容，搜索结果：
[Microsoft.LanguageExperiencePackzh-CN_22621.*.neutral__8wekyb3d8bbwe.appx](#)
- 5.5.2.2.2.3. 下载后保存到 D:\OS11_Custom\Install\Install\InBox.Appx 目录里，重命名：[LanguageExperiencePack.zh-cn.Neutral.Appx](#)

5.5.2.3. 执行安装命令安装本地语言体验包（LXPs）

了解语言标记添加方式后，获得 LanguageExperiencePack.zh-cn.Neutral 后，执行安装命令：

`Add-AppxProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" -PackagePath "D:\OS11_Custom\Install\Install\InBox.appx\LanguageExperiencePack.zh-cn.Neutral.appx" -SkipLicense`

5.5.2.4. InBox Apps：已安装的应用程序包

- 5.5.2.4.1. 查看

`Get-AppXProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Out-GridView`

- 5.5.2.4.2. 导出出 Csv

`$SaveTo = "D:\OS11_Custom\Install\Install\Report.$(Get-Date -Format "yyyyMMddHHmmss").csv"
Get-AppXProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Export-CSV -NoType -Path $SaveTo
Write-host $SaveTo -ForegroundColor Green`

5.6. InBox Apps：安装

5.6.1. 挂载或解压 InBox Apps 安装文件

挂载 [22621.1.220506-1250.ni_release_amd64fre_InboxApps.iso](#) 或解压到任意位置；

5.6.2. 执行安装命令后安装 InBox Apps 到: Install.wim

- `Auto` = 自动搜索本地所有磁盘，默认；
- 自定义路径，例如指定为 F 盘: `$ISO = "F:\packages"`

复制代码或查看源文件: `Install.Inst.InBox.Appx.ps1` ([本地](#), [Github](#))

```
$ISO = "Auto"
$Mount = "D:\OS11_Custom\Install\Install\Mount"

try {
    Write-host "`n  Offline image version: " -NoNewline
    $Current_Edition_Version = (Get-WindowsEdition -Path $Mount).Edition
    Write-Host $Current_Edition_Version -ForegroundColor Green
} catch {
    Write-Host "Error" -ForegroundColor Red
    Write-Host "  $($_) " -ForegroundColor Yellow
    return
}

$Pre_Config_Rules = @(
    @{
        Name = @(
            "Core"; "CoreN"; "CoreSingleLanguage";
        )
        Apps = @(
            "Microsoft.UI.Xaml.2.3"; "Microsoft.UI.Xaml.2.4"; "Microsoft.UI.Xaml.2.7";
            "Microsoft.NET.Native.Framework.2.2"; "Microsoft.NET.Native.Runtime.2.2"; "Microsoft.VCLibs.140.00";
            "Microsoft.VCLibs.140.00.UWPDesktop"; "Microsoft.HEIFImageExtension"; "Microsoft.HEVCVideoExtension";
            "Microsoft.SecHealthUI"; "Microsoft.VP9VideoExtensions"; "Microsoft.WebplImageExtension";
            "Microsoft.WindowsStore"; "Microsoft.GamingApp"; "Microsoft.Sticky.Notes"; "Microsoft.Paint";
            "Microsoft.PowerAutomateDesktop"; "Microsoft.ScreenSketch"; "Microsoft.WindowsNotepad";
            "Microsoft.WindowsTerminal"; "Clipchamp.Clipchamp"; "Microsoft.Solitaire.Collection"; "Microsoft.WindowsAlarms";
            "Microsoft.WindowsFeedbackHub"; "Microsoft.WindowsMaps"; "Microsoft.ZuneMusic"; "Microsoft.BingNews";
            "Microsoft.DesktopAppInstaller"; "Microsoft.WindowsCamera"; "Microsoft.Getstarted"; "Microsoft.Cortana";
            "Microsoft.BingWeather"; "Microsoft.GetHelp"; "Microsoft.MicrosoftOfficeHub"; "Microsoft.People";
            "Microsoft.StorePurchaseApp"; "Microsoft.Todos"; "Microsoft.WebMediaExtensions"; "Microsoft.Windows.Photos";
            "Microsoft.WindowsCalculator"; "Microsoft.Windows.CommunicationsApps"; "Microsoft.WindowsSoundRecorder";
            "Microsoft.Xbox.TCUI"; "Microsoft.XboxGameOverlay"; "Microsoft.XboxGamingOverlay";
            "Microsoft.XboxIdentityProvider"; "Microsoft.XboxSpeechToTextOverlay";
            "Microsoft.YourPhone"; "Microsoft.ZuneVideo"; "MicrosoftCorporationII.QuickAssist";
            "MicrosoftWindows.Client.WebExperience"; "Microsoft.RawImageExtension";
            "MicrosoftCorporationII.MicrosoftFamily";
        )
    }
    @{
        Name = @(
            "Education"; "Professional"; "ProfessionalEducation"; "ProfessionalWorkstation"; "Enterprise"; "IoTEnterprise";
            "ServerRdsh";
        )
        Apps = @(
            "Microsoft.UI.Xaml.2.3"; "Microsoft.UI.Xaml.2.4"; "Microsoft.UI.Xaml.2.7";
            "Microsoft.NET.Native.Framework.2.2"; "Microsoft.NET.Native.Runtime.2.2"; "Microsoft.VCLibs.140.00";
            "Microsoft.VCLibs.140.00.UWPDesktop"; "Microsoft.HEIFImageExtension"; "Microsoft.HEVCVideoExtension";
            "Microsoft.SecHealthUI"; "Microsoft.VP9VideoExtensions"; "Microsoft.WebplImageExtension";
```

```
"Microsoft.WindowsStore"; "Microsoft.GamingApp"; "Microsoft.Sticky.Notes"; "Microsoft.Paint";
"Microsoft.PowerAutomateDesktop"; "Microsoft.ScreenSketch"; "Microsoft.WindowsNotepad";
"Microsoft.WindowsTerminal"; "Clipchamp.Clipchamp"; "Microsoft.Solitaire.Collection"; "Microsoft.WindowsAlarms";
"Microsoft.WindowsFeedbackHub"; "Microsoft.WindowsMaps"; "Microsoft.ZuneMusic"; "Microsoft.BingNews";
"Microsoft.DesktopAppInstaller"; "Microsoft.WindowsCamera"; "Microsoft.Getstarted"; "Microsoft.Cortana";
"Microsoft.BingWeather"; "Microsoft.GetHelp"; "Microsoft.MicrosoftOfficeHub"; "Microsoft.People";
"Microsoft.StorePurchaseApp"; "Microsoft.Todos"; "Microsoft.WebMediaExtensions"; "Microsoft.Windows.Photos";
"Microsoft.WindowsCalculator"; "Microsoft.Windows.CommunicationsApps"; "Microsoft.WindowsSoundRecorder";
"Microsoft.Xbox.TCUI"; "Microsoft.XboxGameOverlay"; "Microsoft.XboxGamingOverlay";
"Microsoft.XboxIdentityProvider"; "Microsoft.XboxSpeechToTextOverlay"; "Microsoft.YourPhone";
"Microsoft.ZuneVideo"; "MicrosoftCorporationII.QuickAssist"; "MicrosoftWindows.Client.WebExperience";
"Microsoft.RawImageExtension";
    )
}
@{
    Name = @(
        "EnterpriseN"; "EnterpriseGN"; "EnterpriseSN"; "ProfessionalN"; "EducationN"; "ProfessionalWorkstationN";
"ProfessionalEducationN"; "CloudN"; "CloudEN"; "CloudEditionN"; "CloudEditionLN"; "StarterN";
    )
    Apps = @(
        "Microsoft.UI.Xaml.2.3"; "Microsoft.UI.Xaml.2.4"; "Microsoft.UI.Xaml.2.7";
"Microsoft.NET.Native.Framework.2.2"; "Microsoft.NET.Native.Runtime.2.2"; "Microsoft.VCLibs.140.00";
"Microsoft.VCLibs.140.00.UWPDesktop"; "Microsoft.SecHealthUI"; "Microsoft.WindowsStore";
"Microsoft.Sticky.Notes"; "Microsoft.Paint"; "Microsoft.PowerAutomateDesktop"; "Microsoft.ScreenSketch";
"Microsoft.WindowsNotepad"; "Microsoft.WindowsTerminal"; "Clipchamp.Clipchamp";
"Microsoft.Solitaire.Collection"; "Microsoft.WindowsAlarms"; "Microsoft.WindowsFeedbackHub";
"Microsoft.WindowsMaps"; "Microsoft.BingNews"; "Microsoft.DesktopAppInstaller"; "Microsoft.WindowsCamera";
"Microsoft.Getstarted"; "Microsoft.Cortana"; "Microsoft.BingWeather"; "Microsoft.GetHelp";
"Microsoft.MicrosoftOfficeHub"; "Microsoft.People"; "Microsoft.StorePurchaseApp"; "Microsoft.Todos";
"Microsoft.Windows.Photos"; "Microsoft.WindowsCalculator"; "Microsoft.Windows.CommunicationsApps";
"Microsoft.XboxGameOverlay"; "Microsoft.XboxIdentityProvider"; "Microsoft.XboxSpeechToTextOverlay";
"Microsoft.YourPhone"; "MicrosoftCorporationII.QuickAssist"; "MicrosoftWindows.Client.WebExperience";
    )
}
)
```

```
$Allow_Install_App = @()
ForEach ($item in $Pre_Config_Rules) {
    if ($item.Name -contains $Current_Edition_Version) {
        Write-host "`n  Match to: "-NoNewline
        Write-host $Current_Edition_Version -ForegroundColor Green

        $Allow_Install_App = $item.Apps
        break
    }
}
```

```
Write-host "`n  The app to install ( $($Allow_Install_App.Count) item )" -ForegroundColor Yellow
Write-host "  $('-' * 80)"
ForEach ($item in $Allow_Install_App) {
    Write-host "  $($item)" -ForegroundColor Green
}
```

```
$InBoxApps = @(
    @{ Name = "Microsoft.UI.Xaml.2.3"; File = "Microsoft.UI.Xaml.x64.2.3.appx"; License = ""; }
    @{ Name = "Microsoft.UI.Xaml.2.4"; File = "Microsoft.UI.Xaml.x64.2.4.appx"; License = ""; }
    @{ Name = "Microsoft.UI.Xaml.2.7"; File = "Microsoft.UI.Xaml.x64.2.7.appx"; License = ""; }
    @{ Name = "Microsoft.NET.Native.Framework.2.2"; File = "Microsoft.NET.Native.Framework.x64.2.2.appx"; License =
```



```
""; }

    @{ Name = "Microsoft.NET.Native.Runtime.2.2"; File = "Microsoft.NET.Native.Runtime.x64.2.2.appx"; License = ""; }

    @{ Name = "Microsoft.VCLibs.140.00"; File = "Microsoft.VCLibs.x64.14.00.appx"; License = ""; }

    @{ Name = "Microsoft.VCLibs.140.00.UWPDesktop"; File = "Microsoft.VCLibs.x64.14.00.UWPDesktop.appx";
License = ""; }

    @{ Name = "Microsoft.WindowsStore"; File = "Microsoft.WindowsStore_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.WindowsStore_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.HEIFImageExtension"; File = "Microsoft.HEIFImageExtension_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.HEIFImageExtension_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.HEVCVideoExtension"; File = "Microsoft.HEVCVideoExtension_8wekyb3d8bbwe.x64.appx";
License = "Microsoft.HEVCVideoExtension_8wekyb3d8bbwe.x64.xml"; }

    @{ Name = "Microsoft.SecHealthUI"; File = "Microsoft.SecHealthUI_8wekyb3d8bbwe.x64.appx"; License =
"Microsoft.SecHealthUI_8wekyb3d8bbwe.x64.xml"; }

    @{ Name = "Microsoft.VP9VideoExtensions"; File = "Microsoft.VP9VideoExtensions_8wekyb3d8bbwe.x64.appx";
License = "Microsoft.VP9VideoExtensions_8wekyb3d8bbwe.x64.xml"; }

    @{ Name = "Microsoft.WebplImageExtension"; File = "Microsoft.WebplImageExtension_8wekyb3d8bbwe.x64.appx";
License = "Microsoft.WebplImageExtension_8wekyb3d8bbwe.x64.xml"; }

    @{ Name = "Microsoft.GamingApp"; File = "Microsoft.GamingApp_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.GamingApp_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Sticky.Notes"; File = "Microsoft.MicrosoftStickyNotes_8wekyb3d8bbwe.msixbundle"; License
= "Microsoft.MicrosoftStickyNotes_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Paint"; File = "Microsoft.Paint_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.Paint_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.PowerAutomateDesktop"; File =
"Microsoft.PowerAutomateDesktop_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.PowerAutomateDesktop_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.ScreenSketch"; File = "Microsoft.ScreenSketch_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.ScreenSketch_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsNotepad"; File = "Microsoft.WindowsNotepad_8wekyb3d8bbwe.msixbundle";
License = "Microsoft.WindowsNotepad_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsTerminal"; File = "Microsoft.WindowsTerminal_8wekyb3d8bbwe.msixbundle";
License = "Microsoft.WindowsTerminal_8wekyb3d8bbwe.xml"; }

    @{ Name = "Clipchamp.Clipchamp"; File = "Clipchamp.Clipchamp_yxz26nhyzhsrt.msixbundle"; License =
"Clipchamp.Clipchamp_yxz26nhyzhsrt.xml"; }

    @{ Name = "Microsoft.Solitaire.Collection"; File =
"Microsoft.MicrosoftSolitaireCollection_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.MicrosoftSolitaireCollection_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsAlarms"; File = "Microsoft.WindowsAlarms_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.WindowsAlarms_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsFeedbackHub"; File =
"Microsoft.WindowsFeedbackHub_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.WindowsFeedbackHub_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsMaps"; File = "Microsoft.WindowsMaps_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.WindowsMaps_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.ZuneMusic"; File = "Microsoft.ZuneMusic_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.ZuneMusic_8wekyb3d8bbwe.xml"; }

    @{ Name = "MicrosoftCorporationII.MicrosoftFamily"; File =
"MicrosoftCorporationII.MicrosoftFamily_8wekyb3d8bbwe.msixbundle"; License =
"MicrosoftCorporationII.MicrosoftFamily_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.BingNews"; File = "Microsoft.BingNews_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.BingNews_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.DesktopAppInstaller"; File = "Microsoft.DesktopAppInstaller_8wekyb3d8bbwe.msixbundle";
License = "Microsoft.DesktopAppInstaller_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsCamera"; File = "Microsoft.WindowsCamera_8wekyb3d8bbwe.msixbundle"; License
= "Microsoft.WindowsCamera_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Getstarted"; File = "Microsoft.Getstarted_8wekyb3d8bbwe.msixbundle"; License =
"Microsoft.Getstarted_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Cortana"; File = "Microsoft.CortanaApp_8wekyb3d8bbwe.appxbundle"; License =
```



```
"Microsoft.CortanaApp_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.BingWeather"; File = "Microsoft.BingWeather_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.BingWeather_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.GetHelp"; File = "Microsoft.GetHelp_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.GetHelp_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.MicrosoftOfficeHub"; File = "Microsoft.MicrosoftOfficeHub_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.MicrosoftOfficeHub_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.People"; File = "Microsoft.People_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.People_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.StorePurchaseApp"; File = "Microsoft.StorePurchaseApp_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.StorePurchaseApp_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Todos"; File = "Microsoft.Todos_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.Todos_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WebMediaExtensions"; File =
"Microsoft.WebMediaExtensions_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.WebMediaExtensions_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Windows.Photos"; File = "Microsoft.Windows.Photos_8wekyb3d8bbwe.appxbundle"; License
= "Microsoft.Windows.Photos_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsCalculator"; File = "Microsoft.WindowsCalculator_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.WindowsCalculator_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Windows.CommunicationsApps"; File =
"Microsoft.WindowsCommunicationsApps_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.WindowsCommunicationsApps_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.WindowsSoundRecorder"; File =
"Microsoft.WindowsSoundRecorder_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.WindowsSoundRecorder_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.Xbox.TCUI"; File = "Microsoft.Xbox.TCUI_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.Xbox.TCUI_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.XboxGameOverlay"; File = "Microsoft.XboxGameOverlay_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.XboxGameOverlay_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.XboxGamingOverlay"; File = "Microsoft.XboxGamingOverlay_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.XboxGamingOverlay_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.XboxIdentityProvider"; File = "Microsoft.XboxIdentityProvider_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.XboxIdentityProvider_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.XboxSpeechToTextOverlay"; File =
"Microsoft.XboxSpeechToTextOverlay_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.XboxSpeechToTextOverlay_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.YourPhone"; File = "Microsoft.YourPhone_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.YourPhone_8wekyb3d8bbwe.xml"; }

    @{ Name = "Microsoft.ZuneVideo"; File = "Microsoft.ZuneVideo_8wekyb3d8bbwe.appxbundle"; License =
"Microsoft.ZuneVideo_8wekyb3d8bbwe.xml"; }

    @{ Name = "MicrosoftCorporationII.QuickAssist"; File =
"MicrosoftCorporationII.QuickAssist_8wekyb3d8bbwe.appxbundle"; License =
"MicrosoftCorporationII.QuickAssist_8wekyb3d8bbwe.xml"; }

    @{ Name = "MicrosoftWindows.Client.WebExperience"; File =
"MicrosoftWindows.Client.WebExperience_cw5n1h2txyewy.appxbundle"; License =
"MicrosoftWindows.Client.WebExperience_cw5n1h2txyewy.xml"; }

    @{ Name = "Microsoft.RawImageExtension"; File = "Microsoft.RawImageExtension_8wekyb3d8bbwe.appxbundle";
License = "Microsoft.RawImageExtension_8wekyb3d8bbwe.xml"; }
)

Function Install_Appx
{
    param
    (
        $File,
        $License
    )
}
```

```

Write-host "  $('-' * 80)"

Write-host "  Installing: " -NoNewline
Write-host $File -ForegroundColor Yellow

if (Test-Path -Path $File -PathType Leaf) {
    if (Test-Path -Path $License -PathType Leaf) {
        Write-host "    License: " -NoNewline
        Write-host $License -ForegroundColor Yellow

        Write-host "    With License".PadRight(22) -NoNewline -ForegroundColor Green
        Write-host "    Installing".PadRight(22) -NoNewline

        try {
            Add-AppxProvisionedPackage -Path $Mount -PackagePath $File -LicensePath $License -ErrorAction
SilentlyContinue | Out-Null
            Write-Host "Done" -ForegroundColor Green
        } catch {
            Write-Host "Failed" -ForegroundColor Red
            Write-Host "  $($_) " -ForegroundColor Yellow
        }
    } else {
        Write-host "    No License".PadRight(22) -NoNewline -ForegroundColor Red
        Write-host "    Installing".PadRight(22) -NoNewline

        try {
            Add-AppxProvisionedPackage -Path $Mount -PackagePath $File -SkipLicense -ErrorAction SilentlyContinue |
Out-Null
            Write-Host "Done" -ForegroundColor Green
        } catch {
            Write-Host "Failed" -ForegroundColor Red
            Write-Host "  $($_) " -ForegroundColor Yellow
        }
    }
} else {
    Write-host "    The installation package does not exist" -ForegroundColor Red
}
}

ForEach ($Rule in $InBoxApps) {
    Write-host "`n  Name: " -NoNewline
    Write-host $Rule.Name -ForegroundColor Yellow
    Write-host "  $('-' * 80)"

    if($Allow_Install_App -contains $Rule.Name) {
        Write-host "    Search for apps: " -NoNewline
        Write-host $Rule.File -ForegroundColor Yellow
        Write-host "    Search for License: " -NoNewline
        Write-host $Rule.File -ForegroundColor Yellow

        if ($ISO -eq "Auto") {
            Get-PSDrive -PSProvider FileSystem -ErrorAction SilentlyContinue | ForEach-Object {
                $AppPath = Join-Path -Path $_.Root -ChildPath "packages\$($Rule.File)" -ErrorAction SilentlyContinue
                $LicensePath = Join-Path -Path $_.Root -ChildPath "packages\$($Rule.License)" -ErrorAction SilentlyContinue

                if (Test-Path $AppPath -PathType Leaf) {
                    Write-host "  $('-' * 80)"
                    Write-host "    Discover apps: " -NoNewLine

```

```

        Write-host $AppPath -ForegroundColor Green

        if (Test-Path $LicensePath -PathType Leaf) {
            Write-host " Discover License: " -NoNewLine
            Write-host $LicensePath -ForegroundColor Green
        } else {
            Write-host " License: " -NoNewLine
            Write-host "Not found" -ForegroundColor Red
        }

        Install_Appx -File $AppPath -License $LicensePath
        return
    }
}
} else {
    Install_Appx -File "$($ISO)\$($Rule.File)" -License "$($ISO)\$($Rule.License)"
}
} else {
    Write-host " Skip the installation" -ForegroundColor Red
}
}
}

```

5.7. 语言标记：删除

完成安装 InBox Apps 应用后，语言标记已不再重要，可删除或不删除，删除 “本地语言体验包（LXPs），简体中文 - 中国）”，唯一识别语言标记：zh-CN，可更改为其它语言标记。

复制代码或查看源文件：[Install.Clear.Flag.ps1](#) ([本地](#), [Github](#))

```

$Lang = "zh-CN"

Get-AppXProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" | Foreach-object {
    if ($_.DisplayName -Like "*LanguageExperiencePack*${$Lang}*") {
        Write-host " $_.DisplayName)"
        Write-Host " 删除中".PadRight(22) -NoNewline

        try {
            Remove-AppxProvisionedPackage -Path "D:\OS11_Custom\Install\Install\Mount" -PackageName $_.PackageName -
ErrorAction SilentlyContinue | Out-Null
            Write-host "Finish" -ForegroundColor Green
        } catch {
            Write-host "Failed" -ForegroundColor Red
        }
    }
}
}

```

5.8. InBox Apps：优化

在安装应用后，应优化预配 Appx 包，通过用硬链接替换相同的文件来减少应用的磁盘使用量，仅针对脱机映像。

```
Dism /Image:"D:\OS11_Custom\Install\Install\Mount" /Optimize-ProvisionedAppxPackages
```

6. 更新

- 推荐你下载最新版，提供初始版本的累积更新，解决同一版本号重新安装后刷新“组件”状态。

6.1. 初始版本

6.1.1. 如何下载

累积更新 KB5016632 已无法从 <https://www.catalog.update.microsoft.com/Search.aspx?q=KB5016632> 里搜索到，其它下载方法，任选一个网站并打开：

- <https://uupdump.net>
- <https://uup.ee>

6.1.1.1. 打开后，搜索关键词：22621.382，在搜索结果选择：Windows 11, version 22H2 (22621.382) amd64

6.1.1.2. 打开后，选择“全部文件”；

6.1.1.3. 在“全部文件”页面里搜索：KB5016632，下载：

- Windows11.0-KB5016632-x64.cab
- Windows11.0-KB5016632-x64.psf

6.1.1.4. 合并累积更新

6.1.1.4.1. 前往 <https://github.com/abbodi1406/WHd/tree/master/scripts> 后下载 PSFX_Repack_6.zip

6.1.1.4.2. 下载后解压到：D:\PSFX_Repack_6

6.1.1.4.3. 复制 Windows11.0-KB5016632-x64.cab、Windows11.0-KB5016632-x64.psf 到：
D:\PSFX_Repack_6

6.1.1.4.4. 运行：psfx2cab_GUI.cmd 后，将得到一个新的文件：

Windows11.0-KB5016632-x64-full_psfx.cab

6.1.1.4.5. 将 Windows11.0-KB5016632-x64-full_psfx.cab 保存到：

D:\OS11_Custom\Install\Install\Update\Windows11.0-KB5016632-x64-full_psfx.cab

6.1.2. 添加

```
$KBPath = "D:\OS11_Custom\Install\Install\Update\Windows11.0-KB5016632-x64-full_psfx.cab"
Add-WindowsPackage -Path "D:\OS11_Custom\Install\Install\Mount" -PackagePath $KBPath
```

6.2. 其它版本

6.2.1. 如何下载

查阅 “Windows 11 版本信息” ， 例如下载累积更新：KB5030219，前往下载页面：
<https://www.catalog.update.microsoft.com/Search.aspx?q=KB5030219> 或 "直连下载"，保存到：
D:\OS11_Custom\Install\Install\Update\windoOS11.0-kb5030219-
x64_659d407821da654d564a3108bf493594bd143ab1.msu

6.2.2. 添加

```
$KBPath = "D:\OS11_Custom\Install\Install\Update\windoOS11.0-kb5030219-  
x64_659d407821da654d564a3108bf493594bd143ab1.msu"  
Add-WindowsPackage -Path "D:\OS11_Custom\Install\Install\Mount" -PackagePath $KBPath
```

6.3. 固化更新，可选项

```
Dism /Image:"D:\OS11_Custom\Install\Install\Mount" /cleanup-image /StartComponentCleanup
```

6.3.1. 固化更新后清理组件，可选项

```
$Mount = "D:\OS11_Custom\Install\Install\Mount"  
Get-WindowsPackage -Path $Mount -ErrorAction SilentlyContinue | ForEach-Object {  
    if ($_.PackageState -eq "Superseded"){  
        Write-Host " ${_.PackageName}" -ForegroundColor Green  
        Remove-WindowsPackage -Path $Mount -PackageName $_.PackageName | Out-Null  
    }  
}
```

7. 驱动，可选

8. 健康

保存前应检查是否损坏，健康状态异常时，中止保存

```
Repair-WindowsImage -Path "D:\OS11_Custom\Install\Install\Mount" -ScanHealth
```

9. 替换 WinRE.wim

已批量替换 Install.wim 里的所有索引号里的 WinRE.wim 请跳过该步骤。

```
$WinRE = "D:\OS11_Custom\Install\Install\Update\Winlib\WinRE.wim"  
$CopyTo = "D:\OS11_Custom\Install\Install\Mount\Windows\System32\Recovery"  
Copy-Item -Path $WinRE -Destination $CopyTo -Force
```

10. 保存映像

```
Save-WindowsImage -Path "D:\OS11_Custom\Install\Install\Mount"
```

11. 卸载映像

```
Dismount-WindowsImage -Path "D:\OS11_Custom\Install\Install\Mount" -Discard
```

循环操作区域，结束。

12. 如何批量替换 Install.wim 里的所有索引号里的 WinRE.wim

12.1. 获取 WimLib

前往 <https://wimlib.net> 官方网站后，选择不同的版本：arm64, x64, x86，下载完成后解压到：D:\Wimlib

12.2. 如何在 Install.wim 里提取和更新 WinRE.wim

12.2.1. 从 Install.wim 里提取 WinRE.wim 文件 Install.wim

复制代码或查看源文件： [Install.WinRE.Replace.wim.ps1](#) ([本地](#), [Github](#))

```
$Arguments = @(
    "extract",
    "D:\OS11\sources\install.wim", "1",
    "\Windows\System32\Recovery\Winre.wim",
    "--dest-dir=""D:\OS11_Custom\Install\Install\Update\Winlib""
)

New-Item -Path "D:\OS11_Custom\Install\Install\Update\Winlib" -ItemType Directory -ea SilentlyContinue
Start-Process -FilePath "d:\wimlib\wimlib-imageex.exe" -ArgumentList $Arguments -wait -nonewwindow
```

12.2.2. 获取 Install.wim 所有索引号后并替换旧的 WinRE.wim

复制代码或查看源文件： [Install.WinRE.Replace.wim.ps1](#) ([本地](#), [Github](#))

```
Get-WindowsImage -ImagePath "D:\OS11\sources\install.wim" -ErrorAction SilentlyContinue | ForEach-Object {
    Write-Host "  Image name: " -NoNewline
    Write-Host $_.ImageName -ForegroundColor Yellow
    Write-Host "  The index number: " -NoNewline
    Write-Host $_.ImageIndex -ForegroundColor Yellow

    Write-Host "`n  Replacement "

    $Arguments = @(
        "update",
        "D:\OS11\sources\install.wim", $_.ImageIndex,
        "--command=""add 'D:\OS11_Custom\Install\Install\Update\Winlib\WinRE.wim'
'\Windows\System32\Recovery\WinRe.wim'""
    )

    Start-Process -FilePath "d:\wimlib\wimlib-imageex.exe" -ArgumentList $Arguments -wait -nonewwindow
    Write-Host "  Finish`n" -ForegroundColor Green
}
```

13. 重建 Install.wim 后可缩小文件大小

复制代码或查看源文件：[Install.Rebuild.wim.ps1](#) ([本地](#), [Github](#))

```
$InstallWim = "D:\OS11\sources\install.wim"
Get-WindowsImage -ImagePath $InstallWim -ErrorAction SilentlyContinue | ForEach-Object {
    Write-Host "  Image name: " -NoNewLine
    Write-Host $_.ImageName -ForegroundColor Yellow
    Write-Host "  The index number: " -NoNewLine
    Write-Host $_.ImageIndex -ForegroundColor Yellow

    Write-Host "`n  Under reconstruction".PadRight(28) -NoNewLine
    Export-WindowsImage -SourceImagePath $InstallWim -SourceIndex $_.ImageIndex -DestinationImagePath "$($InstallWim).New" -
    CompressionType max | Out-Null
    Write-Host "Finish`n" -ForegroundColor Green
}

if (Test-Path "$($InstallWim).New" -PathType Leaf) {
    Remove-Item -Path $InstallWim
    Move-Item -Path "$($InstallWim).New" -Destination $InstallWim
    Write-Host "Finish" -ForegroundColor Green
} else {
    Write-host "Failed" -ForegroundColor Red
}
```

III 自定义部署映像：boot.wim

1. 查看 Boot.wim 文件信息

映像名称、映像描述、映像大小、架构、版本、索引号等；

```
$ViewFile = "D:\OS11\Sources\Boot.wim"
Get-WindowsImage -ImagePath $ViewFile | Foreach-Object {
    Get-WindowsImage -ImagePath $ViewFile -index $_.ImageIndex
}
```

2. 指定挂载 Boot.wim 路径

```
New-Item -Path "D:\OS11_Custom\Boot\Boot\Mount" -ItemType directory -ea SilentlyContinue
```

3. 开始挂载 Boot.wim

默认索引号：2

```
$Index = "2"
Mount-WindowsImage -ImagePath "D:\OS11\sources\boot.wim" -Index $Index -Path "D:\OS11_Custom\Boot\Boot\Mount"
```

4. 语言包

自动安装语言包：按组件匹配，匹配成功后，再安装本地对应的语言包文件。

4.1. 语言包：添加

复制代码或查看源文件: [Boot.Instl.lang.ps1](#) ([本地](#), [Github](#))

```
$Mount = "D:\OS11_Custom\Boot\Boot\Mount"
$Sources = "D:\OS11_Custom\Boot\Boot\Language\zh-CN"

$InitL_install_Language_Component = @()
Get-WindowsPackage -Path $Mount | ForEach-Object {
    $InitL_install_Language_Component += $_.PackageName
}

Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\WinPE-FontSupport-zh-CN.cab"

$Language_List = @(
    @{ Match = "*WinPE*Setup*Client*Package*"; File = "WINPE-SETUP-CLIENT_zh-CN.CAB"; }
    @{ Match = "*WinPE*Setup*Package*"; File = "WinPE-Setup_zh-CN.cab"; }
    @{ Match = "*WinPE-LanguagePack-Package*"; File = "lp.cab"; }
    @{ Match = "*SecureStartup*"; File = "winpe-securestartup_zh-CN.cab"; }
    @{ Match = "*ATBroker*"; File = "winpe-atbroker_zh-CN.cab"; }
    @{ Match = "*AudioCore*"; File = "winpe-audiocore_zh-CN.cab"; }
    @{ Match = "*AudioDrivers*"; File = "winpe-audiodrivers_zh-CN.cab"; }
    @{ Match = "*EnhancedStorage*"; File = "winpe-enhancedstorage_zh-CN.cab"; }
    @{ Match = "*Narrator*"; File = "winpe-narrator_zh-CN.cab"; }
    @{ Match = "*scripting*"; File = "winpe-scripting_zh-CN.cab"; }
    @{ Match = "*Speech-TTS*"; File = "winpe-speech-tts_zh-CN.cab"; }
    @{ Match = "*srh*"; File = "winpe-srh_zh-CN.cab"; }
    @{ Match = "*srt*"; File = "winpe-srt_zh-CN.cab"; }
    @{ Match = "*wds-tools*"; File = "winpe-wds-tools_zh-CN.cab"; }
    @{ Match = "*-WMI-Package*"; File = "winpe-wmi_zh-CN.cab"; }
)

ForEach ($Rule in $Language_List) {
    Write-host "`n Rule name: $($Rule.Match)" -ForegroundColor Yellow; Write-host "  $('-' * 80)"
    ForEach ($Component in $InitL_install_Language_Component) {
        if ($Component -like "*$($Rule.Match)*") {
            Write-host "  Component name: " -NoNewline
            Write-host $Component -ForegroundColor Green
            Write-host "  Language pack file: " -NoNewline
            Write-host $Rule.File -ForegroundColor Green

            Write-Host "  Installing ".PadRight(22) -NoNewline
            try {
                Add-WindowsPackage -Path $Mount -PackagePath "$($Sources)\$($Rule.File)" | Out-Null
                Write-host "Finish" -ForegroundColor Green
            } catch {
                Write-host "Failed" -ForegroundColor Red
            }
        }
    }
    break
}
}
```


4.2. 脱机映像语言：更改

4.2.1. 更改默认语言、区域设置和其他国际设置

```
Dism /Image:"D:\OS11_Custom\Boot\Boot\Mount" /Set-AllIntl:zh-CN
```

4.2.2. 查看可用的语言设置

```
Dism /Image:"D:\OS11_Custom\Boot\Boot\Mount" /Get-Intl
```

4.3. 组件，可选

4.3.1. 查看

```
Get-WindowsPackage -Path "D:\OS11_Custom\Boot\Boot\Mount" | Out-GridView
```

4.3.2. 导出到 Csv

```
$SaveTo = "D:\OS11_Custom\Boot\Boot\Report.$(Get-Date -Format "yyyyMMddHHmmss").csv"
Get-WindowsPackage -Path "D:\OS11_Custom\Boot\Boot\Mount" | Export-CSV -NoType -Path $SaveTo
Write-host $SaveTo -ForegroundColor Green
```

4.4. 语言包：修复

4.4.1. 提取

打开：D:\OS11_Custom\Install\Install\Language\zh-CN\Microsoft-Windows-Client-Language-Pack_x64_zh-CN.cab，
进入目录：Setup\sources\zh-cn\cli，复制以下文件到桌面：

4.4.1.1. arunres.dll.mui

4.4.1.2. spwizres.dll.mui

4.4.1.3. w32uires.dll.mui

4.4.2. 复制

将提取的文件复制到：D:\OS11_Custom\Boot\Boot\Mount\sources\zh-CN

4.5. 语言包：同步到 ISO 安装程序

```
Copy-Item -Path "D:\OS11_Custom\Boot\Boot\Mount\sources\zh-CN" -Destination "D:\OS11\sources\zh-CN" -Recurse -Force
```

4.6. 重新生成 Lang.ini

重新生成后，可调整“安装界面”，选择“语言”时的顺序，打开 lang.ini，默认首选值 = 3，非默认值 = 2。

4.6.1. 重新生成已挂载目录 lang.ini

重新生成的 Lang.ini 文件位置：D:\en-us_windows_server_2022_x64_dvd_620d7eac_Custom\Boot\Boot\Mount\Sources\lang.ini

```
Dism /image:"D:\OS11_Custom\Boot\Boot\Mount" /gen-langini /distribution:"D:\OS11_Custom\Boot\Boot\Mount"
```

4.6.2. 重新生成 lang.ini 后，同步到安装程序

重新生成的 Lang.ini 文件位置：D:\en-us_windows_server_2022_x64_dvd_620d7eac\Sources\lang.ini

```
Dism /image:"D:\OS11_Custom\Boot\Boot\Mount" /gen-langini /distribution:"D:\OS11"
```

5. 更新，可选

6. 驱动，可选

7. 其它

7.1. 绕过 TPM

复制代码或查看源文件：Boot.Bypass.TPM.ps1 (本地, Github)

```
$RegSystem = "D:\OS11_Custom\Boot\Boot\Mount\Windows\System32\Config\SYSTEM"

$RandomGuid = [guid]::NewGuid()
Write-Host " HKLM:\$($RandomGuid)"
New-PSDrive -PSProvider Registry -Name OtherTasksTPM -Root HKLM -ErrorAction SilentlyContinue | Out-Null
Start-Process reg -ArgumentList "Load ""HKLM\$($RandomGuid)"" ""$($RegSystem)"" -Wait -WindowStyle Hidden -ErrorAction SilentlyContinue

New-Item "HKLM:\$($RandomGuid)\Setup\LabConfig" -force -ea SilentlyContinue | Out-Null
New-ItemProperty -LiteralPath "HKLM:\$($RandomGuid)\Setup\LabConfig" -Name "BypassCPUCheck" -Value 1 -PropertyType DWord -Force -ea SilentlyContinue | Out-Null
New-ItemProperty -LiteralPath "HKLM:\$($RandomGuid)\Setup\LabConfig" -Name "BypassStorageCheck" -Value 1 -PropertyType DWord -Force -ea SilentlyContinue | Out-Null
New-ItemProperty -LiteralPath "HKLM:\$($RandomGuid)\Setup\LabConfig" -Name "BypassRAMCheck" -Value 1 -PropertyType DWord -Force -ea SilentlyContinue | Out-Null
New-ItemProperty -LiteralPath "HKLM:\$($RandomGuid)\Setup\LabConfig" -Name "BypassTPMCheck" -Value 1 -PropertyType DWord -Force -ea SilentlyContinue | Out-Null
New-ItemProperty -LiteralPath "HKLM:\$($RandomGuid)\Setup\LabConfig" -Name "BypassSecureBootCheck" -Value 1 -PropertyType DWord -Force -ea SilentlyContinue | Out-Null
[gc]::collect()
Start-Process reg -ArgumentList "unload ""HKLM\$($RandomGuid)"" -Wait -WindowStyle Hidden -ErrorAction SilentlyContinue
Remove-PSDrive -Name OtherTasksTPM
```

8. 保存映像

```
Save-WindowsImage -Path "D:\OS11_Custom\Boot\Boot\Mount"
```

9. 卸载映像

```
Dismount-WindowsImage -Path "D:\OS11_Custom\Boot\Boot\Mount" -Discard
```

D. ISO

II 生成 ISO

- 1. 下载 oscding 后，保存到：C:\Windows\System32 目录里，保存在其它路径，或请输入 OSCding.exe 绝对位置；
- 2. 使用 oscding 命令行生成一个 ISO 文件，保存到：D:\Win11.iso

复制代码或查看源文件：[ISO.ps1](#) ([本地](#), [Github](#))

```
$ISO = "D:\OS11"
$Volume = "OS11"
$SaveTo = "D:\OS11.iso"
$Arguments = @("-m", "-o", "-u2", "-udfver102", "-l" "$($Volume)", "-bootdata:2#p0,e,b" "$($ISO)\boot\etfsboot.com" "#pEF,e,b" "$($ISO)\efi\microsoft\boot\efisys.bin", $ISO, $SaveTo)
Start-Process -FilePath "OSCding.exe" -ArgumentList $Arguments -wait -nonewwindow
```

III 绕过 TPM 安装检查，可选

- 1. 了解 <https://github.com/AveYo/MediaCreationTool.bat/tree/main/bypass11> 并下载：[Quick_11_iso_esd_wim_TPM_toggle.bat](#)
- 2. 将 D:\OS11.iso 文件托到 [Quick_11_iso_esd_wim_TPM_toggle.bat](#) 里，反序 “添加” 或 “删除” TPM 安装时检查功能。

二、 已知问题

暂无

三、 组件：对比

安装新的语言包后变化，组件列表：

序号	类型	组件：原始	组件：安装“简体中文-中国”语言包后变化
1	OnDemandPack	Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.317	Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.317
2	OnDemandPack	Microsoft-OneCore-DirectX-Database-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-OneCore-DirectX-Database-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
3	LanguagePack	Microsoft-Windows-Client-LanguagePack-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.382	Microsoft-Windows-Client-LanguagePack-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.382
4	LanguagePack		Microsoft-Windows-Client-LanguagePack-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.382
5	OnDemandPack	Microsoft-Windows-Ethernet-Client-Intel-E1i68x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Ethernet-Client-Intel-E1i68x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
6	OnDemandPack	Microsoft-Windows-Ethernet-Client-Intel-E2f68-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Ethernet-Client-Intel-E2f68-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
7	OnDemandPack	Microsoft-Windows-Ethernet-Client-Realtek-Rtcx21x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Ethernet-Client-Realtek-Rtcx21x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
8	OnDemandPack	Microsoft-Windows-Ethernet-Client-Vmware-Vmxnet3-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Ethernet-Client-Vmware-Vmxnet3-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
9	FeaturePack	Microsoft-Windows-FodMetadata-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-FodMetadata-Package~31bf3856ad364e35~amd64~~10.0.22621.1
10	Foundation	Microsoft-Windows-Foundation-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Foundation-Package~31bf3856ad364e35~amd64~~10.0.22621.1
11	OnDemandPack	Microsoft-Windows-Hello-Face-Package~31bf3856ad364e35~amd64~~10.0.22621.317	Microsoft-Windows-Hello-Face-Package~31bf3856ad364e35~amd64~~10.0.22621.317
12	OnDemandPack	Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~amd64~en-US~11.0.22621.1	Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~amd64~en-US~11.0.22621.1
13	OnDemandPack		Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~amd64~zh-CN~11.0.22621.1
14	OnDemandPack	Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~amd64~~11.0.22621.1	Microsoft-Windows-InternetExplorer-Optional-Package~31bf3856ad364e35~amd64~~11.0.22621.1
15	OnDemandPack	Microsoft-Windows-Kernel-LA57-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.382	Microsoft-Windows-Kernel-LA57-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.382
16	OnDemandPack	Microsoft-Windows-LanguageFeatures-Basic-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-LanguageFeatures-Basic-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1

序号	类型	组件：原始	组件：安装“简体中文-中国”语言包后变化
17	OnDemandPack		Microsoft-Windows-LanguageFeatures-Basic-zh-cn-Package~31bf3856ad364e35~amd64~~10.0.22621.1
18	OnDemandPack		Microsoft-Windows-LanguageFeatures-Fonts-Hans-Package~31bf3856ad364e35~amd64~~10.0.22621.1
19	OnDemandPack	Microsoft-Windows-LanguageFeatures-Handwriting-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-LanguageFeatures-Handwriting-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1
20	OnDemandPack		Microsoft-Windows-LanguageFeatures-Handwriting-zh-cn-Package~31bf3856ad364e35~amd64~~10.0.22621.317
21	OnDemandPack	Microsoft-Windows-LanguageFeatures-OCR-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-LanguageFeatures-OCR-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1
22	OnDemandPack		Microsoft-Windows-LanguageFeatures-OCR-zh-cn-Package~31bf3856ad364e35~amd64~~10.0.22621.1
23	OnDemandPack	Microsoft-Windows-LanguageFeatures-Speech-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-LanguageFeatures-Speech-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1
24	OnDemandPack		Microsoft-Windows-LanguageFeatures-Speech-zh-cn-Package~31bf3856ad364e35~amd64~~10.0.22621.1
25	OnDemandPack	Microsoft-Windows-LanguageFeatures-TextToSpeech-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-LanguageFeatures-TextToSpeech-en-us-Package~31bf3856ad364e35~amd64~~10.0.22621.1
26	OnDemandPack		Microsoft-Windows-LanguageFeatures-TextToSpeech-zh-cn-Package~31bf3856ad364e35~amd64~~10.0.22621.1
27	OnDemandPack	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.317	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.317
28	OnDemandPack		Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.317
29	OnDemandPack	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~amd64~~10.0.22621.382	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~amd64~~10.0.22621.382
30	OnDemandPack	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
31	OnDemandPack		Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1
32	OnDemandPack	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-MediaPlayer-Package~31bf3856ad364e35~wow64~~10.0.22621.1
33	OnDemandPack	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1
34	OnDemandPack		Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1

序号	类型	组件：原始	组件：安装“简体中文-中国”语言包后变化
35	OnDemandPack	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
36	OnDemandPack	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
37	OnDemandPack		Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1
38	OnDemandPack	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-Notepad-System-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1
39	OnDemandPack	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1
40	OnDemandPack		Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1
41	OnDemandPack	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
42	OnDemandPack	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
43	OnDemandPack		Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1
44	OnDemandPack	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-PowerShell-ISE-FOD-Package~31bf3856ad364e35~wow64~~10.0.22621.1
45	OnDemandPack	Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1
46	OnDemandPack		Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1
47	OnDemandPack	Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Printing-PMCPPC-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
48	OnDemandPack	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1
49	OnDemandPack		Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1
50	OnDemandPack	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~amd64~~10.0.22621.1
51	OnDemandPack	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
52	OnDemandPack		Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1

序号	类型	组件：原始	组件：安装 “简体中文-中国” 语言包后变化
53	OnDemandPack	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-StepsRecorder-Package~31bf3856ad364e35~wow64~~10.0.22621.1
54	OnDemandPack	Microsoft-Windows-TabletPCMath-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-TabletPCMath-Package~31bf3856ad364e35~amd64~~10.0.22621.1
55	OnDemandPack	Microsoft-Windows-Wallpaper-Content-Extended-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wallpaper-Content-Extended-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
56	OnDemandPack	Microsoft-Windows-Wifi-Client-Broadcom-Bcmpciedhd63-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Broadcom-Bcmpciedhd63-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
57	OnDemandPack	Microsoft-Windows-Wifi-Client-Broadcom-Bcmwl63a-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Broadcom-Bcmwl63a-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
58	OnDemandPack	Microsoft-Windows-Wifi-Client-Broadcom-Bcmwl63al-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Broadcom-Bcmwl63al-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
59	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwbw02-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwbw02-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
60	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwew00-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwew00-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
61	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwew01-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwew01-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
62	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwlv64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwlv64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
63	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwns64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwns64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
64	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwsw00-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwsw00-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
65	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwtw02-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwtw02-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
66	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwtw04-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwtw04-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
67	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwtw06-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwtw06-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
68	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwtw08-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwtw08-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
69	OnDemandPack	Microsoft-Windows-Wifi-Client-Intel-Netwtw10-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Intel-Netwtw10-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
70	OnDemandPack	Microsoft-Windows-Wifi-Client-Marvel-Mrvlpcie8897-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Marvel-Mrvlpcie8897-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1

序号	类型	组件：原始	组件：安装 “简体中文-中国” 语言包后变化
71	OnDemandPack	Microsoft-Windows-Wifi-Client-Qualcomm-Athw8x-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Qualcomm-Athw8x-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
72	OnDemandPack	Microsoft-Windows-Wifi-Client-Qualcomm-Athwnx-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Qualcomm-Athwnx-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
73	OnDemandPack	Microsoft-Windows-Wifi-Client-Qualcomm-Qcamain10x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Qualcomm-Qcamain10x64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
74	OnDemandPack	Microsoft-Windows-Wifi-Client-Ralink-Netr28x-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Ralink-Netr28x-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
75	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtl8187se-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtl8187se-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
76	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtl8192se-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtl8192se-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
77	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtl819xp-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtl819xp-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
78	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtl85n64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtl85n64-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
79	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
80	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane01-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane01-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
81	OnDemandPack	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane13-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1	Microsoft-Windows-Wifi-Client-Realtek-Rtwlane13-FOD-Package~31bf3856ad364e35~amd64~~10.0.22621.1
82	OnDemandPack	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1
83	OnDemandPack		Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1
84	OnDemandPack	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.382	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.382
85	OnDemandPack	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
86	OnDemandPack		Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1
87	OnDemandPack	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-WMIC-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1
88	OnDemandPack	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.22621.1

序号	类型	组件：原始	组件：安装“简体中文-中国”语言包后变化
89	OnDemandPack		Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~zh-CN~10.0.22621.1
90	OnDemandPack	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.317	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~amd64~~10.0.22621.317
91	OnDemandPack	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~en-US~10.0.22621.1
92	OnDemandPack		Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~zh-CN~10.0.22621.1
93	OnDemandPack	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1	Microsoft-Windows-WordPad-FoD-Package~31bf3856ad364e35~wow64~~10.0.22621.1
94	OnDemandPack	OpenSSH-Client-Package~31bf3856ad364e35~amd64~~10.0.22621.1	OpenSSH-Client-Package~31bf3856ad364e35~amd64~~10.0.22621.1
95	Update	Package_for_DotNetRollup_481~31bf3856ad364e35~amd64~~10.0.9065.6	Package_for_DotNetRollup_481~31bf3856ad364e35~amd64~~10.0.9065.6
96	SecurityUpdate	Package_for_RollupFix~31bf3856ad364e35~amd64~~22621.382.1.13	Package_for_RollupFix~31bf3856ad364e35~amd64~~22621.382.1.13
97	SecurityUpdate	Package_for_ServicingStack_378~31bf3856ad364e35~amd64~~22621.378.1.0	Package_for_ServicingStack_378~31bf3856ad364e35~amd64~~22621.378.1.0