

[Resources](#) / [Homework/Quiz questions \(/COMP3331/23T1/resources/83523\)](#) / [Quiz\(Week 5\)](#)

Quiz(Week 5)

Q1 . TCP receiver may intentionally delay the acknowledgement of a correctly received packet. True or False?

Q2 . A TCP receiver receives an in-order segment with an expected sequence number, but it has one other segment with pending ACK. Which of the following is a possible action for this receiver if it is using the delayed ACK mechanism?

- A. It sends 2 ACKs one after the other
- B. It sends 3 ACKs one after the other
- C. It sends one cumulative ACK acknowledging both segments
- D. It sends a Duplicate ACK.

Q3 . TCP is never allowed to retransmit unless there is a timeout. True or False?

Q4 . During slow start, congestion window increases:

- A. Linearly
- B. Exponentially
- C. Logarithmically
- D. Does not grow

Q5 . Maximum segment size (MSS) refers to the number of bytes in a TCP segment including its header. True or False?

Q6 . A TCP connection is using an MSS=1460 byte. At the start of the slow start phase, how many bytes the TCP sender can transmit without having to wait for ACK?

- A.1400
- B. 1460
- C.1500
- D. 3000

Q7 . A TCP sender could still reduce its window size even if there was no triple duplicate ACK or timeout. True or False?

Resource created 2 months ago (Tuesday 17 January 2023, 01:58:45 PM), last modified about a month ago (Wednesday 08 February 2023, 05:18:59 PM).