

COMP7240 Group Project Report

Hybrid Recommender on Yelp Dataset

BY GROUP JOJO 2024



Team Members

SUEN SHUI YAN 23435690

WONG WAI HONG 23460407

ZHANG HANYANG 23432985

1 System Description

This recommender system is a sophisticated hybrid model that leverages a combination of content-based, collaborative filtering via Singular Value Decomposition (SVD), and collaborative filtering via neural networks to provide personalized recommendations. This system is designed to suggest businesses (like restaurants) to users based on their preferences and interactions.

1.1 Main and Unique Functions

1.1.1 Dynamic User and Item Profiles

It creates detailed profiles for both users and items (businesses) using the data from multiple datasets. These profiles are then used to match users with businesses that closely align with their preferences.

1.1.2 Real-time Recommendations

The system updates its recommendations in real-time based on new user ratings, ensuring that the recommendations remain relevant and personalized.

1.1.3 Explainability

For each recommended item, the system can provide explanations based on the contribution of each recommendation method, enhancing transparency and trustworthiness.

1.1.4 Hybrid Recommendation Algorithm

The system integrates content-based recommendations with two collaborative filtering methods (SVD and neural networks), offering a comprehensive recommendation strategy that capitalizes on the strengths of each method.


1.1.4.1 Content-Based Recommender

How it works	Explanation																								
<p>This module focuses on recommending items similar to what the user has liked in the past, based on item features such as categories or attributes of businesses.</p> <p>The explanation shows the strength and relationship of various keywords (derived from PCA features) with the user's feature vector. This helps to explain why a particular item was recommended based on the content-based filtering criteria. By detailing how closely the features of recommended items align with a user's preferences, this can improve user trust and satisfaction as users can see the rationale behind the recommendations.</p>	<div><div>Content Based Rating: 4.2</div><table><tr><th>Item</th><th>Strength</th><th>Match</th></tr><tr><td>bar</td><td>4.2</td><td>4.2</td></tr><tr><td>pho</td><td>4.2</td><td>4.2</td></tr><tr><td>chinese</td><td>4.2</td><td>4.2</td></tr><tr><td>burger</td><td>4.2</td><td>4.2</td></tr><tr><td>sushi</td><td>4.2</td><td>4.2</td></tr><tr><td>sandwich</td><td>1.0</td><td>1.0</td></tr><tr><td>food</td><td>1.0</td><td>1.0</td></tr></table></div>	Item	Strength	Match	bar	4.2	4.2	pho	4.2	4.2	chinese	4.2	4.2	burger	4.2	4.2	sushi	4.2	4.2	sandwich	1.0	1.0	food	1.0	1.0
Item	Strength	Match																							
bar	4.2	4.2																							
pho	4.2	4.2																							
chinese	4.2	4.2																							
burger	4.2	4.2																							
sushi	4.2	4.2																							
sandwich	1.0	1.0																							
food	1.0	1.0																							

1.1.4.2 SVD Recommender

How it works	Explanation
<p>Utilizes Singular Value Decomposition for collaborative filtering, identifying latent factors from user-item interaction data to predict a user's preference for an item.</p> <p>The explanation elaborates on how each recommended item is related to a user's latent features, and which particular feature contributes most positively to the item's predicted rating.</p> <p>This is crucial for making the often opaque workings of machine learning models like SVD more transparent and understandable to users. By identifying which features are most influential in the recommendations, users can gain insights into why certain items are suggested to them. This not only enhances trust in the system but also provides valuable feedback for improving model performance and user satisfaction.</p>	<p>SVD Biased Rating: 4.8</p> <p>This restaurant might be a great choice for you as it shares many qualities with Redwood Rotisserie + Grill. Many people who enjoy places similar to those you've liked also love what Redwood Rotisserie + Grill has to offer, which suggests you might too.</p>

1.1.4.3 KNNWithMeans Recommender

How it works	Explanation								
<p>Employs a K-Nearest Neighbors approach with mean normalization for collaborative filtering, calculating similarities between users or items to predict a user's rating based on the average ratings from the most similar users or items.</p> <p>This visualization helps users understand why a particular rating was given by the KNN algorithm by showing how the ratings from the nearest neighbors are distributed. Seeing that most neighbors rated the item highly (with a 5) lends credibility to the high aggregated rating (4.8) computed by the KNN method. It's a straightforward yet effective way to provide transparency into the recommendation process.</p>	<p>KNN Item-Based Rating: 4.8</p> <p>Neighbors Rating</p>  <table border="1"> <caption>Neighbors Rating Data</caption> <thead> <tr> <th>Rating</th> <th>Number of Neighbors</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>1</td> </tr> <tr> <td>4</td> <td>1</td> </tr> <tr> <td>5</td> <td>2</td> </tr> </tbody> </table>	Rating	Number of Neighbors	3	1	4	1	5	2
Rating	Number of Neighbors								
3	1								
4	1								
5	2								

1.1.5 NN Recommender (Bonus Algo disabled by default)

How it works	Explanation
<p>Employs neural networks to model complex non-linear relationships in the data, capturing deep patterns of user-item interactions.</p> <p>The hybrid system combines these approaches to offset the limitations of individual methods (such as cold start problems and scalability issues) and to provide a more accurate and diversified set of recommendations. The hybridization design allows for leveraging content similarity, latent factor models, and deep learning insights simultaneously, offering a robust solution to various recommendation challenges.</p>	<p>Collaborative NN Rating: 4.3</p> <p>Think of this score as a friend who knows what you like and dislikes. Based on what similar people enjoy, we're here to help you discover your next favorite restaurant with ease and fun.</p>

1.2 Datasets Used

The Yelp Dataset is a rich, publicly available dataset provided by Yelp for academic and learning purposes. It contains detailed information about local businesses, user reviews, and user interactions across many cities worldwide. By leveraging these datasets from the Yelp Dataset, the recommender system can perform complex analyses and predictions to offer highly personalized and contextually relevant business recommendations.

1.2.1.1 Business Dataset (`business.pkl`)

Includes comprehensive information about businesses listed on Yelp, such as business names, locations (latitude and longitude), categories (e.g., restaurants, bars, salons), and other attributes (e.g., Wi-Fi availability, parking, accessibility). This dataset enables the recommender system to identify and suggest businesses based on the user's location and preferences.

1.2.1.2 User Dataset (`user.pkl`)

Contains user profiles, including the user's review count, average rating given, and Yelp joining date. This dataset helps in understanding user behavior and preferences over time, crucial for tailoring personalized recommendations.

1.2.1.3 Review Dataset (`review.pkl`)

Comprises detailed reviews and ratings that users have left for businesses. Each review includes the user ID, business ID, stars (rating), and text content of the review. This rich dataset not only allows for analyzing user preferences but also helps in sentiment analysis and understanding the context behind ratings.

1.2.1.4 Photo Dataset (`photo.pkl`)


Contains mappings of photo IDs to businesses, providing a visual aspect to the recommendations. Photos can include images of the business, the services or products offered, and user-generated content. Incorporating visual elements into recommendations can enhance user engagement and provide additional information to assist users in making informed decisions.

2 User Interfaces

The user interface for the hybrid recommender system is powered by Streamlit, an open-source app framework that is particularly well-suited for machine learning and data science projects. This interface enhances the system's accessibility and interactivity, allowing users to effortlessly tailor their recommendation experience based on their preferences and to visualize the recommendation outcomes


2.1 Tailor Your Experience

Users can personalize their recommendation experience by selecting their profile, interests (categories), and preferred recommendation algorithms (Content-Based, Collaborative SVD, Collaborative KNN and Neural Network) through a sidebar, offering a high degree of personalization.



2.2 Real-time Feedback Loop

The main interface displays the top 10 recommended businesses (excluding business with previous rating), enriched with images, detailed ratings, and an option for users to rate these businesses via slider at the bottom, further tailoring the recommendations.




2.3 Visual Insights

Incorporates Plotly for generating interactive visualizations, this is to show the 3 factors latent from SVD to show how the top 10 recommended business correlated and different from the rest which provides users with deeper insights into why certain recommendations were made.


Recommended Top 10 My Rating Timeline Visual Dining Compass

Think of this as a 3D map where every point is a restaurant floating in space. Each position is determined by its unique characteristics—let's call them X, Y, and Z. Using a technique called SVD, we uncover these hidden qualities and place the restaurants accordingly. In this colorful universe, the recommended top 10 for you glow in red, highlighting them among the rest in blue. This visual representation helps you see how these restaurants are closely matched to your tastes.



2.4 Recommendation Based on Previous Feedback

Users can provide immediate ratings to the recommended businesses which consolidated with previous rating to provide a recommendations, ensuring a dynamic and responsive user experience.



2.5 Explanatory Component

Offers explanations for each recommendation by visualizing the contributing factors from different recommendation algorithms, enhancing transparency and trust.



By leveraging Streamlit's capabilities, the hybrid recommender system not only delivers personalized and dynamic recommendations but also ensures an engaging and informative user experience. This interface serves as a bridge between the complex algorithms of the recommender system and the end-users, making advanced recommendation technologies accessible and understandable to a broad audience.

3 System Evaluation

3.1 Evaluation Procedure and Results

3.1.1 Demographic Information

For the evaluation, we recruited 20 participants through local communities and networks with interests in technology and entertainment. The demographic breakdown is as follows:

Group	Category	%
Age	18 - 25	35
	26 - 35	40
	36 - 35	25
Gender	Male	55
	Female	45
Location	Hong Kong	20
	Kowloon	50
	NT	30

3.1.2 Evaluation Procedure

The evaluation consisted of three main phases:

1. Introduction and Training: Participants were given a brief overview of the recommender system and instructions on how to use it. This session also included a Q&A to address any initial concerns or questions.
2. Interaction Phase: Over a week, participants interacted with the system, receiving recommendations based on their profiles. They were asked to use the system at least three times, exploring both the hybrid and non-hybrid recommendation modes.
3. Feedback Collection: At the end of the week, participants completed a questionnaire assessing their satisfaction and experience with the system. Additionally, they were asked to provide any qualitative feedback on their experience.

3.1.3 Results Analysis

3.1.3.1 Questionnaire

Qualitative feedback highlighted the system's ease of use and the relevance of its recommendations.

Recommender System Evaluation Questionnaire

Part 1: Demographic Information

1. Age:
 - ☐ Under 18
 - ☐ 18-25
 - ☐ 26-35
 - ☐ 36-45
 - ☐ 46-55
 - ☐ Over 55
2. Gender:
 - ☐ Male
 - ☐ Female

- ☐ Non-binary/Third gender
- ☐ Prefer not to say

3. Location:

- ☐ Hong Kong
- ☐ Kowloon
- ☐ NT

Part 2: Interaction with the Recommender System

5. How intuitive did you find the recommender system interface?

- ☐ Very difficult
- ☐ Somewhat difficult
- ☐ Neutral
- ☐ Somewhat easy
- ☐ Very easy

6. How many of the recommended items did you find relevant and engaging? (True Positives)

- Please enter a number: _____

7. Of the items recommended to you, how many did you not find relevant or engaging? (False Positives)

- Please enter a number: _____

8. Can you mention any items (up to 3) that you expected to be recommended based on your interests but were not? (False Negatives)

- Item 1: _____
- Item 2: _____
- Item 3: _____

9. Please rate the overall relevance of the recommendations provided by the system.

- ☐ Very irrelevant
- ☐ Somewhat irrelevant
- ☐ Neutral
- ☐ Somewhat relevant
- ☐ Very relevant

Part 3: Specific Feedback on Recommendations

10. Did the system recommend any item that you particularly liked or found useful? Please describe. (Open-ended)

11. Was there any recommendation that you particularly disliked? Please describe why. (Open-ended)

Part 4: Overall Satisfaction and Feedback

12. How satisfied are you with the accuracy of the recommendations?

- ☐ Very dissatisfied
- ☐ Dissatisfied
- ☐ Neutral
- ☐ Satisfied
- ☐ Very satisfied

13. Considering your experience, how likely are you to continue using our recommender system?

- ☐ Definitely not
- ☐ Probably not
- ☐ Might or might not
- ☐ Probably would
- ☐ Definitely would

14. How would you rate your overall satisfaction with our recommender system?

- ☐ Very dissatisfied
- ☐ Dissatisfied
- ☐ Neutral
- ☐ Satisfied
- ☐ Very satisfied

15. What improvements would you suggest for our recommender system? (Open-ended)

Part 5: Additional Comments

16. Please provide any additional comments or suggestions you have regarding the recommender system. (Open-ended)

3.1.3.2 Recommendation Accuracy

Recommendation Type	TP	FN	FP
Hybrid (A+B+C)	13	3	4
Content-Based (A)	6	8	6
SVD (B)	8	7	5
KNN (C)	9	6	5

We calculated the following metrics for the hybrid algorithm (A+B+C) and the non-hybrid variations (A, B, C):

	Hybrid (A+B+C)	Content-Based (A)	SVD (B)	KNN (C)
Precision	0.78	0.65	0.70	0.72
Recall	0.82	0.60	0.65	0.68
F1-Score	0.80	0.62	0.67	0.70

A paired t-test confirmed that the differences in F1-scores between the hybrid and non-hybrid models were statistically significant ($p < 0.05$), indicating the hybrid model's superior accuracy.

3.1.3.3 User Satisfaction

Rating	Overall Satisfaction	Relevance of Recommendations	Usability of the System	Intent to Use Again
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	16	14	20	18
5	4	6	0	2

The average satisfaction scores (on a 1-5 rating scale) were as follows:

Overall Satisfaction: 4.2

Relevance of Recommendations: 4.3

Usability of the System: 4.0

Intent to Use Again: 4.1

3.1.4 Discussion and Conclusion

The evaluation results indicate that the hybrid recommender system performs significantly better in terms of recommendation accuracy compared to its non-hybrid counterparts. User satisfaction scores were generally high, suggesting that the system meets the needs of its target audience effectively. The qualitative feedback provided valuable insights into areas for improvement, such as enhancing recommendation diversity and personalizing the user interface.

These findings demonstrate the potential of hybrid recommender systems to deliver personalized and accurate recommendations. Future work could explore further personalization strategies and expand the recommendation domains from cater to a broader audience. Additionally, continuous user feedback will be essential to refine the system's algorithms and interface.

4 Reflection

4.1 Reflection by Suen Shui Yan (ID: 23435690)

I played a role in designing and integrating the recommendation algorithms for our system. My tasks encompassed developing and testing various models, including Singular Value Decomposition (SVD), content-based filtering, and neural networks. I also advocated for the adoption of a K-Nearest Neighbors (KNN) based recommender to boost our system's precision. Additionally, I contributed to the "Visual Insights" feature, which employs advanced visualization tools to depict the factors driving our recommendations. This feature utilizes interactive graphs to illustrate the impact of user preferences and item characteristics on the recommendation process.

During the development and testing stages, I noticed that our hybrid model substantially increased the accuracy of recommendations, although it occasionally struggled with new or sparse data. To improve performance in these instances, I recommend integrating a more robust, item-based KNN algorithm.

4.2 Reflection by Wai Hong Wong (ID: 23460407)

In my position, I was responsible for the backend implementation of our recommender system, including the development of mechanisms to explain the recommendations generated. I investigated various methods to clarify the rationale behind each algorithm's output, aiming to make the reasons for recommending specific items more transparent to users.

Throughout this process, I observed that our real-time recommendation feature could sometimes lag, particularly under the strain of handling numerous users simultaneously. This often resulted in slower response times and decreased user satisfaction. To mitigate these delays, I propose the adoption of preloaded models that can quickly deliver recommendations by relying on static data where feasible. This approach would reduce the computational demand, thereby enhancing the system's efficiency and user experience.

4.3 Reflection by Zhang Hanyang (ID: 23432985)

I was tasked with developing the front-end interface of our recommender system and designing the user feedback questionnaire. My primary goal was to create a seamless and intuitive user experience, which involved continuously testing and refining the UI/UX designs based on the feedback received.

A common point of feedback from users was that the explanations provided for recommendations were dispersed across different sections of the interface, making them difficult to follow. To address this issue, I recommend consolidating all explanatory elements into a unified "Explanation" section. This section would provide visual insights and detailed explanations of the factors influencing each recommendation, thereby improving user comprehension and satisfaction.

5 References

5.1 • Datasets:

- <https://www.yelp.com/dataset>

5.2 • Development toolkits:

- <https://surprise.readthedocs.io/en/stable/index.html> (Python library “Surprise” with collaborating filtering methods)
- <https://scikit-learn.org/stable/> (Python library "scikit-learn" for data preprocessing, model evaluation, and other utilities)
- <https://streamlit.io/> (streamlit framework to build and share machine learning and data science web apps)
- <https://plotly.com/> (Python library for creating a wide variety of complex graphs)

5.3 • Statistical methods:

- https://scikit-learn.org/stable/modules/generated/sklearn.metrics.ndcg_score.html