

# Exercise: Tuples and Sets

Problems for exercise and homework for the [Python Advanced Course @SoftUni](#).  
Submit your solutions in the SoftUni judge system at <https://judge.softuni.org/Contests/1833>.

## 1. Unique Usernames

Write a program that reads from the console a sequence of **N usernames** and keeps a collection only of the **unique** ones. On the **first** line, you will receive an integer **N**. On the next **N** lines, you will receive **a username**. Print the collection on the console (the order does **not matter**):

### Examples

Input	Output
6 George George George Peter George NiceGuy1234	George Peter NiceGuy1234
10 Peter Maria Maria Peter George Steve Maria Alex Peter Steve George	Peter Maria George Steve Alex

## 2. Sets of Elements

Write a program that prints a **set of elements**. On the **first line**, you will receive **two numbers** - **n** and **m**, separated by a single space - representing the lengths of two separate sets. On the next **n + m** lines, you will receive **n** numbers, which are the numbers in the **first** set, and **m** numbers, which are in the **second** set. Find all the **unique elements** that appear in **both** and **print** them on **separate lines** (the order **does not matter**).

**For example:**

Set with length n = 4: {1, 3, 5, 7}

Set with length m = 3: {3, 4, 5}

Set that contains all the **elements** that repeat in **both sets** -> {3, 5}

## Examples

Input	Output
4 3 1 3 5 7 3 4 5	3 5
2 2 1 3 1 5	1

## 3. Periodic Table

Write a program that keeps all the **unique** chemical **elements**. On the first line, you will be given a number **n** - the **count** of input **lines** that you will receive. On the following **n** lines, you will be receiving **chemical compounds** separated by a **single space**. Your task is to print all the **unique ones** on separate lines (the **order does not matter**):

## Examples

Input	Output
4 Ce O Mo O Ce Ee Mo	Ce Ee Mo O
3 Ge Ch O Ne Nb Mo Tc O Ne	Ch Ge Mo Nb Ne O Tc

## 4. Count Symbols

Write a program that reads a **text** from the console and **counts** the **occurrences** of **each** character in it. Print the results in **alphabetical** (lexicographical) order.

## Examples

Input	Output	Input	Output
SoftUni rocks	: 1 time/s S: 1 time/s U: 1 time/s c: 1 time/s f: 1 time/s i: 1 time/s k: 1 time/s n: 1 time/s o: 2 time/s r: 1 time/s s: 1 time/s t: 1 time/s	Why do you like Python?	: 4 time/s ?: 1 time/s P: 1 time/s W: 1 time/s d: 1 time/s e: 1 time/s h: 2 time/s i: 1 time/s k: 1 time/s l: 1 time/s n: 1 time/s o: 3 time/s t: 1 time/s u: 1 time/s y: 3 time/s

## 5. Longest Intersection

Write a program that finds the **longest intersection**. You will be given a number **N**. On each of the next **N** lines you will be given **two ranges** in the format: "{first\_start},{first\_end}-{second\_start},{second\_end}". You should find the **intersection** of these two ranges. The **start** and **end numbers** in the ranges are **inclusive**.

Finally, you should **find the longest intersection of all N** intersections, print the **numbers** that are included and its length in the format: "Longest intersection is [{longest\_intersection\_numbers}] with length {length\_longest\_intersection}"

**Note: in each range, there will always be an intersection. If there are two equal intersections, print the first one.**

## Examples

Input	Output	Comment
3 0,3-1,2 2,10-3,5 6,15-3,10	Longest intersection is [6, 7, 8, 9, 10] with length 5	The intersection of [0-3] and [1-2] is [1-2] (length 2) The intersection of [2-10] and [3-5] is [3-5] (length 3) The intersection of [6-15] and [3-10] is [6-10] (length 5) - which is the longest
5 0,10-2,5 3,8-1,7 1,8-2,4 4,7-2,5 1,10-2,11	Longest intersection is [2, 3, 4, 5, 6, 7, 8, 9, 10] with length 9	

## 6. Battle of Names

You will receive a **number N**. On the following **N** lines, you will be receiving **names**. You should **sum the ASCII values** of each letter in the name and **integer divide it to the number** of the **current row (starting from 1)**. **Save the result** to a set of **either odd or even** numbers, depending on if the resulting number is **odd or even**. After that, **sum the values of each set**.

- If the **sums of the two sets are equal**, print the **union of the values**, separated by ", ".
- If the **sum of the odd numbers is bigger than the sum of the even numbers**, print the **different values**, separated by ", ".
- If the **sum of the even numbers is bigger than the sum of the odd numbers**, print the **symmetric-different values**, separated by ", ".

**NOTE: On every operation, the starting set should be the odd set**

### Examples

Input	Output	Comment
4 Pesho Stefan Stamat Gosho	304, 128, 206, 511	<p><b>First</b> name: Pesho. The sum of the ASCII values is: <math>80 + 101 + 115 + 104 + 111 = 511</math>. Integer divide the sum to the current row (1): <math>511 / 1 = 511</math>.</p> <p><b>Second</b> name: Stefan. The sum of the ASCII values is: <math>83 + 116 + 101 + 102 + 97 + 110 = 609</math>. Integer divide the sum to the current row (2): <math>609 / 2 = 304</math>.</p> <p><b>Third</b> name: Stamat. The sum of the ASCII values is: <math>83 + 116 + 97 + 109 + 97 + 116 = 618</math>. Integer divide the sum to the current row (3): <math>618 / 3 = 206</math>.</p> <p><b>Fourth</b> name: Gosho. The sum of the ASCII values is: <math>71 + 111 + 115 + 104 + 111 = 512</math>. Integer divide the sum to the current row (4): <math>512 / 4 = 128</math>.</p> <p><b>The odd set:</b> 511</p> <p><b>The even set:</b> 304, 206, 128</p> <p>The sum of the even numbers is larger, so we print the <b>symmetric-different values</b>.</p>
6 Preslav Gosho Ivan Stamat Pesho Stefan	733, 101	