Title Project : Delocalisation industrielle

Created by : Ilyes Ben Elgharat

Type : Correction

Departement : D. Indus

Probability Scale

Relative conce	Probability of occurrence	
0.0	0.15	0.1
0.16	0.25	0.3
0.26	0.5	0.5
0.56	0.75	0.7
0.76	0.9	0.9

Estimation of Impact

	Impact : IP	Impact : IC	Impact : ID	Impact : IE
E1	7	7	3	1
E2	9	7 6		1
E3	7	6	6	1
E4	6	6	4	5
E5	7	5	2	9
E6	7	7	7	8

Les Matrices AHP

E1

	F1	F2	F3	F4	Weight
F1	1.0	5.0	3.0	0.5	0.28399639469803273
F2	0.2	1.0	0.5	0.13	0.05860181631781908
F3	0.33333333333333333	2.0	1.0	0.14	0.09579574540112974
F4	2.0	7.692307692307692	7.142857142857142	1.0	0.5616060435830185

E2

	F1	F2	F3	F4	Weight
F1	1.0	4.0	0.25	0.5	0.14872127986060976
F2	0.25	1.0	0.11	0.14	0.044361770306215194
F3	4.0	9.090909090909092	1.0	2.0	0.5189009923457543
F4	2.0	7.142857142857142	0.5	1.0	0.28801595748742065

E3

	F1	F2	F3	F4	Weight
F1	1.0	4.0	0.33	2.0	0.21739181139952285
F2	0.25	1.0	0.13	0.5	0.061592599959238735
F3	3.030303030303030303	7.692307692307692	1.0	7.0	0.6156968868571177
F4	0.5	2.0	0.14285714285714285	1.0	0.10531870178412082

E4

	F1	F2	F3	F4	Weight
F1	1.0	2.0	4.0	7.0	0.5093201086157916
F2	0.5	1.0	3.0	5.0	0.3080435997204182
F3	0.25	0.3333333333333333	1.0	2.0	0.11854757507297145
F4	0.14285714285714285	0.2	0.5	1.0	0.06408871659081858

E5

	F1	F2	F3	F4	Weight
F1	1.0	6.0	8.0	2.0	0.5427266918939231
F2	0.166666666666666666	1.0	3.0	0.33	0.11098424562978977
F3	0.125	0.3333333333333333	1.0	0.17	0.05063739197677129

	F1	F2	F3	F4	Weight
F4	0.5			1.0	0.2956516704995158
		3.0303030303030303	5.88235294117647		

E6

	F1 F2 F3		F3	F4	Weight
F1	F1 1.0 0.33		3.0	4.0	0.2525456624186355
F2	3.0303030303030303	030303030303 1.0		7.0	0.5747914666838356
F3	0.3333333333333333	0.2	1.0	2.0	0.10760738795087073
F4	0.25	0.14285714285714285	0.5	1.0	0.06505548294665812

Calculation of the risk factor concentration for each undesirable event

			M : 1 () (\('\dagger'\)	F .: (D 1 1 1111 (
			Weighting:Yi	XI^YI		Probability of		Level of
event	factor	category			total Eq	Occurence	Impact	Risk
	category	Xi						
E1	F4	7	3.0	21.0				
	F1	7	4.0	28.0				
			Sub-Total E1	49.0	0.23333333	0.3	7.0	2.1000001
E2	F1	7	4.0	28.0				
	F3	3	2.0	6.0				
	F4	7	3.0	21.0				
			Sub-Total E2	55.0	0.26190478	0.5	9.0	4.5
E3	F3	3	2.0	6.0				
			Sub-Total E3	6.0	0.028571429	0.1	7.0	0.7
E4	F4	7	3.0	21.0				
			Sub-Total E4	21.0	0.1	0.1	6.0	0.6
E5	F4	7	3.0	21.0				
	F1	7	4.0	28.0				
			Sub-Total E5	49.0	0.23333333	0.3	9.0	2.7
E6	F1	7	4.0	28.0				
	F2	2	1.0	2.0				
			Sub-Total E6	30.0	0.14285715	0.1	8.0	0.8
			Total	210.0	100 %			

Result: Limit ACCEPT = 2.5

Accepted Risks			
Code	Description		
E1	Work-related illness		
E3	Drop in quality		
E4	Inadequate design		
E6	Explosion and fire		

Risks à reduire			
Code Description			
E2	Drop in productivity		
E5	Pollution		