

Gravity in R: a short workshop

Krisna Gupta

May 24, 2024

This page is dedicated to teach students on running the gravity model in R. We uses dataset from CEPII, specifically BACI and the gravity dataset. We run in R and RStudio IDE, and we rely on `fepois()` from the “fixest” package when demonstrating PPML. We try to replicate Silva and Tenreyro (2006), an excellent paper for an introduction to the log gravity model and PPML.

For the latest version [click here](#).

Introduction

The gravity model is probably the most popular model in international trade. Many uses them. It is very intuitive, great predictive power, and most importantly, tweakable (Yotov 2022). But the even most important is that UI students love them. If you're doing trade for your thesis, then you probably going to use the gravity model as your backbone.

This guide is my attempt to help you learn gravity model much easier. The most important part is probably the data and the model itself. What is the minimum things you need in the gravity model, how to arrange the database, run them, and interpret them. You must familiarize yourself with the data and its wrangling (80% of your coding) as well as the main gravity specification to date. I encourage students to pay careful attention to Yotov (2022) as it hosts the recent development in the gravity model, a must read if you're planning to utilize gravity model.

I use R here because I use R much more than Stata these days. However, the two language aren't very different. You can do the same thing on both, but you may need to google a bit. It's okay to use google a lot. I did as well even right now. Oh yeah I also informed you guys know R already so I won't go into too much basic stuff.

Next is the preparation you'll need. Make sure you read it carefully and install & download everything in advance!

Preparation

This workshop is conducted with the R statistical software, RStudio IDE, and "fixest" (Bergé 2018; Bergé and McDermott 2024) package, which documantation can be accessed on [CRAN](#). Well, of course you can also explore other packages e.g., Correia, Guimarães, and Zylkin (2020) and Woelwer et al. (2023), also Stata has amazing `ppmlhdf` package you can use as well if you want, but i'm sticking with `fixest` for this docs.

Of course you're going to need tidyverse as well, or specifically `dplyr` package. You want to procure data beforehand too, and I will use CEPII data. let's discuss one by one.

Software

You'd want to use R and RStudio for this. The main reason I use R is because it's free. Stata is not. I think Stata is faster and a bit easier (R people will kill me if they see this) but not cheap. If you have Stata it's fine too. The command you'd want in Stata is `ppmlhdf`.

Now onto R. You can procure R and RStudio from Posit's website. Get it [here](#). I wrote the guide to install R and RStudio [here](#), so you better check it out. It's written in Indonesian.

After that, you are going to need to install some packages. Follow my step until I told you to do type this on the console `install.packages(c("tidyverse","WDI","readxl","kableExtra"))`. You are going to do the same but you're going to few different stuff. Specifically, you need to add "fixest", "modelsummary" and "writexl" on the list. That is, you need to type

```
install.packages(c("tidyverse","WDI","readxl","writexl","fixest","modelsummary"))
```

This step requires internet connection, but you'll need to do this only once.

Data

I procure data for this workshop from [CEPII](#). From their website, CEPII is:

he CEPII is the leading French center for research and expertise on the world economy. It contributes to the policy making process through its independent in-depth analyses on international trade, migrations, macroeconomics and finance. The CEPII also produces databases and provides a platform for debate among academics, experts, practitioners, decision makers and other private and public stakeholders. Founded in 1978, the CEPII is part of the network coordinated by France Strategy, within the Prime Minister's services.

I use their BACI dataset (Gaulier and Zignago 2010) and gravity dataset (Conte, Cotterlaz, and Mayer 2022). You can get those from this [link](#). BACI is under "international trade" banner while gravity is under "Gravity" banner. Specifically, I downloaded the 2017-2022 version of BACI and for the gravity dataset I downloaded the R version. You can of course download whichever version you like but for the purpose of this workshop maybe its best to stick with the same dataset as I.

You can also download from [my drive](#).































Note that the data here is **extremely large** in size so be mindful. You need hefty internet quota and reasonable speed. Also, you can try opening it with spreadsheet software but unless you have a strong computer, i'd advice against it. Use R instead.

In the CEPII website you can use various other dataset that may be useful for you. At the same time, there are various other source you can utilise for your actual project that's not necessarily from CEPII.

working directory

If you finished downloading data and installing softwares, you then need to set up a working directory. A working directory is basically a folder where you have all the data and your R script (R version of do file). For now what you want is to have a **folder filled with your downloaded data**. Make sure you know the path to this folder. I tend to use easy path for my projects and move it somewhere else when i finished. If you use github or the likes, it'll be even nicer because you can actually wipe out your local repo if you finish.

All in all, you should have a folder with these stuff in it:

| | | | | |
|---|---|--------------------|-----------------------|------------|
|  BACI_HS17_Y2017_V202401b |   | 16/05/2024 2:50 PM | Microsoft Excel Co... | 463,663 KB |
|  BACI_HS17_Y2018_V202401b |   | 16/05/2024 2:50 PM | Microsoft Excel Co... | 503,136 KB |
|  BACI_HS17_Y2019_V202401b |   | 16/05/2024 2:50 PM | Microsoft Excel Co... | 521,064 KB |
|  BACI_HS17_Y2020_V202401b |   | 16/05/2024 2:50 PM | Microsoft Excel Co... | 510,148 KB |
|  BACI_HS17_Y2021_V202401b |   | 16/05/2024 2:50 PM | Microsoft Excel Co... | 536,717 KB |
|  BACI_HS17_Y2022_V202401b |   | 16/05/2024 2:51 PM | Microsoft Excel Co... | 529,356 KB |
|  country_codes_V202401b |   | 16/05/2024 2:51 PM | Microsoft Excel Co... | 6 KB |
|  Gravity_V202211.rds |   | 16/05/2024 2:50 PM | RDS File | 128,696 KB |
|  product_codes_HS17_V202401b |   | 16/05/2024 2:51 PM | Microsoft Excel Co... | 585 KB |
|  Readme |   | 16/05/2024 2:51 PM | Text Document | 1 KB |

Notes about the data country_codes, product_codes and Readme are all for reading BACI.

Packages

for this page I use these packages but you may not need all of them

```
1 library(tidyverse)
2 library(writexl)
3 library(modelsummary)
4 library(fixest)
```

Simple gravity specification

Theory

The earliest (e.g., naive) gravity model taking directly from Newtonian gravity theory looks something like this:

$$X_{ij} = \tilde{G} \frac{Y_i E_j}{T_{ij}^\theta} \quad (0.1)$$

where X_{it} is the value of trade flow from country i to country j , \tilde{G} is the gravitational constant (aka our usual constant), Y_i is the output in country i E_j is the value of expenditure

in country j and T_{ij} is the total bilateral trade frictions / trade cost between country i and country j .

There are various other types of gravity equations, but let's start with a relatively simple one. One of my favorite simple gravity specification is a budget version of Silva and Tenreyro (2006) which is taken from Anderson and Wincoop (2003) which looks like this:

$$X_{ij} = \alpha_0 Y_i^{\alpha_1} Y_j^{\alpha_2} D_{ij}^{\alpha_3} e^{\theta_i d_i + \theta_j d_j} \quad (0.2)$$

where α_0 is your \tilde{G} , while Y is the output and expenditure which is proxied with GDP. D_{ij} is the distance between the two countries, which can be generalized as a vector of trade cost measures. Typically we use physical distance but also other types of bilateral trade cost. Lastly, the d_i and d_j is country-specific characteristics.

There are various variables used in Silva and Tenreyro (2006). log of exporter's and importer's GDP and GDP per capita. Various "distance" variables is used as well e.g., physical distance and variables like contiguity, common-language dummy, colonial-tie dummy and free trade agreement dummy.

Note that our regression consists only of two indices: exporter i and importer j . We are going to use the gravity data I mentioned earlier, slice the dataset to cover only one year chosen arbitrarily (which is 2019), and run Equation 0.2.

Setting data

first we load all the necessary data:

```
1 ## Readubg data
2 gravity <- readRDS("Gravity_V202211.rds")
3 key<-read_csv("country_codes_V202401b.csv")
```

The gravity is the data from CEPII while key is storing some country codes. You can see the first 10 rows of the data and its variable names you call their name. Just type `gravity` or `key` in the console then hit enter. However, if you just want to look at the variable names, you can use `colnames()`

```
colnames(gravity)
```

| | | |
|--------------------------|----------------------|-----------------------|
| [1] "year" | "country_id_o" | "country_id_d" |
| [4] "iso3_o" | "iso3_d" | "iso3num_o" |
| [7] "iso3num_d" | "country_exists_o" | "country_exists_d" |
| [10] "gmt_offset_2020_o" | "gmt_offset_2020_d" | "distw_harmonic" |
| [13] "distw_arithmetic" | "distw_harmonic_jh" | "distw_arithmetic_jh" |
| [16] "dist" | "main_city_source_o" | "main_city_source_d" |
| [19] "distcap" | "contig" | "diplo_disagreement" |

| | | | |
|------|------------------------|------------------------|--------------------------|
| [22] | "scaled_sci_2021" | "comlang_off" | "comlang_ethno" |
| [25] | "comcol" | "col45" | "legal_old_o" |
| [28] | "legal_old_d" | "legal_new_o" | "legal_new_d" |
| [31] | "comleg_pretrans" | "comleg_posttrans" | "transition_legalchange" |
| [34] | "comrelig" | "heg_o" | "heg_d" |
| [37] | "col_dep_ever" | "col_dep" | "col_dep_end_year" |
| [40] | "col_dep_end_conflict" | "empire" | "sibling_ever" |
| [43] | "sibling" | "sever_year" | "sib_conflict" |
| [46] | "pop_o" | "pop_d" | "gdp_o" |
| [49] | "gdp_d" | "gdpcap_o" | "gdpcap_d" |
| [52] | "pop_source_o" | "pop_source_d" | "gdp_source_o" |
| [55] | "gdp_source_d" | "gdp_ppp_o" | "gdp_ppp_d" |
| [58] | "gdpcap_ppp_o" | "gdpcap_ppp_d" | "pop_pwt_o" |
| [61] | "pop_pwt_d" | "gdp_ppp_pwt_o" | "gdp_ppp_pwt_d" |
| [64] | "gatt_o" | "gatt_d" | "wto_o" |
| [67] | "wto_d" | "eu_o" | "eu_d" |
| [70] | "fta_wto" | "fta_wto_raw" | "rta_coverage" |
| [73] | "rta_type" | "entry_cost_o" | "entry_cost_d" |
| [76] | "entry_proc_o" | "entry_proc_d" | "entry_time_o" |
| [79] | "entry_time_d" | "entry_tp_o" | "entry_tp_d" |
| [82] | "tradeflow_comtrade_o" | "tradeflow_comtrade_d" | "tradeflow_baci" |
| [85] | "manuf_tradeflow_baci" | "tradeflow_imf_o" | "tradeflow_imf_d" |

As you can see, the column names are so plenty. Consult to the CEPII website or Conte, Cotterlaz, and Mayer (2022) to learn more. We will only use some of them, so we will filter these data to make it more concise. Specifically, we will (1) remove some countries, (2) remove non-2019, and (3) remove variables we are not using.

For variables, we will keep iso3_o, iso3_d, distw_harmonic, contig, comcol, comlang_off, gdp_o, gdp_d, gdpcap_o, gdpcap_d, fta_wto. Note that o means origin / exporter and d means destination / importer.

```

1  ## create a country list
2  ctr<-c("Albania", "Denmark", "Kenya", "Romania", "Algeria", "Djibouti", "Kiribati", "Russia")
3
4  vrb<-c("iso3num_o","iso3num_d","year","iso3_o", "iso3_d", "distw_harmonic", "contig", "comcol", "comlang_off", "gdp_o", "gdp_d", "gdpcap_o", "gdpcap_d", "fta_wto")
5
6  ## keep 2019
7  gravity2<-gravity|>filter(year==2019)|> # Keep tahun 2019
8    filter(country_id_o!="IDN.1") |> # IDN.1 ini jaman kolonial, kita drop
9    filter(country_id_d!="IDN.1") |> # IDEM
10   filter(iso3_o!=iso3_d)           # drop obs yang o=d
11
12  ## Keep countries in the list
13  key2<-key |> filter(country_name%in%ctr)
14  gravity2<-gravity2 |> filter(country_id_o %in% key2$country_iso3 &

```

```

15         country_id_d %in% key2$country_iso3)
16 gravity2<-gravity2 |> select(vrb)
17
18 ## Make a log versin
19 gravity2<-gravity2 |>
20   mutate(ldist=log(distw_harmonic),
21          lgdpo=log(gdp_o),
22          lgdpd=log(gdp_d),
23          lgdpco=log(gdpcap_o),
24          lgdpd=log(gdpcap_d),
25          logtrade=log(1+tradeflow_baci))

```

You can see in your environment tab the difference between gravity and gravity2 as well as between key and key2 on the number of observations and variables. Note that we also log non-dummy variables for gravity2 to redo Silva and Tenreyro (2006).

We will focus on the gravity2 as it will be the dataset we will run. You can quickly show summary statistics by typing `summary(gravity2)` on the console tab.

```
summary(gravity2)
```

| | | | |
|---------------|---------------|--------------|------------------|
| iso3num_o | iso3num_d | year | iso3_o |
| Min. : 8.0 | Min. : 8.0 | Min. :2019 | Length:12210 |
| 1st Qu.:204.0 | 1st Qu.:204.0 | 1st Qu.:2019 | Class :character |
| Median :400.0 | Median :400.0 | Median :2019 | Mode :character |
| Mean :415.5 | Mean :415.5 | Mean :2019 | |
| 3rd Qu.:616.0 | 3rd Qu.:616.0 | 3rd Qu.:2019 | |
| Max. :894.0 | Max. :894.0 | Max. :2019 | |

| | | | |
|------------------|----------------|-----------------|-----------------|
| iso3_d | distw_harmonic | contig | comcol |
| Length:12210 | Min. : 110 | Min. :0.00000 | Min. :0.00000 |
| Class :character | 1st Qu.: 4546 | 1st Qu.:0.00000 | 1st Qu.:0.00000 |
| Mode :character | Median : 7659 | Median :0.00000 | Median :0.00000 |
| | Mean : 8003 | Mean :0.01769 | Mean :0.09828 |
| | 3rd Qu.:11062 | 3rd Qu.:0.00000 | 3rd Qu.:0.00000 |
| | Max. :19676 | Max. :1.00000 | Max. :1.00000 |

| | | | |
|----------------|-------------------|-------------------|----------------|
| comlang_off | gdp_o | gdp_d | gdpcap_o |
| Min. :0.0000 | Min. :1.779e+05 | Min. :1.779e+05 | Min. : 0.224 |
| 1st Qu.:0.0000 | 1st Qu.:1.419e+07 | 1st Qu.:1.419e+07 | 1st Qu.: 1.909 |
| Median :0.0000 | Median :4.805e+07 | Median :4.805e+07 | Median : 6.321 |
| Mean :0.1805 | Mean :4.785e+08 | Mean :4.785e+08 | Mean :15.262 |
| 3rd Qu.:0.0000 | 3rd Qu.:3.512e+08 | 3rd Qu.:3.512e+08 | 3rd Qu.:18.480 |
| Max. :1.0000 | Max. :1.428e+10 | Max. :1.428e+10 | Max. :85.335 |
| | NA's :110 | NA's :110 | NA's :110 |

| gdpcap_d | fta_wto | trade_flow_baci | ldist |
|-----------------|-----------------|------------------|----------------|
| Min. : 0.224 | Min. : 0.0000 | Min. : 0 | Min. : 4.700 |
| 1st Qu.: 1.909 | 1st Qu.: 0.0000 | 1st Qu.: 273 | 1st Qu.: 8.422 |
| Median : 6.321 | Median : 0.0000 | Median : 6343 | Median : 8.944 |
| Mean : 15.262 | Mean : 0.2041 | Mean : 611172 | Mean : 8.768 |
| 3rd Qu.: 18.480 | 3rd Qu.: 0.0000 | 3rd Qu.: 87003 | 3rd Qu.: 9.311 |
| Max. : 85.335 | Max. : 1.0000 | Max. : 149568313 | Max. : 9.887 |
| NA's : 110 | | NA's : 2074 | |

| lgdpd | lgdpd | lgdpco | lgdpco |
|----------------|----------------|-----------------|-----------------|
| Min. : 12.09 | Min. : 12.09 | Min. : -1.4961 | Min. : -1.4961 |
| 1st Qu.: 16.47 | 1st Qu.: 16.47 | 1st Qu.: 0.6466 | 1st Qu.: 0.6466 |
| Median : 17.69 | Median : 17.69 | Median : 1.8438 | Median : 1.8438 |
| Mean : 17.93 | Mean : 17.93 | Mean : 1.8087 | Mean : 1.8087 |
| 3rd Qu.: 19.68 | 3rd Qu.: 19.68 | 3rd Qu.: 2.9167 | 3rd Qu.: 2.9167 |
| Max. : 23.38 | Max. : 23.38 | Max. : 4.4466 | Max. : 4.4466 |
| NA's : 110 | NA's : 110 | NA's : 110 | NA's : 110 |

| logtrade |
|-----------------|
| Min. : 0.001 |
| 1st Qu.: 5.613 |
| Median : 8.755 |
| Mean : 8.438 |
| 3rd Qu.: 11.374 |
| Max. : 18.823 |
| NA's : 2074 |

Regression

Let's do 2 types of regression. First we do a regression using a normal ols, and secondly we do ppml.

```
reg1<-feols(data=gravity2,logtrade~lgdpd+lgdpd+lgdpco+lgdpco+ldist+contig+
comcol+comlang_off+fta_wto)
reg2<-feols(data=gravity2,logtrade~lgdpd+lgdpd+lgdpco+lgdpco+ldist+contig+
comcol+comlang_off+fta_wto+iso3_o+iso3_d)
reg3<-fepois(data=gravity2,trade_flow_baci~lgdpd+lgdpd+lgdpco+lgdpco+ldist+
contig+comcol+comlang_off+fta_wto)
reg4<-fepois(data=gravity2,trade_flow_baci~lgdpd+lgdpd+lgdpco+lgdpco+ldist+
contig+comcol+comlang_off+fta_wto+iso3_o+iso3_d)
```

You can call each reg's table with `summary(reg1)`.

You can compare results with Silva and Tenreyro (2006). Note that they don't use fixed effects.

Table 1: Simple regression results

| | OLS no dum | OLS w dum | PPML no dum | PPML w dum |
|-------------|-----------------------|-------------------------|-----------------------|------------------------|
| (Intercept) | −21.866*** (0.414) | 43.403 (331 632.607) | −15.380*** (0.000) | −118.218*** (0.082) |
| lgdpo | 1.239*** (0.013) | −0.612 (13 637.338) | 0.895*** (0.000) | 6.704*** (0.004) |
| lgdpd | 0.947*** (0.013) | −1.135 (20 808.385) | 0.814*** (0.000) | 1.349*** (0.003) |
| lgdpco | 0.251*** (0.018) | 4.086 (34 680.508) | −0.041*** (0.000) | −10.947*** (0.009) |
| lgdpcd | 0.066*** (0.018) | 7.073 (52 916.880) | −0.037*** (0.000) | −1.280*** (0.007) |
| contig | 0.899*** (0.165) | 0.594** (0.203) | 0.185*** (0.000) | 0.334*** (0.000) |
| comcol | 0.489*** (0.082) | 0.317** (0.114) | 0.110*** (0.000) | 0.519*** (0.000) |
| comlang_off | 0.781*** (0.061) | 0.778*** (0.085) | 0.238*** (0.000) | 0.162*** (0.000) |
| fta_wto | 0.702*** (0.057) | 0.559*** (0.079) | 0.383*** (0.000) | 0.380*** (0.000) |
| ldist | −1.215*** (0.032) | −1.466*** (0.044) | −0.606*** (0.000) | −0.711*** (0.000) |
| Num.Obs. | 9990 | 9990 | 9990 | 9990 |
| R2 | 0.720 | 0.611 | 0.873 | 0.922 |
| R2 Adj. | 0.720 | 0.602 | 0.873 | 0.922 |
| AIC | 43 228.2 | 46 948.9 | 4 281 748 269.4 | 2 638 932 248.1 |
| BIC | 43 300.3 | 48 578.2 | 4 281 748 341.5 | 2 638 933 863.0 |
| RMSE | 2.10 | 2.48 | 2 097 486.21 | 1 585 544.68 |
| Std.Errors | IID | IID | IID | IID |

+ p < 0.1, * p < 0.05, ** p < 0.01, *** p < 0.001

TABLE 3.—THE TRADITIONAL GRAVITY EQUATION

| Estimator: Dependent Variable: | OLS $\ln(T_{ij})$ | OLS $\ln(1 + T_{ij})$ | Tobit $\ln(a + T_{ij})$ | NLS T_{ij} | PPML $T_{ij} > 0$ | PPML T_{ij} |
|-----------------------------------|----------------------|--------------------------|----------------------------|---------------------|----------------------|---------------------|
| Log exporter's GDP | 0.938** (0.012) | 1.128** (0.011) | 1.058** (0.012) | 0.738** (0.038) | 0.721** (0.027) | 0.733** (0.027) |
| Log importer's GDP | 0.798** (0.012) | 0.866** (0.012) | 0.847** (0.011) | 0.862** (0.041) | 0.732** (0.028) | 0.741** (0.027) |
| Log exporter's GDP per capita | 0.207** (0.017) | 0.277** (0.018) | 0.227** (0.015) | 0.396** (0.116) | 0.154** (0.053) | 0.157** (0.053) |
| Log importer's GDP per capita | 0.106** (0.018) | 0.217** (0.018) | 0.178** (0.015) | -0.033 (0.062) | 0.133** (0.044) | 0.135** (0.045) |
| Log distance | -1.166** (0.034) | -1.151** (0.040) | -1.160** (0.034) | -0.924** (0.072) | -0.776** (0.055) | -0.784** (0.055) |
| Contiguity dummy | 0.314* (0.127) | -0.241 (0.201) | -0.225 (0.152) | -0.081 (0.100) | 0.202 (0.105) | 0.193 (0.104) |
| Common-language dummy | 0.678** (0.067) | 0.742** (0.067) | 0.759** (0.060) | 0.689** (0.085) | 0.752** (0.134) | 0.746** (0.135) |
| Colonial-tie dummy | 0.397** (0.070) | 0.392** (0.070) | 0.416** (0.063) | 0.036 (0.125) | 0.019 (0.150) | 0.024 (0.150) |
| Landlocked-exporter dummy | -0.062 (0.062) | 0.106* (0.054) | -0.038 (0.052) | -1.367** (0.202) | -0.873** (0.157) | -0.864** (0.157) |
| Landlocked-importer dummy | -0.665** (0.060) | -0.278** (0.055) | -0.479** (0.051) | -0.471** (0.184) | -0.704** (0.141) | -0.697** (0.141) |
| Exporter's remoteness | 0.467** (0.079) | 0.526** (0.087) | 0.563** (0.068) | 1.188** (0.182) | 0.647** (0.135) | 0.660** (0.134) |
| Importer's remoteness | -0.205* (0.085) | -0.109 (0.091) | -0.032 (0.073) | 1.010** (0.154) | 0.549** (0.120) | 0.561** (0.118) |
| Free-trade agreement dummy | 0.491** (0.097) | 1.289** (0.124) | 0.729** (0.103) | 0.443** (0.109) | 0.179* (0.090) | 0.181* (0.088) |
| Openness | -0.170** (0.053) | 0.739** (0.050) | 0.310** (0.045) | 0.928** (0.191) | -0.139 (0.133) | -0.107 (0.131) |
| Observations | 9613 | 18360 | 18360 | 18360 | 9613 | 18360 |
| RESET test p -values | 0.000 | 0.000 | 0.204 | 0.000 | 0.941 | 0.331 |

Figure 1: source: Silva and Tenreyro (2006)

By the way, you can save the regression table using `modelsummary()`. don't forget to run `library(modelsummary)` first. You can use `xlsx` extension, but also `docx`.

```
regtab<- list(
  "OLS no ctr" = reg1,
  "OLS with ctr" = reg2,
  "PPML no ctr"=reg3,
  "PPML with ctr"=reg4
)
modelsummary(regtab,output="regtab.xlsx")
```

Product level gravity

Theory

We then proceed to a higher-dimension trade data which you may be interested in. In the field, UI students often interested largely in Indonesian affairs. That is, we are not interested so much in the bilateral flow of all countries, but only on Indonesia. However, we often use more granular dimension than just exporter/importer. Often times we use indices like time, commodities or industries, or even firms (shamelessly inserting my paper here Gupta (2023)).

Now, if you are planning to do these kinds of studies, then you are going to need to tackle higher degree dataset and merging the gravity variables. Most often you can get these variables from [World Development Indicators](#) but CEPII is ok for now (note the main problem of CEPII is its timeliness).

The theory isn't so different compared to our previous gravity model. What we want is an additional indices. We are going to estimate something similar as Equation 0.2 but with more indices. We need to care about multilateral resistance (MR) and we can use dummies since we now have more variations from indices like time and HS code.

According to Yotov (2022), we need at least 3 dummies to run a multi-country, multi-time and multi-goods/sectors¹. We need to have exporter-time dummy, importer-time dummy and country-pair dummy. We need to construct this first. Note that these dummies will likely absorb some of your variables like distance (consistant between pair across time, typically).

So we will do the HS,time varying version of Equation 0.2:

$$X_{ijpt} = \alpha_0 Y_{it}^{\alpha_1} Y_{jt}^{\alpha_2} D_{ijpt}^{\alpha_3} e^{\theta_1 o_{it} + \theta_2 d_{jt} + \theta_3 p_{ij}} \quad (0.3)$$

Setting data

This time we need BACI data. Brace yourself because this dataset is HUGE. We read 5 different years.

```
1 t2017<-read_csv("BACI_HS17_Y2017_V202401b.csv")
2 t2018<-read_csv("BACI_HS17_Y2018_V202401b.csv")
3 t2019<-read_csv("BACI_HS17_Y2019_V202401b.csv")
4 t2020<-read_csv("BACI_HS17_Y2020_V202401b.csv")
5 t2021<-read_csv("BACI_HS17_Y2021_V202401b.csv")
6
7
8 ## Combining all
9 trade<-rbind(t2017,t2018,t2019,t2020,t2021)
10
11 remove(t2017,t2018,t2019,t2020,t2021)
```

I used `read_csv` from the `tydiverse` package for reading .csv. `rbind` is to stack all BACI data (it was separated per year), then I remove the individual BACI to save environment space.

At this point, you can try checking out the two datasets. You can try looking at both data by calling their names. Alternatively, just look at the column names with `colnames()`. Let's try the BACI frist.

¹unless you have domestic trade data which we typically don't. If you do, then there's borders dummy. More on Yotov (2022).

```
colnames(trade)
```

```
[1] "t" "i" "j" "k" "v" "q"
```

There are only 6 columns / variables. Here's some information on what those means

Table 2: Variable explanations

| var | meaning |
|-----|----------|
| t | year |
| i | exporter |
| j | importer |
| k | product |
| v | value |
| q | quantity |

Products in Harmonized System 6-digit nomenclature. Values in thousand USD and quantities in metric tons. Exporter and importer is codified using CEPII codes. the codes and it means can be found in the “key” dataset. To have country identities into the BACI dataset, we need to join the two.

To join the two datasets, we need a key variable. A key variable is the variable connecting the two variables. Both needs the same name. So first we need to assign the same name for exporter and importer codes between BACI and gravity.

We know that *i* in BACI is iso3num_o in gravity, while *j* in BACI is iso3num_d in gravity. So we rename the one in BACI so both have the same name:

```
1  ## Change ctr to reduce computation problem
2  ctr<-c("IDN.2","SGP","VNM","MYS","THA","PHL","USA","CHN","JPN","KOR")
3  ## IDN.2 adalah IDN yang baru yg datanya ada di gravity dataset. coba cek detil
4  ##di gravity dataset
5
6  ## Rename variable
7  trade2<-trade|>rename(iso3num_o=i,iso3num_d=j,year=t)
8
9  ## Kita ulangi gravity2 karena sekarang perlu tahun 2017-2021
10 gravity2<-gravity|>filter(year>2016 & year<2022)
11 gravity2<-gravity2 |> filter(country_id_o %in%ctr & country_id_d %in% ctr)
12 ## notice the change
13 gravity2<-gravity2 |> select(vrb)
14
15 ## remove negara yang di luar ctr di BACI
16 trade2<-trade2|>filter(iso3num_o%in%gravity2$iso3num_o &
```

```

17         iso3num_d%in%gravity2$iso3num_d)
18
19 ## gabung dengan trade2
20
21 gabung<-left_join(gravity2,trade2,by=c("year","iso3num_o","iso3num_d"))

```

Check the results with `gabung` or `View(gabung)`. The most important thing here is that you have to make sure you understand the changes in variations! Now that we have time and HS (k), a pair of countries can have multiple observations in different year and different goods. `trade_flow_baci` will be repeated because this is the total trade, while now we focus on v and q as the X_{ijpt} .

Before we go, however, we need to generate our dummies! Remember, we need to make three dummies, o_{it} , d_{jt} and p_{ij} (see Equation 0.3). To do that, we do this:

```

1 gabung <- gabung |>
2   mutate(ooo=interaction(iso3num_o,year),
3           ddd=interaction(iso3num_d,year),
4           ppp=interaction(iso3num_o,iso3num_d))

```

You can check again whether it's made. if you do `tibble(gabung)` you will see that we have created our factor variables. Oh yes, do not forget to log non-factors.

```

1 gabung<-gabung |>
2   mutate(lldist=log(distw_harmonic),
3           lgdp_o=log(gdp_o),
4           lgdp_d=log(gdp_d),
5           lgdpco=log(gdpcap_o),
6           lgdpd=log(gdpcap_d),
7           logtrade=log(1+v)) ## note the difference with before

```

Why don't we show the quick summary statistics?

```
summary(gabung)
```

| iso3num_o | iso3num_d | year | iso3_o |
|---------------|---------------|--------------|------------------|
| Min. :156.0 | Min. :156.0 | Min. :2017 | Length:675318 |
| 1st Qu.:360.0 | 1st Qu.:360.0 | 1st Qu.:2018 | Class :character |
| Median :410.0 | Median :410.0 | Median :2019 | Mode :character |
| Mean :455.6 | Mean :485.8 | Mean :2019 | |
| 3rd Qu.:702.0 | 3rd Qu.:702.0 | 3rd Qu.:2020 | |
| Max. :840.0 | Max. :840.0 | Max. :2021 | |

| iso3_d | distw_harmonic | contig | comcol | comlang_off |
|--------|----------------|--------|--------|-------------|
|--------|----------------|--------|--------|-------------|

| | | | | |
|------------------|---------------|-----------|-----------|-----------------|
| Length:675318 | Min. : 10 | Min. :0 | Min. :0 | Min. :0.00000 |
| Class :character | 1st Qu.: 1983 | 1st Qu.:0 | 1st Qu.:0 | 1st Qu.:0.00000 |
| Mode :character | Median : 2386 | Median :0 | Median :0 | Median :0.00000 |
| | Mean : 2851 | Mean :0 | Mean :0 | Mean :0.08458 |
| | 3rd Qu.: 4138 | 3rd Qu.:0 | 3rd Qu.:0 | 3rd Qu.:0.00000 |
| | Max. :15486 | Max. :0 | Max. :0 | Max. :1.00000 |

| | | | |
|-------------------|-------------------|----------------|----------------|
| gdp_o | gdp_d | gdpcap_o | gdpcap_d |
| Min. :3.285e+08 | Min. :3.285e+08 | Min. : 3.123 | Min. : 3.123 |
| 1st Qu.:4.997e+08 | 1st Qu.:3.970e+08 | 1st Qu.: 7.233 | 1st Qu.: 4.135 |
| Median :1.624e+09 | Median :1.059e+09 | Median :12.556 | Median :10.144 |
| Mean :4.282e+09 | Mean :3.352e+09 | Mean :24.902 | Mean :23.307 |
| 3rd Qu.:5.040e+09 | 3rd Qu.:4.937e+09 | 3rd Qu.:39.285 | 3rd Qu.:39.285 |
| Max. :2.300e+10 | Max. :2.300e+10 | Max. :72.794 | Max. :72.794 |

| | | | |
|----------------|-------------------|------------------|----------------|
| fta_wto | trade_flow_baci | k | v |
| Min. :0.0000 | Min. : 592555 | Length:675318 | Min. : 0 |
| 1st Qu.:1.0000 | 1st Qu.: 9006116 | Class :character | 1st Qu.: 9 |
| Median :1.0000 | Median : 18272115 | Mode :character | Median : 124 |
| Mean :0.8758 | Mean : 34989027 | | Mean : 9266 |
| 3rd Qu.:1.0000 | 3rd Qu.: 42822895 | | 3rd Qu.: 1443 |
| Max. :1.0000 | Max. :500928196 | | Max. :42892726 |
| | NA's :139250 | | NA's :112 |

| | | | |
|----------------|-----------------|-----------------|----------------|
| q | ooo | ddd | ppp |
| Min. : 0 | 156.2019: 26874 | 702.2019: 21217 | 156.410: 23391 |
| 1st Qu.: 0 | 156.2021: 26692 | 702.2018: 21012 | 156.764: 22295 |
| Median : 11 | 156.2020: 26599 | 360.2020: 21004 | 156.392: 22228 |
| Mean : 6199 | 156.2018: 26224 | 360.2019: 20959 | 156.360: 21896 |
| 3rd Qu.: 166 | 156.2017: 25350 | 702.2021: 20862 | 156.702: 21840 |
| Max. :88344459 | 392.2019: 24725 | 702.2020: 20823 | 392.764: 21516 |
| NA's :9882 | (Other) :518854 | (Other) :549441 | (Other):542152 |

| | | | |
|---------------|---------------|---------------|---------------|
| ldist | lgdpo | lgdpd | lgdpco |
| Min. :2.303 | Min. :19.61 | Min. :19.61 | Min. :1.139 |
| 1st Qu.:7.592 | 1st Qu.:20.03 | 1st Qu.:19.80 | 1st Qu.:1.979 |
| Median :7.777 | Median :21.21 | Median :20.78 | Median :2.530 |
| Mean :7.778 | Mean :21.32 | Mean :21.03 | Mean :2.760 |
| 3rd Qu.:8.328 | 3rd Qu.:22.34 | 3rd Qu.:22.32 | 3rd Qu.:3.671 |
| Max. :9.648 | Max. :23.86 | Max. :23.86 | Max. :4.288 |

| | |
|---------------|----------------|
| lgdpcd | logtrade |
| Min. :1.139 | Min. : 0.001 |
| 1st Qu.:1.419 | 1st Qu.: 2.282 |
| Median :2.317 | Median : 4.828 |
| Mean :2.607 | Mean : 4.893 |
| 3rd Qu.:3.671 | 3rd Qu.: 7.275 |
| Max. :4.288 | Max. :17.574 |

Regression

```
ger1<-feols(data=gabung,logtrade~lgdpo+lgdpd+lgdpco+lgdpcd+contig+comcol+
            comlang_off+fta_wto+ldist)
ger2<-feols(data=gabung,logtrade~lgdpo+lgdpd+lgdpco+lgdpcd+contig+comcol+
            comlang_off+fta_wto+ldist+ooo+ddd+ppp)
ger3<-fepois(data=gabung,v~lgdpo+lgdpd+lgdpco+lgdpcd+contig+comcol+
            comlang_off+fta_wto+ldist)
ger4<-fepois(data=gabung,v~lgdpo+lgdpd+lgdpco+lgdpcd+contig+comcol+
            comlang_off+fta_wto+ldist+ooo+ddd+ppp)
```

As you can see, the difference is apparent when we use HS-6-digit instead of total trade. This is of course the case since now we have wild, uncontrolled variability in the goods characteristics. Indeed, the gravity equation is much better suited predicting total trade where country and year characteristics dominates and industry/goods heterogeneity is absorbed by the total trade. Remember, I use only small number of countries with tons of HS 6 digit². Moreover, PPML sometimes act funny where zeroes are abundant combined with many dummies. Convergence sometimes unachieved / converge to a very strange parameters.

UI students typically only interested in Indonesia, so country pair dummy and indonesia-time dummy often not needed. Of course then you can add dummies like sector dummy or HS Chapter dummy.

Closing

Okay now you are ready to run regression yourself. Try to replicate what I do here and you prolly finished 50% of your thesis. You then can work to update this with your own hypothesis, adding more variable and more concentrated.

Running this on Stata is also excellent. I must confess that R is also speedy (these guys making the package is extremely good), but Stata is a bit more intuitive and compute you with important stats as well such as pseudo-R. Nevertheless, now you should be able to do both!

As you are a student now, I encourage you to explore as much as you can because this is the moment. Once you're a proper adult, you must think more mundane stuff so please value your freedom at this point and explore as much as you can! Go out there make mistakes while you can!

²I added JPN, KOR, CHN and USA in this version. Previously it was only ASEAN6 and results were pretty funny since within-ASEAN trade isn't so large.

Table 3: Simple regression results

| | OLS no dum | OLS with dum | PPML no dum | PPML with dum |
|-------------|-----------------------|-----------------------|-----------------------|-----------------------|
| (Intercept) | −18.436*** (0.112) | 0.129 (1274.150) | −12.672*** (0.001) | −76.370*** (5.664) |
| lgdpo | 0.860*** (0.003) | 0.191 (107.572) | 0.529*** (0.000) | −1.870*** (0.211) |
| lgdpd | 0.373*** (0.003) | 1.667 (1.259) | 0.580*** (0.000) | 4.613*** (0.007) |
| lgdpco | −0.001 (0.004) | −16.332 (1733.225) | 0.032*** (0.000) | 3.880*** (0.344) |
| lgdpcd | −0.062*** (0.004) | −0.044 (0.081) | 0.062*** (0.000) | 0.414*** (0.000) |
| comlang_off | 0.228*** (0.013) | 0.678*** (0.115) | 0.360*** (0.000) | 0.549*** (0.001) |
| fta_wto | −0.081*** (0.015) | −1.126 (1.448) | 0.347*** (0.000) | −7.578*** (0.007) |
| ldist | −0.337*** (0.006) | 0.062 (0.513) | −0.343*** (0.000) | 2.587*** (0.003) |
| Num.Obs. | 675 206 | 675 206 | 675 206 | 675 206 |
| R2 | 0.146 | 0.165 | 0.121 | 0.130 |
| R2 Adj. | 0.146 | 0.165 | 0.121 | 0.130 |
| AIC | 3 353 993.3 | 3 338 724.4 | 36 199 829 363.4 | 35 817 601 698.7 |
| BIC | 3 354 084.7 | 3 339 821.0 | 36 199 829 454.8 | 35 817 602 829.6 |
| RMSE | 2.90 | 2.87 | 138 393.96 | 138 371.77 |
| Std.Errors | IID | IID | IID | IID |

+ $p < 0.1$, * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

I cannot emphasize enough references in Yotov (2022). Whatever you want to do, a paper prolly covered it already. Learn from them and look for an insight to add. Work with your spv and you'll be fine.

References

- Anderson, James E., and Eric van Wincoop. 2003. "Gravity with Gravititas: A Solution to the Border Puzzle." Journal Article. *The American Economic Review* 93 (1): 24.
- Bergé, Laurent. 2018. "Efficient Estimation of Maximum Likelihood Models with Multiple Fixed-Effects: The R Package FENmlm." *CREA Discussion Papers*, no. 13. <https://cran.r-project.org/web/packages/fixest/index.html>.
- Bergé, Laurent, and Grant McDermott. 2024. *Fast Fixed-Effects Estimation: Short Introduction*. https://lrberge.github.io/fixest/articles/fixest_walkthrough.html.
- Conte, Madallena, Pierre Cotterlaz, and Thierry Mayer. 2022. "The CEPII Gravity Database." Working Papers 2022-05. CEPII. <http://www.cepii.fr/CEPII/fr/publications/wp/abstract.asp?NoDoc=2726>.
- Correia, Sergio, Paulo Guimarães, and Tom Zylkin. 2020. "Fast Poisson Estimation with High-Dimensional Fixed Effects." Journal Article. *The Stata Journal* 20 (1): 95–115. <https://doi.org/10.1177/1536867x20909691>.
- Gaulier, Guillaume, and Soledad Zignago. 2010. "BACI: International Trade Database at the Product-Level. The 1994-2007 Version." Working Papers 2010-23. CEPII. <http://www.cepii.fr/CEPII/fr/publications/wp/abstract.asp?NoDoc=2726>.
- Gupta, Krisna. 2023. "The Heterogeneous Impact of Tariffs and Ntms on Total Factor Productivity for Indonesian Firms." Journal Article. *Bulletin of Indonesian Economic Studies* 59 (2): 269–300. <https://doi.org/10.1080/00074918.2021.2016613>.
- Silva, Santos, and Silvana Tenreyro. 2006. "The Log of Gravity." Journal Article. *The Review of Economics and Statistics* 88 (4): 19.
- Woelwer, Anna-Lena, Jan Pablo Burgard, Joshua Kunst, and Mauricio Vargas. 2023. *Gravity: Estimation Methods for Gravity Models*. <http://pacha.dev/gravity/>.
- Yotov, Yoto. 2022. "Gravity at Sixty: The Workhorse Model of Trade." Journal Article. *CESifo Working Papers* 9584. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4037001.