The Black–Scholes Model

In this lecture. . .   1973   ∃ extra notes with more detailed working

- the assumptions that go into the Black–Scholes model

- foundations of options theory: delta hedging and no arbitrage

- the Black–Scholes partial differential equation

- the Black–Scholes formulæ for calls, puts and simple digitals

- the meaning and importance of the 'greeks,' delta, gamma, theta, vega and rho

- Connection between expectations & derivative prices

By the end of this lecture you will be able to

- derive the Black–Scholes partial differential equation

- quote formulæ for simple contracts

- understand the meaning of the common greeks — *introduction*

  (mathematical)

  Espen Haug ⟶ *more detail*

Introduction

The Black–Scholes equation was the biggest breakthrough in the pricing of options.   1973 (paper)   1997 Nobel
                                                                                                        prize

The theory is quite straightforward, using just the ideas from stochastic calculus that we have already seen.

The end result is a diffusion-type partial differential equation which can be used for the pricing of many different derivatives.

Black – Scholes – Merton

MIL2 transition
density fns.

Scholes
Merton } prize

What determines the value of an option?

The value of an option is a function of the stock price S and time t.

$$P(y, t ; y', t')$$

The value of the option is also a function of parameters in the contract, such as the strike price E and the time to expiry $T - t$, T is the date of expiry.

The value will also depend on properties of the asset, such as its drift and its volatility, as well as the risk-free rate of interest:

Stock price parameters

risk-free i.R

$$V(\underbrace{S, t}_{\text{vars}}; \overbrace{\sigma, \mu}; \underbrace{E, T}_{\text{features of contract}}; r).$$

Semi-colons separate different types of variables and parameters.

Certificate in Quantitative Finance

- S and t are variables;

- σ and μ are parameters associated with the asset price;

- E and T are parameters associated with the particular contract;

- r is a parameter associated with the currency.

For the moment just use $V(S, t)$ to denote the option value.

The Black–Scholes assumptions

Very Ideal

∵ 1973 classical model *assumptions → analytical sol'n*

- The underlying follows a lognormal random walk with known volatility

$$\frac{dS}{S} = \mu dt + \sigma dX \qquad r, \sigma \in \mathbb{R}$$

- The risk-free interest rate is a known function of time

- There are no dividends on the underlying $\quad D = 0$

- Delta hedging is done continuously

- There are no transaction costs on the underlying

- There are no arbitrage opportunities

Binomial

And more...

A very special portfolio

We assume that the asset evolves according to

$$dS = \mu S \, dt + \sigma S \, dX.$$

(handwritten annotations: timeline with t, $t+dt$, $t+2dt$, $t+3dt$; $d(\Delta S)$; fix Δ across dt)

Then we imagine constructing a special portfolio.

Use Π to denote the value of a portfolio of one long option position and a short position in some quantity Δ, **delta**, of the underlying:

(handwritten: worth)

$$\Pi = V(S,t) - \Delta S. \tag{1}$$

(handwritten annotations: starting point; $t \to t+dt$; $\Pi_{t+dt} - \Pi_t = d\Pi = dV - \Delta dS$)

Intuition: Think of moves in S and accompanying move in V, for a call.

Certificate in Quantitative Finance

8

How does the value of the portfolio change? $\Pi = V - \Delta S$

The change in the portfolio value is due partly to the change in the option value and partly to the change in the underlying:

$$d\Pi = dV - \Delta(dS.) \quad (\mu S \, dt + \sigma S \, dX)$$

$V(s, t)$

- Notice that $\underline{\underline{\Delta}}$ has not changed during the time step.

$dV?$ Use   Itô IV   MILS

$$dV = \left(\frac{\partial V}{\partial t} + \frac{1}{2} \sigma^2 s^2 \frac{\partial^2 V}{\partial s^2} + \mu s \frac{\partial V}{\partial s} \right) dt$$
$$+ \sigma s \frac{\partial V}{\partial s} dX$$

From Itô we have

$$dV = \frac{\partial V}{\partial t}dt + \frac{\partial V}{\partial S}dS + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}dt.$$

$$dS = \mu S\, dt + \sigma S\, dX$$

random term

Thus the portfolio changes by

$$d\Pi = \frac{\partial V}{\partial t}dt + \frac{\partial V}{\partial S}dS + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}dt - \Delta\, dS. \qquad (2)$$

The right-hand side of (2) contains two types of terms, the deterministic and the random.

$$\left(\frac{\partial V}{\partial S} - \Delta\right)dS$$

- The deterministic terms are those with the dt.

- The random terms are those with the dS. These random terms are the risk in our portfolio.

Elimination of risk: Delta hedging

Set coeff of $dS = 0$

$$\left(\frac{\partial V}{\partial S} - \Delta \right) = 0$$

Is there any way to reduce or even eliminate this risk? This can be done in theory by carefully choosing Δ.

If we choose

$$\boxed{\Delta = \frac{\partial V}{\partial S}} = \frac{V^+ - V^-}{S^+ - S^-} \qquad (3)$$

then the randomness is reduced to zero.

- Any reduction in randomness is generally termed **hedging**. The perfect elimination of risk, by exploiting correlation between two instruments (in this case an option and its underlying) is generally called **Delta hedging**.

Delta hedging is an example of a **dynamic hedging** strategy. From one time step to the next the quantity $\frac{\partial V}{\partial S}$ changes, since it is, like V a function of the ever-changing variables S and t.

This means that the perfect hedge must be continually rebalanced.

$$\Delta(s,t)$$

Appeal to **: No arbitrage**

After choosing the quantity Δ as suggested above, we hold a portfolio whose value changes by the amount

risk-free
$$d\Pi = \left(\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}\right) dt. \qquad (4)$$

No dk term here

no r s

dS term

• This change is completely *riskless*.

risk-free $d\Pi$ $r\Pi dt$ $(4S)$

$(4_1) \equiv (4S)$

If we have a completely risk-free change $d\Pi$ in the value Π then it must be the same as the growth we would get if we put the equivalent amount of cash in a risk-free interest-bearing account:

$$\left(\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 s^2 \frac{\partial^2 V}{\partial s^2} \right) dt$$

$$d\Pi = r\Pi \, dt. \tag{5}$$

$$r\left(V - s\frac{\partial V}{\partial s} \right) dt$$

- This is an example of the **no arbitrage** principle.

The Black–Scholes equation

Substituting (1), (3) and (4) into (5) we find that

$$\left(\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}\right) dt = r\left(V - S\frac{\partial V}{\partial S}\right) dt.$$

On dividing by dt and rearranging we get

$$\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS\frac{\partial V}{\partial S} - rV = 0. \tag{6}$$

parabolic

Painless ?

This is the **Black–Scholes equation**.

Observations:

- The Black–Scholes equation equation is a **linear parabolic partial differential equation**

- The Black–Scholes equation contains all the obvious variables and parameters such as the underlying, time, and volatility, but there is no mention of the drift rate μ.

  $\rightarrow \mu$ knocked out, replaced by $\widehat{r}$

- This means that if two people agree on the volatility of an asset they will agree on the value of its derivatives *even if they have differing estimates of the drift.*

Replication

Binomial model slides.

$$\Pi = V - \Delta S \qquad \Pi = \phi S + \psi$$

Another way of looking at the hedging argument is to ask what happens if we hold a portfolio consisting of just the stock, in a quantity Δ, and cash.

$$V = \Pi + \Delta S$$

risk-free asset   cash / bonds

amount of risky asset.

If Δ is the partial derivative of some option value then such a portfolio will yield an amount at expiry that is simply that option's payoff.

In other words, we can use the same Black–Scholes argument to **replicate** an option just by buying and selling the underlying asset.

- This leads to the idea of a **complete market**. In a complete market an option can be replicated with the underlying, thus making options redundant.

Certificate in Quantitative Finance

Final conditions and Boundary Conditions
(Payoff)

The Black–Scholes equation knows nothing about what kind of option we are valuing.

This is dealt with by the **final condition**. We must specify the option value V as a function of the underlying at the expiry date T. That is, we must prescribe $V(S, T)$, the payoff.

For example, if we have a call option then we know that

$$V(S, T) = \max(S - E, 0).$$

Call

1) F.C / Payoff
$$C(S,T) = \max(S_T - E, 0)$$

2) B.Cs $S \to 0$ $C \to 0$
$$S \to \infty \quad C \sim S$$

Put

1) F.C / Payoff:
$$P(S,T) = \max(E - S_T, 0)$$

2) B.Cs $S \to \infty$ $P \to 0$
when $S \to 0$ use put–call parity
$$C - P = S - E e^{-r(T-t)}$$
$$0 - P = 0 - E e^{-r(T-t)}$$
$$P = E e^{-r(T-t)}$$

$rΠ\, dt$
$=$

Options on dividend-paying equities

Assume that the asset receives a continuous and constant dividend yield, D.

$$D\, S\, dt$$

- Thus in a time dt each asset receives an amount $\underline{DS\, dt}$.

This must be built into the derivation of the Black–Scholes equation.

$$Π = V - ΔS$$

$$\underline{\underline{dΠ}} = dV - Δ\, dS - D\, ΔS\, dt$$

Take up the Black–Scholes argument at the point where we are looking at the change in the value of the portfolio:

$$d\Pi = \frac{\partial V}{\partial t}dt + \frac{\partial V}{\partial S}dS + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}dt - \Delta\, dS - D\Delta S\, dt.$$

eliminate risk $\Delta = \partial V / \partial S$

The last term on the right-hand side is the amount of the dividend per asset, $DS\, dt$, multiplied by the number of the asset held, $-\Delta$.

$\Pi \circ - A\mathcal{S}$

The Δ must still be the rate of change of the option value with respect to the underlying for the elimination of risk.

End result:

$$\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + (r - D)S\frac{\partial V}{\partial S} - rV = 0.$$

Currency options

$r \longrightarrow r_D$

Options on currencies are handled in exactly the same way.

- In holding the foreign currency we receive interest at the foreign rate of interest r_f.

$r_f \, S \, dt$

This is just like receiving a continuous dividend:

$$\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + (r - r_f)S\frac{\partial V}{\partial S} - rV = 0.$$

earlier $D \longrightarrow r_f$

Commodity options *(Exercise)*

- The relevant feature of commodities requiring that we adjust the Black–Scholes equation is that they have a **cost of carry**. That is, the storage of commodities is not without cost.

Let us introduce q as the fraction of the value of a commodity that goes towards paying the cost of carry.

To be precise, for each unit of the commodity held an amount $qS\,dt$ will be required during short time dt to finance the holding:

$$\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + (r + q)S\frac{\partial V}{\partial S} - rV = 0.$$

Certificate in Quantitative Finance

iii.

Solving the equation and the greeks

The Black–Scholes equation has simple solutions for calls, puts and some other contracts. Now we are going to go quickly through the derivation of these formulæ.

The 'delta,' the first derivative of the option value with respect to the underlying, occurs as an important quantity in the derivation of the Black–Scholes equation. In this lecture we see the importance of other derivatives of the option price, with respect to the variables and with respect to some of the parameters.

- These derivatives are important in the hedging of an option position, playing key roles in risk management.

Solving
i. Use subst^s / transf^, to reduce B.S.E → 1D heat eqⁿ
ii. Solve using similarity reduction
iii. Rewriting part i

Derivation of the formulæ for calls, puts and simple digitals

The Black–Scholes equation is

$$\frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS\frac{\partial V}{\partial S} - rV = 0. \tag{7}$$

This equation must be solved with final condition depending on the payoff: each contract will have a different functional form prescribed at expiry $t = T$, depending on whether it is a call, a put or something else.

The first step in the manipulation is to change from present value to future value terms.

Recalling that the payoff is received at time T but that we are valuing the option at time t this suggests that we write

$$\frac{\partial V}{\partial S} = e^{-r(T-t)}\frac{\partial U}{\partial S}$$

$$\frac{\partial^2 V}{\partial S^2} = e^{-r(T-t)}\frac{\partial^2 U}{\partial S^2}$$

- $$V(S,t) = e^{-r(T-t)}U(S,t).$$

$$\frac{\partial V}{\partial t} = re^{-r(T-t)}U + e^{-r(T-t)}\frac{\partial U}{\partial t}.$$

This takes our differential equation to

B.K.E

$$\frac{\partial U}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + rS\frac{\partial U}{\partial S} = 0.$$

$\Rightarrow$ role of $-rV$ in B.S.E is for PV

(Remember this result for later, present valuing means that one of the terms disappears.)

The second step is really trivial. Because we are solving a back-ward equation we'll write

Time to exprs

$$\tau = T - t.$$

$$\frac{\partial}{\partial t} = \frac{\partial \tau}{\partial t} \frac{\partial}{\partial \tau}$$

$$= -\frac{\partial}{\partial \tau}$$

This now takes our equation to

$$\frac{\partial U}{\partial \tau} = \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + rS\frac{\partial U}{\partial S}.$$

Step III

When we first started modeling equity prices we used intuition about the asset price *return* to build up the stochastic differential equation model. Let's go back to examine the return and write

$$\frac{d\xi}{dS} = \frac{1}{S} \qquad \frac{d^2\xi}{dS^2} = -\frac{1}{S^2} \qquad \qquad \frac{\partial}{\partial S} = \frac{d\xi}{dS}\frac{\partial}{\partial\xi} = \frac{1}{S}\frac{\partial}{\partial\xi}$$

$$\bullet \qquad \xi = \log S.$$

$$\frac{\partial^2}{\partial S^2} = \frac{\partial}{\partial S}\left(\frac{\partial}{\partial S}\right) = \frac{\partial}{\partial S}\left(\frac{1}{S}\frac{\partial}{\partial\xi}\right)$$

With this as the new variable, we find that

$$= -\frac{1}{S^2}\frac{\partial}{\partial\xi} + \frac{1}{S}\frac{\partial}{\partial S}\frac{\partial}{\partial\xi} = \frac{1}{S}\frac{d\xi}{dS}\frac{\partial}{\partial\xi}\frac{\partial}{\partial\xi} - \frac{1}{S^2}\frac{\partial}{\partial\xi} = \frac{1}{S^2}\left(\frac{\partial^2}{\partial\xi^2} - \frac{\partial}{\partial\xi}\right)$$

$$\frac{\partial}{\partial S} = e^{-\xi}\frac{\partial}{\partial\xi} \quad \text{and} \quad \frac{\partial^2}{\partial S^2} = e^{-2\xi}\frac{\partial^2}{\partial\xi^2} - e^{-2\xi}\frac{\partial}{\partial\xi}.$$

Now the Black–Scholes equation becomes

$$\longrightarrow \qquad \frac{\partial U}{\partial \tau} = \tfrac{1}{2}\sigma^2\frac{\partial^2 U}{\partial\xi^2} + \left(r - \tfrac{1}{2}\sigma^2\right)\frac{\partial U}{\partial\xi}.$$

Step 4

The last step is simple, but the motivation is not so obvious. Write ~~Chain Rule II for partial derivative~~

To s)
exercise

- $$x = \xi + \left(r - \tfrac{1}{2}\sigma^2\right)\tau \quad \text{and} \quad U = W(x, \tau).$$

full steps given in detailed notes to follow

This is just a 'translation' of the co-ordinate system. It's a bit like using the forward price of the asset instead of the spot price as a variable.

After this change of variables the Black–Scholes becomes the simpler

$$\frac{\partial W}{\partial \tau} = \left(\tfrac{1}{2}\sigma^2\right)\frac{\partial^2 W}{\partial x^2}. \tag{8}$$

In ML2 recall

$$\frac{\partial p}{\partial t'} = c^2 \frac{\partial^2 p}{\partial y'^2}$$

And you've seen this equation before!

You've even solved it to find a special solution—out of the infinite number of possible solutions—and exactly the same solution will be needed here. (Lucky!)

$$I_n \quad M|L2 \quad \text{that} \quad \text{special} \quad \text{sol})^{\wedge'} \quad \text{is} \quad \text{called}$$

$$i) \quad \text{fundamental} \quad \text{sol}^{\wedge'}$$

$$ii) \quad \text{source} \quad \text{sol}^{\wedge'}$$

To summarize, all the transf's

$$V(S,t) = e^{-r(T-t)}U(S,t) = e^{-r\tau}U(S, T-\tau) = e^{-r\tau}U(e^{\xi}, T-\tau)$$

$$= e^{-r\tau}U\left(e^{x-\left(r-\frac{1}{2}\sigma^2\right)\tau}, T-\tau\right) = e^{-r\tau}W(x,\tau).$$

here X is a B.M.

$$P \longrightarrow \text{Gaussian}$$
$$W \longrightarrow \text{Gaussian}.$$

$W(x, \tau)$ is some function transformed from our initial $V(S,t)$

We are going to derive an expression for the value of any option whose payoff is a known function of the asset price at expiry.

This includes calls, puts and digitals. This expression will be in the form of an integral.

For special cases, we'll see how to rewrite this integral in terms of the cumulative distribution function for the Normal distribution. This is particularly useful since the function can be found on spreadsheets, calculators and in the backs of books.

But there are two steps before we can write down this integral.

- The first step is to find a special solution of (8), called the fundamental solution. This solution has useful properties.

- The second step is to use the linearity of the equation and the useful properties of the special solution to find the *general solution* of the equation.

The first step is easy, just recall solving the equation from the earlier lecture. The solution we want is

x — Gaussian R.V.

$\tau \to 0$

$$W_f(x, \tau; x') = \frac{1}{\sqrt{2\pi\tau}\,\sigma} e^{-\frac{(x-x')^2}{2\sigma^2\tau}}.$$

x'

this is a more general problem

As you know, this is the probability density function for a Normal random variable x having mean of x' and standard deviation $\sigma\sqrt{\tau}$.

And this also strongly hints at a relationship between option values and probabilities. More anon!

$2\sigma^2$

$-\frac{1}{2}\frac{(x-x')^2}{\sigma^2\tau}$

Variance $= \sigma^2\tau$

Certificate in Quantitative Finance

$$\frac{1}{\sqrt{2\pi\tau}}$$

Above is plotted W_f as a function of x' for several values of τ.

At $x' = x$ the function grows unboundedly, and away from this point the function decays to zero, as $\tau \to 0$.

Although the function is increasingly confined to a narrower and narrower region its area remains fixed at one.

- These properties of decay away from one point, unbounded growth at that point and constant area, result in a **Dirac delta function** $\delta(x' - x)$ as $\tau \to 0$.

The delta function has one important property, namely

x' variable

x fixed

$$\int \delta(x' - x)g(x')\,dx' = \boxed{g(x)}$$

Singular —

where the integration is from any point below x to any point above x.

Thus the delta function 'picks out' the value of g at the point where the delta function is singular i.e. at $x' = x$.

Certificate in Quantitative Finance

In the limit as $\tau \to 0$ the function W becomes a delta function at $x = x'$. This means that

$$\lim_{\tau \to 0} \frac{1}{\sigma\sqrt{2\pi\tau}} \int_{-\infty}^{\infty} e^{-\frac{(x'-x)^2}{2\sigma^2\tau}} g(x')\, dx' = g(x).$$

W_t

payoff

$\tau = T - t = 0$

$\Rightarrow t = T$

Whoa! This is tricky!

$g(x)$

Very Important.

I am going to 'cut to the chase' and quote the solution:

1st step: $V(S, t) = e^{-r(T-t)} U(S, t)$

- $$V(S, t) = \frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T - t)}}$$

$U(S, t)$ is an expected value

$$\int_0^\infty \frac{e^{-\left(\log(S/S')+\left(r-\frac{1}{2}\sigma^2\right)(T-t)\right)^2/2\sigma^2(T-t)}}{} \text{Payoff}(S')\frac{dS'}{S'}. \qquad (9)$$

$(S, t) \longrightarrow (S', T)$ in future.

This 'formula' works for any European, non path-dependent, option on a single lognormal underlying asset, all you need to know is the payoff function.

$$\frac{1}{S\sigma\sqrt{}} e^{-(-\ - \ - \ ---)}$$

trans² density for

$X \equiv$ payoff.

a stock.

$$\mathbb{E}[X] = \int_{-\infty}^\infty x \, p(x) \, dx$$

long expression
= payoff.

$$\frac{dS}{S} = r \, dt + \sigma \, dX$$

Observations

- This is a general formula (see above conditions on type of option)

$$e^{-r(T-t)}$$

- It is of the form of a) a discounting term multiplied by b) the integral of the payoff multiplied by c) another function

- This other 'function' is known as a Green's function if we are working with heat eqⁿ & PDEs

- This function can be interpreted as a probability in quant finace

- The whole expression can be interpreted as the present value of the expected payoff

Let's look at special cases.

Formula for a call

The call option has the payoff function

$$\text{Payoff}(S) = \max(S - E, 0).$$ Subst in

$$e_3 \hat{ } \ (9)$$

Expression (9) can then be written as

$$V = \frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T-t)}} \int_E^\infty e^{-\left(\log(S/S') + \left(r - \frac{1}{2}\sigma^2\right)(T-t)\right)^2 / 2\sigma^2(T-t)} (S' - E)\frac{dS'}{S'}.$$

2 integrals

Return to the variable $x' = \log S'$, to write this as

$$\frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T-t)}} \int_{\log E}^{\infty} e^{-\left(-x'+\log S+\left(r-\frac{1}{2}\sigma^2\right)(T-t)\right)^2/2\sigma^2(T-t)} (e^{x'} - E)\, dx'$$

$$= \frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T-t)}} \int_{\log E}^{\infty} e^{-\left(-x'+\log S+\left(r-\frac{1}{2}\sigma^2\right)(T-t)\right)^2/2\sigma^2(T-t)} e^{x'}\, dx'$$

$$-E\frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T-t)}} \int_{\log E}^{\infty} e^{-\left(-x'+\log S+\left(r-\frac{1}{2}\sigma^2\right)(T-t)\right)^2/2\sigma^2(T-t)}\, dx'.$$

See notes to
follow

Both integrals in this expression can be written in the form

$$\int_d^\infty e^{-\frac{1}{2}x'^2} \, dx'$$

A 1st more working

for some d (the second is just about in this form already, and the first just needs a completion of the square).

Thus the option price can be written as two separate terms involving the cumulative distribution function for a Normal distribution:

Call option value $= SN(d_1) - Ee^{-r(T-t)}N(d_2)$

where

$$d_1 = \frac{\log(S/E) + (r + \frac{1}{2}\sigma^2)(T-t)}{\sigma\sqrt{T-t}} \quad \text{and}$$

$$d_2 = \frac{\log(S/E) + (r - \frac{1}{2}\sigma^2)(T-t)}{\sigma\sqrt{T-t}}.$$

$$N(x) = \frac{1}{\sqrt{2\pi}}\int_{-\infty}^{x} e^{-\frac{1}{2}\phi^2}\,d\phi.$$

Handwritten annotations:

Nobel prize winning الحل

$\left(r \pm \frac{1}{2}\sigma^2\right)$

$d_\pm$

Put الحل are on d_{12}

$d_2 = d_1 - \sigma\sqrt{T-t}$

CDF

$C(s)$

S

The value of a call option as a function of the underlying at a fixed time before expiry.

diffusion

i.e. $\dfrac{1}{2}\sigma^2 S^2$

$\dfrac{dS}{S} = \mu dt + \sigma \, dX$

smooths out

$C(S, t)$

The value of a call option as a function of asset and time.

When there is continuous dividend yield on the underlying, or it is a currency, then

Handwritten annotations: $\tau \to 0$

$N(x) = \frac{1}{2} + \frac{1}{\sqrt{2\pi}}\left(x - \frac{x^3}{6} + \frac{x^5}{40} + O(x^7)\right)$

$K_a d_{-11}$ & St_{vat}

Call option value

$$Se^{-D(T-t)}N(d_1) - Ee^{-r(T-t)}N(d_2)$$

$$d_1 = \frac{\log(S/E)+(r-D+\frac{1}{2}\sigma^2)(T-t)}{\sigma\sqrt{T-t}}$$

$$d_2 = \frac{\log(S/E)+(r-D-\frac{1}{2}\sigma^2)(T-t)}{\sigma\sqrt{T-t}} = d_1 - \sigma\sqrt{T-t}$$

Handwritten: $\tau = T - t$)

When the asset is 'at-the-money forward,' i.e. $S = Ee^{-(r-D)(T-t)}$, and the option is close to expiration then there is a simple approximation for the call value (Brenner & Subrahmanyam, 1994):

$$\text{Call} \approx 0.4\, Se^{-D(T-t)}\sigma\sqrt{T-t}.$$

Handwritten:
$S = Ee^{-(r-D)\tau}$
$E = Se^{(r-D)\tau}$

Formula for a put

The put option has payoff

$$N(x) + N(-x) = 1$$

$$\text{Payoff}(S) = \max(E - S, 0).$$

The value of a put option can be found in the same way as above, or using put-call parity

$$\text{Put option value} = -SN(-d_1) + Ee^{-r(T-t)}N(-d_2),$$

with the same d_1 and d_2.

$$C - P = S - E e^{-r(T-t)}$$

$$P = C - S + E e^{-r(T-t)}$$

$$= SN(d_1) - Ee^{-r(T-t)}N(d_2) - S + Ee^{-r(T-t)}$$

$$= -S(1 - N(d_1)) + Ee^{-r(T-t)}(1 - N(d_2))$$

The value of a put option as a function of the underlying at a
fixed time to expiry.

The value of a put option as a function of the underlying and time to expiry.

Certificate in Quantitative Finance

Heaviside Function (unit step function)

$$H(x) = \begin{cases} 1 & x > 0 \\ 0 & x \leq 0 \end{cases}$$

When there is continuous dividend yield on the underlying, or it is a currency, then

Put option value

$$-Se^{-D(T-t)}N(-d_1) + Ee^{-r(T-t)}N(-d_2)$$

When the asset is at-the-money forward and the option is close to expiration the simple approximation for the put value (Brenner & Subrahmanyam, 1994) is

$$\text{Put} \approx 0.4 \, Se^{-D(T-t)}\sigma\sqrt{T-t}.$$

Formula for a binary call

The binary call has payoff

$$\text{Payoff}(S) = \mathcal{H}(S - E),$$

$$= \begin{cases} 1 & S_T > E \\ 0 & \text{otherwise} \end{cases}$$

$$S e^{\mu t}$$

$$E = S e^{(r-D)(T-t)}$$

where $\mathcal{H}$ is the Heaviside function taking the value one when its argument is positive and zero otherwise.

Incorporating a dividend yield, we can write the option value as

$$\frac{e^{-r(T-t)}}{\sigma\sqrt{2\pi(T-t)}} \int_{\log E}^{\infty} e^{-\left(x' - \log S - \left(r - D - \frac{1}{2}\sigma^2\right)(T-t)\right)^2 / 2\sigma^2(T-t)} \, dx'.$$

This term is just like the second term in the call option equation and so. . .

Binary call option value

$$B_c(S, t) = e^{-r(T-t)} N(d_2)$$

$\downarrow$ ① due to present values.

smoothed out due to ③ i.e diffusion

Convection effect due to drift ②

③

The value of a binary call option.

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0$$

② ①

Formula for a binary put

The binary put has a payoff of one if $S < E$ at expiry. It has a value of

---

Binary put option value

$$B_p = e^{-r(T-t)}(1 - N(d_2))$$

A binary call and a binary put must add up to the present value of \$1 received at time T.

$$\text{Put-Call parity}: \quad B_c + B_p = e^{-r(T-t)} N(d_2) + e^{-r(T-t)}(1 - N(d_2))$$

$$= e^{-r(T-t)} \times \$1$$

The value of a binary put option.

Delta

The **delta** of an option or a portfolio of options is the sensitivity of the option or portfolio to the underlying. It is the rate of change of value with respect to the asset:

$$\text{Sign of } \Delta \ ?$$

$$\Delta = \frac{\partial V}{\partial S}$$

Here V can be the value of a single contract or of a whole portfolio of contracts. The delta of a portfolio of options is just the sum of the deltas of all the individual positions.

$$V(S+dS, t) = V(S,t) + \frac{\partial V}{\partial S}(dS) + \frac{1}{2}\frac{\partial^2 V}{\partial S^2} dS^2 + O(dS^3)$$

$$\frac{\partial V}{\partial S} = \frac{V(S+dS) - V(S)}{dS} = \Delta$$

- The theoretical device of delta hedging for eliminating risk is far more than that, it is a very important practical technique.

Delta hedging means holding one of the option and short a quantity Δ of the underlying.

Delta can be expressed as a function of S and t.

This function varies as S and t vary.

- This means that the number of assets held must be continuously changed to maintain a **delta neutral** position, this procedure is called **dynamic hedging**.

Changing the number of assets held requires the continual purchase and/or sale of the stock. This is called **rehedging** or **rebalancing** the portfolio.

Here are some formulæ for the deltas of common contracts (all formulæ assume that the underlying pays dividends or is a currency):

European Call/Put

Digy Call/Put

$d_{1,2} = \dfrac{\log\left(\frac{S}{E}\right) + \left(r \pm \frac{1}{2}\sigma\right)(T-t)}{\sigma\sqrt{T-t}}$

Deltas of common contracts

Call $e^{-D(T-t)}N(d_1)$

Put $e^{-D(T-t)}(N(d_1) - 1)$

Binary call $\dfrac{e^{-r(T-t)}N'(d_2)}{\sigma S\sqrt{T-t}}$

Binary put $-\dfrac{e^{-r(T-t)}N'(d_2)}{\sigma S\sqrt{T-t}}$

$N'(x) = \dfrac{1}{\sqrt{2\pi}}e^{-\frac{1}{2}x^2}$

$N(x) = \dfrac{1}{\sqrt{2\pi}}\int_{-\infty}^{x}e^{-\frac{1}{2}\phi^2}d\phi$

$\dfrac{d}{dx}N = \dfrac{1}{\sqrt{2\pi}}e^{-\frac{1}{2}x^2}$

Leibniz rule

diff. under the integral sign

$C = SN(d_1) - Ee^{-r(T-t)}N(d_2)$

$\Delta = \dfrac{\partial C}{\partial S} = N(d_1) + S\dfrac{\partial}{\partial S}N(d_1)$

$\dfrac{\partial}{\partial S}N(d_1) = \dfrac{dN}{dd_1}\left(\dfrac{\partial d_1}{\partial S}\right)$

$= \dfrac{1}{\sqrt{2\pi}}e^{-\frac{1}{2}d_1^2}$

The deltas of a call, put and binary options. (The deltas of the binaries have been scaled.)

Certificate in Quantitative Finance

Gamma

The **gamma**, Γ, of an option or a portfolio of options is the second derivative of the position with respect to the underlying:

$$\Gamma = \frac{\partial^2 V}{\partial S^2}$$

rate of change of △

This is, of course, just

$$\frac{\partial \left(\frac{\partial V}{\partial S} \right)}{\partial S}.$$

Since gamma is the sensitivity of the delta to the underlying it is a measure of by how much or how often a position must be rehedged in order to maintain a delta-neutral position.

Certificate in Quantitative Finance

Because costs can be large and because one wants to reduce exposure to model error it is natural to try to minimize the need to rebalance the portfolio too frequently.

Since gamma is a measure of sensitivity of the hedge ratio Δ to the movement in the underlying, the hedging requirement can be decreased by a gamma-neutral strategy.

- This means buying or selling more *options*, not just the underlying.

Because the gamma of the underlying (its second derivative) is zero, we cannot add gamma to our position just with the underlying.

- We can have as many options in our position as we want, we choose the quantities of each such that both delta and gamma are zero.

Here are some formulæ for the gammas of common contracts:

Gammas of common contracts

$$\text{Call } \frac{e^{-D(T-t)}N'(d_1)}{\sigma S\sqrt{T-t}}$$

$$\text{Put } \frac{e^{-D(T-t)}N'(d_1)}{\sigma S\sqrt{T-t}}$$

$$\text{Binary call } -\frac{e^{-r(T-t)}d_1 N'(d_2)}{\sigma^2 S^2(T-t)}$$

$$\text{Binary put } \frac{e^{-r(T-t)}d_1 N'(d_2)}{\sigma^2 S^2(T-t)}$$

Certificate in Quantitative Finance

The gammas of a call, put and binary options.

Theta bleed

Theta, Θ, is the rate of change of the option price with time.

$$\Theta = \frac{\partial}{\partial \tau} V$$

$$\boxed{\Theta = \frac{\partial V}{\partial t}}$$

$$\tau = T - t$$

The theta is related to the option value, the delta and the gamma by the Black–Scholes equation. In a delta-hedged portfolio the theta contributes to ensuring that the portfolio earns the risk-free rate.

Here are some formulæ for the thetas of common contracts:

Thetas of common contracts

Call $-\dfrac{\sigma S e^{-D(T-t)} N'(d_1)}{2\sqrt{T-t}} + DSN(d_1)e^{-D(T-t)} - rEe^{-r(T-t)}N(d_2)$

Put $-\dfrac{\sigma S e^{-D(T-t)} N'(-d_1)}{2\sqrt{T-t}} - DSN(-d_1)e^{-D(T-t)} + rEe^{-r(T-t)}N(-d_2)$

Binary call $re^{-r(T-t)}N(d_2) + e^{-r(T-t)}N'(d_2)\left(\dfrac{d_1}{2(T-t)} - \dfrac{r-D}{\sigma\sqrt{T-t}}\right)$

Binary put $re^{-r(T-t)}(1 - N(d_2)) - e^{-r(T-t)}N'(d_2)\left(\dfrac{d_1}{2(T-t)} - \dfrac{r-D}{\sigma\sqrt{T-t}}\right)$

Ignore practising with (+1)

The thetas of a call, put and binary options.

Vega   "bastard greek"

Vega (also zeta and kappa) is a very important but confusing quantity. It is the sensitivity of the option price to volatility.

σ changes by 1%

$$\text{Vega} = \frac{\partial V}{\partial \sigma}$$

Vol modelling?

This is a completely different from the other Greeks since it is a derivative with respect to a parameter and not a variable.

- As with gamma hedging, one can vega hedge to reduce sensitivity to the volatility. This is a major step towards eliminating some model risk, since it reduces dependence on a quantity that is not known very accurately.

Certificate in Quantitative Finance

Here are formulæ for the vegas of common contracts:

$$
\begin{array}{l}
\textbf{Vegas of common contracts} \\
\text{Call } S\sqrt{T-t}\,e^{-D(T-t)}N'(d_1) \\
\text{Put } S\sqrt{T-t}\,e^{-D(T-t)}N'(d_1) \\
\text{Binary call } -e^{-r(T-t)}N'(d_2)\left(\sqrt{T-t}+\frac{d_2}{\sigma}\right) \\
\text{Binary put } e^{-r(T-t)}N'(d_2)\left(\sqrt{T-t}+\frac{d_2}{\sigma}\right)
\end{array}
$$

Certificate in Quantitative Finance

An at-the-money call option as a function of the volatility.

Rho

Rho, ρ, is the sensitivity of the option value to the interest rate used in the Black–Scholes formulæ:

$r \longrightarrow c + \iota \big|_{\circ}$

$$\rho = \frac{\partial V}{\partial r}$$

Here are some formulæ for the rhos of common contracts:

Rhos of common contracts

Call $E(T-t)e^{-r(T-t)}N(d_2)$

Put $-E(T-t)e^{-r(T-t)}N(-d_2)$

Binary call $-(T-t)e^{-r(T-t)}N(d_2) + \frac{\sqrt{T-t}}{\sigma}e^{-r(T-t)}N'(d_2)$

Binary put $-(T-t)e^{-r(T-t)}(1 - N(d_2)) - \frac{\sqrt{T-t}}{\sigma}e^{-r(T-t)}N'(d_2)$

Certificate in Quantitative Finance

The sensitivities of common contract to the dividend yield or foreign interest rate are given by the following formulæ:

Sensitivity to dividend for common contracts

$$\text{Call } -(T-t)Se^{-D(T-t)}N(d_1)$$

$$\text{Put } (T-t)Se^{-D(T-t)}N(-d_1)$$

$$\text{Binary call } -\frac{\sqrt{T-t}}{\sigma}e^{-r(T-t)}N'(d_2)$$

$$\text{Binary put } \frac{\sqrt{T-t}}{\sigma}e^{-r(T-t)}N'(d_2)$$

The relationship between option prices and expectations

Recall the binomial model.

Numerical Methods / MC

Also eqz (7)

That model also used the concept of delta hedging.

That model also resulted in the Black–Scholes partial differential equation (after going to the infinitesimal time step limit).

One of the most important insights from the binomial model was the idea that the option value can be interpreted as the present value of the risk-neutral expected payoff.

$$V(S, t) = e^{-r(T-t)} \, \mathbb{E}^{\mathbb{Q}} \left[\text{payoff}(S) \right]$$

Can we get the same intuition from the Black–Scholes equation?

$\mathbb{Q}$ – risk neutral payoff) Measure

To get the same intuition from the Black–Scholes partial differential equation we need to remember one of the equations for the transition probability density function:

If GBm

$$dS = \mu S \ dt + \sigma S \ dX$$

then the backward Kolmogorov equation for the transition probability density function $p(S, t)$ is

trans' pdf.

$$\frac{\partial p}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 p}{\partial S^2} + \mu S \frac{\partial p}{\partial S} = 0.$$

expected
values

This is the equation that can be used for calculating the expected value of some quantity in the future.

Example 1: What is the expected value of the stock price at time $t = T$, given that it is $\underline{S}$ at time t? Let's call the answer $\boxed{U(S,t).}$

Let $U(S,t) = f(t) S$

$\dfrac{\partial U}{\partial t} = \dot{f} S$

We must solve   Kolmogorov $\in \ddot{x}^2$

$$\frac{\partial U}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + \mu S \frac{\partial U}{\partial S} = 0.$$

$\dfrac{\partial U}{\partial S} = f$

with

Final   condition $U(S,T) = S.$

$\dfrac{\partial^2 U}{\partial S^2} = 0$

(The right-hand side of this is just what we are finding the expected value of.)

$U(S,T) = S = f(T) S \implies \underline{f(T) = 1}$

Solve: $f \dot{} + \mu S f = 0$

The answer is

$U = \boxed{e^{\mu(T-t)} S.}$

$\displaystyle \int_t^T \frac{df}{f} = -\mu \int_t^T d\tau$

$\dfrac{df}{dt} = -\mu f$

$\log f(\tau)\Big|_t^T = -\mu(T-t)$

$\log \dfrac{f(T)}{f(t)} = \log \dfrac{1}{f(t)}$

$+\log f(t) = \times \mu(T-t)$

$f(t) = e^{\mu(T-t)}$

$\log f(t)^{-1} = -\log f(t)$

T

t

Example 2: What is the expected value of the square of the stock price at time $t = T$, given that it is S at time t? Again, let's call the answer $U(S, t)$.

We must solve

$$\frac{\partial U}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + \mu S \frac{\partial U}{\partial S} = 0.$$

with

$$U(S, T) = S^2.$$

Terminal condition

Only the final condition changes.

Example 3: What is the expected value of a call option at time $t = T$ (i.e. expiration), given that it is S at time t? Let's call the answer $U(S, t)$.

We must solve

$$\frac{\partial U}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + \mu S \frac{\partial U}{\partial S} = 0.$$

with

$$U(S, T) = \max(S - E, 0). \qquad \text{Payoff for}$$

$$\uparrow \quad \text{call}$$

solve the K.E the

$P V \longrightarrow$ price of option

That's how the backward Kolmogorov equation is used.

Now let's compare the backward Kolmogorov equation (for an expectation) and the Black–Scholes equation (for an option value):

$$k \cdot \in \qquad \frac{\partial U}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 U}{\partial S^2} + \mu S \frac{\partial U}{\partial S} = 0$$

and

$$\mathcal{B} \cdot \mathcal{S} \cdot \in \qquad \frac{\partial V}{\partial t} + \tfrac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0.$$

P.V.

There are two differences:

1. The Black–Scholes equation has r instead of μ

2. The Black–Scholes equation has one extra term

The first difference is a simple change of parameter value.

The second change is the time value difference between now and expiration.

Options as expectations

There are three steps to getting from an expectation to an option value.

1. Replace $\underline{\mu}$ with $\boxed{r}$

2. Calculate an expectation (via a partial differential equation or a simulation) $\qquad$ Solve a PDE or

3. Take the present value of the expectation

This is the basis for the Monte Carlo method for valuing options.

for Numerical Methods

82

Summary

Please take away the following important ideas

- Using tools from stochastic calculus we can build up an option pricing model from our lognormal asset price random walk model

- There are some 'simple' formulæ for the prices of simple contracts

- The greeks are important measures of the sensitivities of the option value to variables and parameters

- Options can be interpreted as expectations