

# Assignment 13 Solutions

1. Write a program that calculates and prints the value according to the given formula:

**Q = Square root of  $[(2 C D)/H]$**

Following are the fixed values of C and H: C is 50. H is 30.

D is the variable whose values should be input to your program in a comma-separated sequence.

**Example:** Let us assume the following comma separated input sequence is given to the program:**120,160,200**

The output of the program should be:**20,23,25**

```
In [1]: from math import sqrt
def calculateProgram():
    in_num = eval(input("Enter the Input: "))
    out_num = []
    C = 50
    H = 30
    for ele in in_num:
        Q = str(int(sqrt((2*C*ele)/H)))
        out_num.append(Q)
    print("Output: {}".format(','.join(out_num)))

calculateProgram()
```

Enter the Input: 120,160,200

Output: 20,23,25

2. Write a program which takes 2 digits, X,Y as input and generates a 2-dimensional array. The element value in the i-th row and j-th column of the array should be  $i*j$ .

Note:  $i=0,1,.., X-1$ ;  $j=0,1,.., Y-1$ .

**Example:** Suppose the following inputs are given to the program:3,5 Then, the output of the program should be: [[0, 0, 0, 0, 0], [0, 1, 2, 3, 4], [0, 2, 4, 6, 8]]

```
In [7]: import array as arr
def generateArray():
    in_x = int(input('Enter the No of Rows:'))
    in_y = int(input('Enter the No of Cols:'))
    out_array = []
    for ele in range(in_x):
        out_array.insert(in_x, [])
        for sub_ele in range(in_y):
            out_array[ele].append(ele*sub_ele)
    print(out_array)

generateArray()
```

Enter the No of Rows:4

Enter the No of Cols:5

[[0, 0, 0, 0, 0], [0, 1, 2, 3, 4], [0, 2, 4, 6, 8], [0, 3, 6, 9, 12]]

3. Write a program that accepts a comma separated sequence of words as input and prints the words in a comma-separated sequence after sorting them alphabetically ?

Suppose the following input is supplied to the program: **without,hello,bag,world**

Then, the output should be: **bag,hello,without,world**

```
In [9]: def sortString():
    in_string = input("Enter the Input String: ")
    out_string = ','.join(sorted(in_string.split(',')))
    print(f'Output: {out_string}')

sortString()
```

Enter the Input String: without,hello,bag,world

Output: bag,hello,without,world

4. Write a program that accepts a sequence of whitespace separated words as input and prints the words after removing all duplicate words and sorting them alphanumerically.

Suppose the following input is supplied to the program: **hello world and practice makes perfect and hello world again**

Then, the output should be: **again and hello makes perfect practice world**

```
In [10]: def sortAlphaNumerically():
          in_string = input("Enter the Input String: ")
          out_string = ' '.join(sorted(list(set(in_string.split(" "))))))
          print(f'Output: {out_string}')

          sortAlphaNumerically()
```

Enter the Input String: hello world and practice makes perfect and hello world again  
Output: again and hello makes perfect practice world

5. Write a program that accepts a sentence and calculate the number of letters and digits.

Suppose the following input is supplied to the program: **hello world! 123**

Then, the output should be:

**LETTERS 10**

**DIGITS 3**

```
In [13]: def countLetterAndDigits():
          in_string = input("Enter the Input String: ")
          lettersList = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz'
          digitsList = '0123456789'
          letters = 0
          digits = 0
          for ele in in_string:
              if ele in lettersList:
                  letters += 1
              if ele in digitsList:
                  digits += 1
          print(f'LETTERS {letters} \nDIGITS {digits}')

          countLetterAndDigits()
```

Enter the Input String: hello world! 123  
LETTERS 10  
DIGITS 3

6. A website requires the users to input username and password to register. Write a program to check the validity of password input by users.

Following are the criteria for checking the password:

1. At least 1 letter between [a-z]
2. At least 1 number between [0-9]
3. At least 1 letter between [A-Z]
4. At least 1 character from [\$#@]
5. Minimum length of transaction password: 6
6. Maximum length of transaction password: 12

Your program should accept a sequence of comma separated passwords and will check them according to the above criteria. Passwords that match the criteria are to be printed, each separated by a comma.

**Example:** If the following passwords are given as input to the program: **ABd1234@1,a F1#,2w3E\*,2We3345**

Then, the output of the program should be: **ABd1234@1**

```
In [15]: def checkPassword():
          in_string = input("Enter the Input String: ")
```

```
small_list = "abcdefghijklmnopqrstuvwxyz"
cap_list = "ABCDEFGHIJKLMNOPQRSTUVWXYZ"
num_list = "0123456789"
specail_list = "$#@<div data-bbox="110 131 229 145" data-label="Text">

checkPassword()


```

Enter the Input String: ABD1234@1,a F1#,2w3E\*,2We3345 ABD1234@1

In [ ]:

Loading [MathJax]/jax/output/CommonHTML/fonts/TeX/fontdata.js