


| Forecast Series Name | | Diphtheria |
|----------------------|---|------------|
| Vaccines | Vaccine Ids | |
| Child | 110, 112, 114, 115, 116, 2060, 111, 2070, 113, 121, 1150, 142 | |
| Adult | 122, 124, 123 | |
| Td | 122, 124 | |
| Tdap | 123, 110, 114, 113, 115, 116, 121, 2060, 111, 2070 | |
| Assume Comp | -110 | |
| 12 Months Old | -12 | |
| 4 Years Old | -4 | |
| 7 Years Old | -7 | |

7 years

| Transitions | | |
|---------------|-----------------|------------|
| Name | Age | Vaccine Id |
| 12 Months Old | 12 months -4 d | -12 |
| 4 Years Old | 4 years -4 days | -4 |
| 7 Years Old | 7 years -4 days | -7 |

| Vaccines | | |
|----------------------|------------------|------|
| Vaccine | Trade Name(s) | Id |
| DT | | 112 |
| DTaP | | 110 |
| DTaP-HepB-IPV | Pediarix | 114 |
| DTaP-Hib | TriHibit | 113 |
| DTaP-Hib-IPV | Pentacel | 115 |
| DTaP-IPV | Kinrix | 116 |
| DTP-Hib | Tetramune | 121 |
| DTP | | 2060 |
| DTP | | 111 |
| DTP | | 2070 |
| Td | | 122 |
| Td Preservative free | | 124 |
| DTP-Hib-HepB | | 1150 |
| DTaP-IPV-Hib-HepB | Pentavalente | 142 |
| Tdap | Boostrix, Adecel | 123 |



| Schedule | Dose | Indication | 2 months |
|--|-----------|------------|------------|
| P1 | 1 | BIRTH | |
| Determine if dose is valid or when next is due | | | |
| | Age | Interval | Grace |
| Valid | 6 weeks | | 4 days |
| Early due | 6 weeks | | |
| Due | 2 months | | |
| Overdue | 3 months | | |
| Finished | 150 years | | |
| After invalid dose | | 0 days | |
| Dose before previous | | | |
| If valid, pick the next schedule to use | | | |
| Vaccine | Schedule | Before Age | History Of |
| 12 Months Old | P1a | | |
| Child | P2 | | |
| Adult | INVALID | | |
| Show Column | 1 | | |
| Show Row | 1 | | |

| Schedule | | Dose | | 4 months |
|--|-----------|------------|------------|----------|
| P2 | 2 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 10 weeks | 4 weeks | 4 days | |
| Early due | | | | |
| Due | 4 months | | | |
| Overdue | 5 months | | | |
| Finished | 150 years | | | |
| After invalid dose | | 4 weeks | 4 days | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| 7 Years Old | A1 | | | |
| Child | P3 | | | |
| Adult | INVALID | | | |
| Show Column | 2 | | | |
| Show Row | 1 | | | |

| Schedule | Dose | 6 months | |
|---|-----------|------------|------------|
| P3 | 3 | | |
| Determine if the vaccination is valid or when next is due | | | |
| | Age | Interval | Grace |
| Valid | 14 weeks | 4 weeks | 4 days |
| Early due | | | |
| Due | 6 months | | |
| Overdue | 7 months | | |
| Finished | 150 years | | |
| After invalid dose | | 4 weeks | 4 days |
| Dose before previous | | | |
| If valid, pick the next schedule to use | | | |
| Vaccine | Schedule | Before Age | History Of |
| 7 Years Old | A2 | | |
| Child | P4 | 4 years | |
| Child | K4 | | |
| Adult | INVALID | | |
| Show Column | 3 | | |
| Show Row | 1 | | |

| Schedule | | Dose | | 15-18 months |
|---|-----------|------------|------------|--------------|
| P4 | 4 | | | |
| Determine if the vaccination is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 12 months | 6 months | 2 months | |
| Early due | 12 months | | | |
| Due | 15 months | | | |
| Overdue | 19 months | | | |
| Finished | 150 years | | | |
| After invalid dose | | 6 months | 2 months | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| 4 Years Old | K4 | | | |
| Child | K5 | | | |
| Adult | K5 | | | |
| Show Column | 4 | | | |
| Show Row | 1 | | | |

| Schedule | | Dose | 1st catchup | |
|--|-----------|------------|-------------|--|
| P1a | 1 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 6 weeks | | 4 days | |
| Early due | 6 weeks | | | |
| Due | 2 months | | | |
| Overdue | 3 months | | | |
| Finished | 150 years | | | |
| After invalid dose | | 0 days | | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| 7 Years Old | A1 | | | |
| Child | P2a | | | |
| Adult | INVALID | | | |
| Show Column | 1 | | | |
| Show Row | 2 | | | |

| Schedule | | Dose | | 2nd catchup |
|---|-----------|------------|------------|-------------|
| P2a | 2 | | | |
| Determine if the vaccination is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | | 4 weeks | 4 days | |
| Early due | | | | |
| Due | | 4 weeks | | |
| Overdue | | 4 weeks | | |
| Finished | 150 years | | | |
| After invalid dose | | 4 weeks | 4 days | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| 7 Years Old | A2 | | | |
| Child | P3a | | | |
| Adult | INVALID | | | |
| Show Column | 2 | | | |
| Show Row | 2 | | | |

| Schedule | Dose | 3rd catchup | |
|----------|------|-------------|--|
| P3a | 3 | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|--------|
| | Age | Interval | Grace |
| Valid | | 4 weeks | 4 days |
| Early due | | | |
| Due | | 4 weeks | |
| Overdue | | 4 weeks | |
| Finished | 150 years | | |
| After invalid dose | | 4 weeks | 4 days |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|---|
| Vaccine | Schedule | Before Age | History Of | Reason |
| 7 Years Old | A3 | | | Patient reached 7 years of age, only receiving two valid doses of DTaP after 12 months, moving to |
| Child | P4 | 4 years | | |
| Child | K4 | | | Patient received 3rd valid dose after 4 years of age, now expecting final DTaP booster. |
| Adult | INVALID | | | |
| Show Column | 3 | | | |
| Show Row | 2 | | | |

| Schedule | Dose | catchup kindergarten booster | |
|----------|------|------------------------------|--|
| K4 | B | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|--------|
| | Age | Interval | Grace |
| Valid | 4 years | 6 months | 4 days |
| Early due | | | |
| Due | 4 years | | |
| Overdue | 4 years | | |
| Finished | 150 years | | |
| After invalid dose | | 6 months | 4 days |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|--|
| Vaccine | Schedule | Before Age | History Of | Reason |
| 7 Years Old | A3 | | | Patient reached 7 years of age without receiving kindergarten booster after age 4 years, moving to |
| Child | T1 | | | |
| Adult | T1 | | | Td or Tdap should not be given before 7 years of age. |
| Show Column | 4 | | | |
| Show Row | 1 | | | |

| Schedule | Dose | kindegarten booster | |
|----------|------|---------------------|--|
| K5 | B | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|--------|
| | Age | Interval | Grace |
| Valid | 4 years | 6 months | 4 days |
| Early due | | | |
| Due | 4 years | | |
| Early overdue | 6 years | | |
| Overdue | 7 years | | |
| Finished | 150 years | | |
| After invalid dose | | 6 months | 4 days |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|--|
| Vaccine | Schedule | Before Age | History Of | Reason |
| 7 Years Old | A3 | | | Patient reached 7 years of age without receiving kindergarten booster after age 4 years, moving to |
| Child | T1 | | | |
| Adult | T1 | | | Td or Tdap should not be given before 7 years of age. |
| Show Column | 5 | | | |
| Show Row | 2 | | | |

| Schedule | Dose | 10-year booster | |
|----------|------|-----------------|--|
| B10 | B | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|---------|
| | Age | Interval | Grace |
| Valid | | 5 years | 5 years |
| Early due | | | |
| Due | | 10 years | |
| Overdue | | 11 years | |
| Finished | 150 years | | |
| After invalid dose | | 5 years | 5 years |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|--|
| Vaccine | Schedule | Before Age | History Of | Reason |
| Child | B10 | | | Child vaccine should not be given has booster. |
| Adult | B10 | | | |
| Show Column | 4 | | | |
| Show Row | 4 | | | |

| Schedule | | Dose | 1st adult | |
|--|-----------|------------|------------|--|
| A1 | 1 | | | |
| Determine if dose is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | 7 years | | 0 days | |
| Early due | | | | |
| Due | 7 years | | | |
| Overdue | 7 years | | | |
| Finished | 150 years | | | |
| After invalid dose | | 0 days | | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| Child | A2 | | | |
| Adult | A2 | | | |
| Assume Comp | B10 | | Tdap | |
| Assume Comp | TN | | | |
| Show Column | 1 | | | |
| Show Row | 3 | | | |

| Schedule | | Dose | 2nd adult | |
|---|-----------|------------|------------|--|
| A2 | 2 | | | |
| Determine if the vaccination is valid or when next is due | | | | |
| | Age | Interval | Grace | |
| Valid | | 4 weeks | 4 days | |
| Early due | | | | |
| Due | | 4 weeks | | |
| Overdue | | 4 weeks | | |
| Finished | 150 years | | | |
| After invalid dose | | 4 weeks | 4 days | |
| Dose before previous | | | | |
| If valid, pick the next schedule to use | | | | |
| Vaccine | Schedule | Before Age | History Of | |
| Child | A3 | | | |
| Adult | A3 | | | |
| Assume Comp | B10 | | Tdap | |
| Assume Comp | TN | | | |
| Show Column | 2 | | | |
| Show Row | 3 | | | |

| Schedule | Dose | 3rd adult | |
|---|-----------|------------|------------|
| A3 | 3 | | |
| Determine if the vaccination is valid or when next is due | | | |
| | Age | Interval | Grace |
| Valid | 7 years | 6 months | 4 days |
| Early due | | | |
| Due | | 6 months | |
| Overdue | | 6 months | |
| Finished | 150 years | | |
| After invalid dose | | 6 months | 2 months |
| Dose before previous | | | |
| If valid, pick the next schedule to use | | | |
| Vaccine | Schedule | Before Age | History Of |
| Child | B10 | | Tdap |
| Adult | B10 | | Tdap |
| Tdap | B10 | | |
| Assume Comp | B10 | | Tdap |
| Child | TN | | |
| Adult | TN | | |
| Assume Comp | TN | | |
| Show Column | 3 | | |
| Show Row | 3 | | |

| Schedule | Dose | Tdap Now | |
|----------|------|----------|--|
| TN | B | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|-------|
| | Age | Interval | Grace |
| Valid | 7 years | 0 days | |
| Early due | | | |
| Due | 7 years | | |
| Overdue | 7 years | | |
| Finished | 150 years | | |
| After invalid dose | | 0 days | |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|--|
| Vaccine | Schedule | Before Age | History Of | Reason |
| Adult | B10 | | Tdap | |
| Tdap | B10 | | | |
| Child | TN | | | Child vaccine should not be given after 7 years of age, Tdap should be administered as soon as possible. |
| Adult | TN | | | Tdap should be administered as soon as possible. |
| Show Column | 4 | | | |
| Show Row | 3 | | | |

| Schedule | Dose | First Tdap | |
|----------|------|------------|--|
| T1 | B | | |

| Determine if the vaccination is valid or when next is due | | | |
|---|-----------|----------|-------|
| | Age | Interval | Grace |
| Valid | 7 years | 0 days | |
| Early due | | | |
| Due | 11 years | | |
| Overdue | 13 years | | |
| Finished | 150 years | | |
| After invalid dose | | 0 days | |
| Dose before previous | | | |

| If valid, pick the next schedule to use | | | | |
|---|----------|------------|------------|--|
| Vaccine | Schedule | Before Age | History Of | Reason |
| Adult | B10 | | Tdap | |
| Tdap | B10 | | | |
| Child | T1 | 11 years | | Patient has not received pertussis vaccine (Tdap) after 7 years of age, Tdap due at 11 years of age. |
| Adult | T1 | 11 years | | Patient has not received pertussis vaccine (Tdap) after 7 years of age, Tdap due at 11 years of age. |
| Child | TN | | | Child vaccine should not be given after 7 years of age, Tdap should be administered as soon as possible. |
| Adult | TN | | | Tdap should be administered as soon as possible. |
| Show Column | 5 | | | |

| | |
|----------|---|
| Show Row | 3 |
|----------|---|